



MR# **MR 26-255**
Assigned by Purchasing Div.

MODIFICATION (WAIVER) REQUEST

Requesting Department & Division	Contact Name	Telephone #
Juneau Police Department	Juvenalia Demedeiros	907-500-0686
Department Head Signature	Date	Original RQ #
	02/20/2026	12540
Is this Procurement State or Federally funded?		Estimated Cost
☒ YES ☐ NO		\$ 46,569.00

Reason for Modification Request:

*Please complete this form and attach all supporting documents.
Give complete, accurate, detailed explanation of your request. Please be specific.*

Pacific MicroRem in the only authorized dealer in Alaska for this equipment. This is an Alaska High Intensity Drug Trafficking Area (HIDTA) purchase. Juneau is the fiduciary of the Southeast Alaska HIDTA. Other HIDTA agencies in Alaska have this detector; for continuity of operations and training across Alaska, it's important to use the same type of equipment.

- ☒ **Sole Source:** The purchase of a commodity or service from the only known single source. *Attach verification.*
Code Provision: 53.50.090 (c)
- ☐ **Class 2 Emergency:** A circumstance that poses a threat to the health, welfare or safety of the public.
Code Provision: 53.50.090 (L)
- ☐ **Rider to Another Contract:** A vendor may extend another government agency's bid or contract pricing to CBJ. The proposed purchase must meet CBJ purchasing requirements and must have been competitively bid.
Code Provision: 53.50.090 (f) Agency: _____ Contract #: _____
- ☐ **No Substitute:** A request for a specific brand name and model number of a particular item to be purchased. The item must be available from more than one supplier.
- ☐ **Other:** Clear explanation is required. Code Provision: (if applicable) _____
Explanation: _____

Approved By:

Renee Loree 2/26/26
Purchasing Officer Date

City Manager Date

FY	RQ	\$ Amount	PO #	Purchasing Approval

Purchasing Officer Comments:

Expiration Date: _____



February 4, 2026

To whom it may concern:

The purpose of this letter is to certify that Pacific Microrem, Inc. is the only authorized distributor of Smiths Detection X-ray, trace detection and associated products and accessories, including the Ionscan 600, in the state of Alaska.

Regards,

A handwritten signature in blue ink, appearing to read "J Gash", written over a horizontal line.

Jason Gash
Interim Director of Sales
2202 Lakeside Boulevard, Edgewood, MD 21040
P (410) 612-4000 C (410) 652-5717
jason.gash@smiths-detection.com