

Presented by: The Manager
Introduced: 04-06-78
Referred to:

RESOLUTION OF THE CITY AND BOROUGH OF JUNEAU, ALASKA

Serial No. 507

A RESOLUTION CONCURRING WITH CONSULTANT
RECOMMENDATIONS FOR DISPOSAL OF
SLUDGE FROM TREATMENT PLANTS.

WHEREAS, the Facilities Plan for Lemon Creek Sewer adopted by Resolution Serial No. 365 was approved by the U.S. Environmental Protection Agency with the condition that a long term solution for sludge disposal be developed; and

WHEREAS, Arctic Environmental Engineers have prepared a Sludge Handling Study recommending a plan for sludge disposal; and

WHEREAS, the City and Borough of Juneau possesses the necessary legal, financial, institutional and managerial resources to construct, operate and maintain sewage treatment works and related facilities;

NOW, THEREFORE, BE IT RESOLVED BY THE ASSEMBLY OF THE CITY AND BOROUGH OF JUNEAU:

That it hereby indicates its concurrence with the proposed plan recommended by Arctic Environmental Engineers in the above referred Sludge Handling Study as modified in Arctic Environmental Engineers' letter of March 10, 1978, and the City and Borough's intent to construct, operate and maintain such proposed facilities in accordance with state and federal requirements, if said facilities are approved and funded by the state and the U.S. Environmental Protection Agency.

Adopted this 6th day of April, 1978.



Mayor

Attest:



Clerk