



**ADDENDUM TO THE CONTRACT**

for the

**TONGASS BOULEVARD RECONSTRUCTION, PHASE 1  
Contract No. BE21-150**

**ADDENDUM NO.: TWO**

**CURRENT DEADLINE FOR BIDS:  
May 11, 2021**

**PREVIOUS ADDENDA: ONE**

**ISSUED BY:** City and Borough of Juneau  
ENGINEERING DEPARTMENT  
155 South Seward Street  
Juneau, Alaska 99801

**DATE ADDENDUM ISSUED: May 6, 2021**

The following items of the contract are modified as herein indicated. All other items remain the same. This addendum has been issued and is posted online. Please refer to the CBJ Engineering Contracts Division webpage at: <http://www.juneau.org/engineering ftp/contracts/Contracts.php>

**PROJECT MANUAL:**

Item No. 1 **Add** the following Special Provision:

**“SECTION 02801 – ASPHALT CONCRETE PAVEMENT, PART 1 - GENERAL, Article 1.1, DESCRIPTION, *add paragraph C as follows:***

- C. Asphalt concrete mix for sidewalks, driveways and hydrant pads may be either Type III, Class B, or Type II-A, Class B. See Table 02801-1 and Table 02801-2.”

Item No. 2 **Delete** the Special Provision that reads:

**“SECTION 02801 – ASPHALT CONCRETE PAVEMENT, PART 1 – GENERAL, Article 1.1, DESCRIPTION, *revise* TABLE 02801-1, ASPHALTIC CONCRETE MIX REQUIREMENTS, *as follows:***

<u>Design Parameters</u>	<u>Class A</u>	<u>Class B</u>
Voids in total mix, percent	2.5 – 4.0	2.5 – 4.0%
Percent oil content	5.8 – 6.8	5.8 – 6.8%”

And **replace** it **with**:

**“SECTION 02801 – ASPHALT CONCRETE PAVEMENT, PART 1 – GENERAL, Article 1.1, DESCRIPTION, *revise* TABLE 02801-1, ASPHALTIC CONCRETE MIX REQUIREMENTS, *as follows*:**

<u>Design Parameters</u>	<u>Class A</u>	<u>Class B</u>
Voids in total mix, percent	2.5 – 4.0	2.5 – 4.0%
Percent oil content	5.8 – 6.8	5.8 – 6.8%*

\* Percent oil content for Type III Mix designs shall be 5.0 – 6.8”

By:   
\_\_\_\_\_  
Greg Smith,  
Contract Administrator

Total number of pages contained within this Addendum: 2