



MODIFICATION (WAIVER) REQUEST

REQUESTING DEPARTMENT & DIVISION:	CONTACT NAME:	TELEPHONE:	
Public Works – Utilities – Wastewater Treatment	Randall Brown	907.586.0393	
REQUESTING DEPT. HEAD SIGNATURE:	DATE:	PR or Req#:	COST:
Denise Koch	10/20/21	REQ# 8774	\$74,844.00
<i>Fill in the areas listed below that apply to this request. Please attach any supporting documentation (where applicable) to help in the evaluation process. Also include a completed purchase request.</i>			

Sole Source No Substitute Class 2 Emergency Emergency Bid Circulation

Rider to Another Contract

Other
Explain:

IS THIS PROCUREMENT FEDERALLY/STATE FUNDED? YES NO

Give complete, accurate, detailed explanation of your request. Please be specific.

MODIFICATION REQUEST EXPLANATION:
 CBJ WW is submitting this MR for Class A Bio-solids disposal bulk bags. Currently, bio-solids produced by the dryer building are only accepted by Waste Management if delivered in these bags, which are designed to properly move and dispose of the dryer byproduct. Bulk Lift International is the sole entity that provides the 8 Needle Stitching required. BLI currently owns the patent for these bags (US Patent #5.415.614). As WW Management moves to producing more bio-solids and shipping less wet sludge, bag usage will increase – thus the current order is for 1,800 bags.

EXPLANATION OF REASONS FOR MODIFICATION REQUEST

<u>Sole Source:</u> The purchase of a commodity or service from the only known capable supplier.	<u>Emergency Bid Circulation:</u> A request to reduce the required bid advertisement period.
<u>No Substitute:</u> A request for a specific brand name and model number of a particular item to be purchased. The item must be available from more than one supplier.	<u>Rider to Another Contract:</u> A vendor may extend another government agency's bid or contract pricing to CBJ. The proposed purchase must meet CBJ purchasing requirements and must have been competitively bid.
<u>Class 2 Emergency:</u> A circumstance that poses a threat to the health, welfare or safety of the public.	<u>Other:</u> The circumstance may be unique. Clear explanation is required. Provide appropriate code provision.

Purchasing Officer Comments: _____

ACTION TAKEN:

Approved (Date : 10/25/2021) Disapproved (Date : _____)
 Returned for further explanation (Date _____)

 Purchasing Officer

 City Manager

10/26/2021

 Date

October 13th, 2021

Bulk Lift International
1013 Tamarac Drive,
Carpentersville, IL, 60110

City & Borough of Juneau - Wastewater Treatment
2009 Radcliffe Road
Juneau, AK. 99801
Attention: Randall Brown

To Whom It May Concern:

This letter is to confirm that Bulk Lift International is still the sole source of the required 8 needle stitching in production, US Patent #5,415,614. Bulk Lift also is the owner of this patent.

Regards,

Annalisa Volpe-Marovich
Customer Service/Inside Sales Representative

Customer Number

18-1104



Quote Number

MEXQ07141 DD

Manufacture Code

BLCD



1013 Tamarac Drive
Carpentersville, IL 60110
847-428-6059 Fax: 847-428-7180

QUOTATION

Date 10/8/2021

Customer City Of Juneau Wasterwater Division
2009 Radcliffe Rd
Juneau, AK 99801

Customer Spec. No.

40x40x80 PlnBtm

Attention Randall Brown

Phone 907-586-0393

Fax 000-000-0000

PART NUMBER	2C2U404080	2000lb-Ctd-UPanel-Inlet/PlnBtm-40x40x80
BAG STYLE	Bag Style 1	
2" LOOPS	2" White Webbing PP	10" above the bag
TOP CLOSURE	Inlet Top Closure	14"x18" with 1/2 PP ties
BOTTOM CLOSURE	Plain Bottom Closure	
	Additional Notes	SWL: 6:1. 100 / pallet Sample waiver received 11-19-18

Price 1	Quantity	Price
	1,800	\$41.580

Respectfully Submitted,

1

Bulk Lift International, LLC

Delivery	Call 1-800-879-2247, Please ask for an Inside Sales Representative to assist you.
F.O.B	Juneau, AK
Terms	Net 30 days. Over 30 days subject to a service charge

*If unit price includes freight, price is subject to change to reflect changes in freight or fuel surcharges

*Quotes are valid for 30 days!