



## ADDENDUM TO THE CONTRACT

for the

### CBJ Ballfields Resurfacing

Contract No. E10-092

**ADDENDUM NO.:** TWO

**CURRENT DEADLINE FOR BIDS:**  
February 17, 2009

**PREVIOUS ADDENDA:** ONE

**ISSUED BY:** City and Borough of Juneau  
ENGINEERING DEPARTMENT  
155 South Seward Street  
Juneau, Alaska 99801

**DATE ADDENDUM ISSUED:** February 12, 2009

The following items of the Contract are modified as herein indicated. All other items remain the same. This is a faxed addendum. A confirming copy will not be mailed to you. If this fax is incomplete, please call (907) 586-0490, and we will re-send it. This addendum has been issued and is posted online. Please refer to the CBJ Engineering Contracts Division webpage at:  
<http://www.juneau.org/engineering ftp/contracts/Contracts.php>


### **SPECIAL PROVISIONS:**

- Item No. 1 SECTION 02707 – CHAIN LINK FENCE, PART 2 – PRODUCTS, Article 2.1 MATERIALS, add the following paragraphs:
- M. End posts for all fences six (6) feet to ten (10) feet in height shall have a nominal pipe size of 2-7/8 inches.
  - N. Interior posts for all fences six (6) feet to ten (10) feet in height shall have a nominal pipe size of 2-3/8 inches.
  - O. Rails for all fences six (6) feet to ten (10) feet in height shall have a nominal pipe size of 1-5/8 inches.
  - P. Gates shall have a width that provides an opening between end posts as shown on the Drawings. Gates shall have a height that matches to the top of the adjacent fence and a ground clearance of 1-1/2 inches minimum to 2 inches maximum.

**DRAWINGS:**

Item No. 2 SHEET No. 15 of 21 (MP-2), titled "MELVIN PARK - FIELD 2 GRADING PLAN AND TYPICAL SECTION", add the following NOTE:

12. The dugout gates at 11+93.7, 57.1' RT and 11+94.5, 57.0' LT shall each have a four (4) foot opening.

By:   
for Jennifer Mannix, CBJ Contract Administrator

Total number of pages contained within this Addendum: 2.