



ADDENDUM TO THE CONTRACT

for the

Auke Bay Fire Station Exterior Upgrade Contract No. E12-094

ADDENDUM NO.: ONE

CURRENT DEADLINE FOR BIDS:
May 23, 2012

PREVIOUS ADDENDA: NONE

ISSUED BY: City and Borough of Juneau
ENGINEERING DEPARTMENT
155 South Seward Street
Juneau, Alaska 99801

PREVIOUS DEADLINE FOR BIDS:
May 22, 2012

The following items of the contract are modified as herein indicated. All other items remain the same. This is a faxed addendum. A confirming copy will not be mailed to you. This addendum has been issued and is posted online. Please refer to the CBJ Engineering Contracts Division webpage at: http://www.juneau.org/engineering_ftp/contracts/Contracts.php

PROJECT MANUAL:

Item No. 1 Section 00030 - Notice Inviting Bids, Deadline For Bids.

Change the date of the Deadline for Bids **from** May 22, 2012 **to** May 23, 2012. The time remains the same.

Item No. 2 Section 00030 – Notice Inviting Bids, Completion of Work. **Change** final completion **from** October 1, 2012 **to** December 1, 2012.

Item No. 3 Section 00500 – Agreement, Article 2, Contract Completion Time. **Change** final completion **from** October 1, 2012 **to** December 1, 2012.

Item No. 4 Section 074213 – Metal Wall Panels, Article 1.07, Warranty. Paragraph A. **Delete** in its entirety and **replace** with the following:

"A. Manufacturer's written 20-year warranty on panel finish, including color fading caused by exposure to weather."

Item No. 5 Section 074213 – Metal Wall Panels, Article 2.02, Manufactured Metal Panels. Paragraph B.4. **Change** "40 choices minimum" **to** "22 choices minimum."

Item No. 6 Section 074213 – Metal Wall Panels, Article 2.02, Manufactured Metal Panels. Paragraph C.3. **Change** "40 choices minimum" **to** "22 choices minimum."

Item No. 7 Section 085610 – Vinyl Windows, Article 2.04, Glazing. Paragraph A. **Add** the following sentence: "Where safety glass is indicated, provide fully-tempered heat-treated float glass."

DRAWINGS:

Item No. 8 Drawing A100. **Add** the following general note, "Project is 1/10 mile from saltwater."

Item No. 9 Drawing A203. West Elevation. **Add** the following note at the window denoted as Window A to the right of the door, "Safety glass".

By: 

Jennifer Mannix,
Contract Administrator

Date: 5/18/12

Total number of pages contained within this Addendum: 2