



ADDENDUM TO THE CONTRACT

for the

**Bartlett Regional Hospital (BRH)
Life Safety Fire Doors**

Contract No. E13-028

ADDENDUM NO.: TWO

**CURRENT DEADLINE FOR BIDS:
August 23, 2012**

PREVIOUS ADDENDA: ONE

ISSUED BY: City and Borough of Juneau
ENGINEERING DEPARTMENT
155 South Seward Street
Juneau, Alaska 99801

DATE ADDENDUM ISSUED: August 20, 2012

The following items of the contract are modified as herein indicated. All other items remain the same. This addendum has been issued and is posted online. Please refer to the CBJ Engineering Contracts Division webpage at:
http://www.juneau.org/engineering_ftp/contracts/Contracts.php

DRAWINGS:

Item No. 1: Sheet A002 – Door Types, Door Schedule, Partition Types, Partition Notes.

Door Schedule: **Revise** Door Schedule to list Doors 035, 037 and 038 under Level – 2.

Partition Notes: **Delete** Partition Note 3 in its entirety.

Item No. 2: Sheet A901 – Interior Details Backing, Base & Wall Covering, Details 5 and 6.

Delete reference to "PLAM OR FRP" and **replace** with "Impact Resistant Wall Covering." Impact Resistant Wall Covering is specified in Section 102600 – Wall and Door Protection, Article 2.3.

By: 
Jennifer Mannix,
Contract Administrator