



## ADDENDUM TO THE CONTRACT

for the

**2016 Area Wide Paving**

**Contract No. E16-155**

**ADDENDUM NO.: TWO**

**CURRENT DEADLINE FOR BIDS:  
February 23, 2016**

**PREVIOUS ADDENDA: ONE**

**ISSUED BY:** City and Borough of Juneau  
ENGINEERING DEPARTMENT  
155 South Seward Street  
Juneau, Alaska 99801

**DATE ADDENDUM ISSUED: February 11, 2016**


The following items of the contract are modified as herein indicated. All other items remain the same. This is a faxed addendum. A confirming copy will not be mailed to you. This addendum has been issued and is posted online. Please refer to the CBJ Engineering Contracts Division webpage at:  
[http://www.juneau.org/engineering\\_ftp/contracts/Contracts.php](http://www.juneau.org/engineering_ftp/contracts/Contracts.php)

### **SPECIAL PROVISIONS:**

- Item No. 1 SECTION 02801 ASPHALT CONCRETE PAVEMENT, PART 2 – PRODUCTS, Article 2.3, ASPHALT MATERIALS, **Delete** Paragraph B and **replace** with the following:
- B. 1. Asphalt cement shall be SHRP Performance Graded Binder PG 58-28 PLUS.
2. Meet AASHTO M 320 and the following requirement:
- a. Elastic Recovery (AASHTO T 301) 50% minimum

### **DRAWINGS:**

- Item No. 2 SHEET 3 DETAILS AND GENERAL NOTES, **Add** Note 6 to General Notes
6. Contractor shall be substantially complete with one roadway portion and scheduled to pave prior to beginning another portion. Contractor will also be responsible for maintaining grade on any given roadway portion until final paving is completed at their own expense.

By:   
Greg Smith,  
Contract Administrator

Total number of pages contained within this Addendum: 1