



ADDENDUM TO THE CONTRACT
for the
Centennial Hall Floor Renovation
Contract No. BE17-260

ADDENDUM NO.: FIVE

CURRENT DEADLINE FOR BIDS:
June 15, 2017

PREVIOUS ADDENDA: FOUR

ISSUED BY: City and Borough of Juneau
ENGINEERING DEPARTMENT
155 South Seward Street
Juneau, Alaska 99801

PREVIOUS DEADLINE FOR BIDS:
June 13, 2017

DATE ADDENDUM ISSUED: June 12, 2017

The following items of the contract are modified as herein indicated. All other items remain the same. This is a faxed addendum. A confirming copy will not be mailed to you. This addendum has been issued and is posted online. Please refer to the CBJ Engineering Contracts Division webpage at: <http://www.juneau.org/engineering ftp/contracts/Contracts.php>

PROJECT MANUAL:

Item No. 1 SECTION 00030 - NOTICE INVITING BIDS. DEADLINE FOR BIDS.

Change the date of the Deadline for Bids **from** June 13, 2017 **to** June 15, 2017. The time remains the same.

Item No. 2 Section 097420 – Epoxy Finish System, Part 1, 1.1 – SUMMARY, B. Related Sections:, 2. Section 030134 – Concrete Surface Preparation, Patching and Ramps – **Delete** “b. Surface shall be straight and level with the permissible degree of tolerance of maximum 1/8” in 10’-0” in any direction.” and **Replace** with “b. Surface shall be straight and level within the epoxy manufacturer’s allowable tolerances”

By: 
Greg Smith,
Contract Administrator