

# **PUBLIC SAFETY BUILDING BUILDING DEMOLITION**

**Contract No. BE19-117**

File No. 2003



## SECTION 00005 - TABLE OF CONTENTS

### DIVISION 0 - BIDDING AND CONTRACT REQUIREMENTS, CONTRACT FORMS, AND CONDITIONS OF THE CONTRACT

#### BIDDING and CONTRACT REQUIREMENTS No. of Pages

|       |                                             |   |
|-------|---------------------------------------------|---|
| 00005 | Table of Contents .....                     | 2 |
| 00030 | Notice Inviting Bids .....                  | 3 |
| 00100 | Instructions to Bidders .....               | 9 |
| 00300 | Bid .....                                   | 2 |
| 00310 | Bid Schedule .....                          | 1 |
| 00320 | Bid Bond .....                              | 1 |
| 00360 | Subcontractor Report .....                  | 2 |
| 00370 | Contractor's Financial Responsibility ..... | 3 |

#### CONTRACT FORMS

|       |                        |   |
|-------|------------------------|---|
| 00500 | Agreement .....        | 6 |
| 00610 | Performance Bond ..... | 2 |
| 00620 | Payment Bond .....     | 2 |

#### CONDITIONS OF THE CONTRACT

|       |                                                                                   |    |
|-------|-----------------------------------------------------------------------------------|----|
| 00700 | General Conditions .....                                                          | 44 |
| 00800 | Supplementary General Conditions .....                                            | 6  |
| 00830 | Alaska Labor Standards, Reporting, and<br>Prevailing Wage Rate Determination..... | 1  |

#### TECHNICAL SPECIFICATIONS

##### DIVISION 1 - GENERAL REQUIREMENTS

|        |                                          |   |
|--------|------------------------------------------|---|
| 011000 | Summary.....                             | 3 |
| 011250 | Measurement and Payment .....            | 1 |
| 012200 | Unit Prices .....                        | 2 |
| 012500 | Substitution Procedures .....            | 4 |
| 012600 | Contract Modification Procedures .....   | 2 |
| 012900 | Payment procedures .....                 | 2 |
| 013100 | Project Management and Coordination..... | 7 |
| 013200 | Construction Progress Documentation..... | 4 |
| 013300 | Submittal Procedures .....               | 7 |
| 014000 | Quality Requirements .....               | 6 |
| 014200 | References .....                         | 2 |
| 015000 | Temporary Facilities and Controls.....   | 5 |
| 016000 | Product Requirements.....                | 5 |
| 017300 | Execution.....                           | 6 |
| 017700 | Closeout Procedures .....                | 6 |

## SECTION 00005 - TABLE OF CONTENTS

### SPECIFICATIONS

|        |                                                        |    |
|--------|--------------------------------------------------------|----|
| 024116 | Structure Demolition .....                             | 7  |
| 026100 | Contaminated Soil Removal & Replacement.....           | 2  |
| 026500 | Fuels Storage Tank Removal .....                       | 4  |
| 028213 | Asbestos Abatement .....                               | 13 |
| 028333 | Removal and Disposal of Materials Containing Lead..... | 8  |
| 028416 | Hazardous Ballasts and Lamps .....                     | 2  |

### DRAWINGS

|                                                     |    |
|-----------------------------------------------------|----|
| See Cover Sheet of Drawings for Drawing Index ..... | 12 |
|-----------------------------------------------------|----|

END OF SECTION

## SECTION 00030 - NOTICE INVITING BIDS

**OBTAINING CONTRACT DOCUMENTS.** The Contract Documents are entitled:

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

The Contract Documents may be obtained at the City & Borough of Juneau (CBJ) Engineering Department, 3rd Floor Marine View Center, upon payment of \$35 (non-refundable) for each set of Contract Documents (including Technical Specifications and Drawings) or may be downloaded for free at the CBJ Engineering Department webpage at: [www.juneau.org/engineering](http://www.juneau.org/engineering)

**PRE-BID CONFERENCE.** Prospective Bidders are encouraged to attend a Pre-Bid conference of the proposed WORK, which will be conducted by the OWNER and ARCHITECT, at 10:00 a.m. on December 18, 2018, in the City and Borough of Juneau Engineering Conference Room, 3<sup>rd</sup> Floor, Marine View Center. The object of the conference is to acquaint Bidders with the bid documents and site conditions. Conference call capability will be available for the Pre-Bid meeting. Proposers intending to participate via conference call shall notify Caleb Comas in the CBJ Engineering Contracts Division, at (907) 586-0878, or [caleb.comas@juneau.org](mailto:caleb.comas@juneau.org) by 4:30 p.m., December 17, 2018.

**DESCRIPTION OF WORK.** The scope of work includes abatement of hazardous materials within the existing structure prior to demolition, removal of subsurface utilities, foundations, and fuel storage tank, remediation of contaminated soils if encountered, removal of all site improvements including asphalt paving, removal of the entire facility, subsurface drainage improvements, grading, asphalt paving, parking lot striping, and miscellaneous related WORK.

**COMPLETION OF WORK.** Work can begin no earlier than April 22, 2019.

| <u>Work Description</u> | <u>Completion Date</u> |
|-------------------------|------------------------|
| Substantial Completion  | July 19, 2019          |
| Final Completion        | July 26, 2019          |

**DEADLINE FOR BIDDER QUESTIONS: December 27, 2018**

**DEADLINE FOR BIDS:** Sealed bids must be received by the Purchasing Division **prior to 2:00 p.m., Alaska Time on January 3, 2019**, or such later time as may be announced by addendum at any time prior to the deadline. Bids will be time and date stamped by the Purchasing Division, which will establish the official time of receipt of bids. Bids will be opened immediately thereafter in the Assembly Chambers of the Municipal Building, 155 S. Seward Street, unless otherwise specified.

Bid documents delivered in person or by **courier** service must be delivered to:

Bid documents delivered by the **U.S. Postal Service** must be mailed to:

**PHYSICAL LOCATION:**

City and Borough of Juneau, Purchasing Division  
105 Municipal Way, Room 300  
Juneau, AK 99801

**MAILING ADDRESS:**

City and Borough of Juneau, Purchasing Division  
155 South Seward Street  
Juneau, AK 99801

## SECTION 00030 - NOTICE INVITING BIDS

Please affix the label below to outer envelope in the lower left hand corner.

|                                                                                       |                                      |                      |
|---------------------------------------------------------------------------------------|--------------------------------------|----------------------|
| <b>IMPORTANT NOTICE TO BIDDER</b>                                                     |                                      |                      |
| <b>To submit your Bid:</b>                                                            |                                      |                      |
| 1. Print your company name and address on the upper left corner of your envelope.     |                                      |                      |
| 2. <b>Complete this label and place it on the lower left corner of your envelope.</b> |                                      |                      |
| <b>S<br/>E<br/>A<br/>L<br/>E<br/>D</b>                                                | <b>BID NUMBER:</b>                   | <b>B<br/>I<br/>D</b> |
|                                                                                       | <b><u>BE19-117</u></b>               |                      |
|                                                                                       | <b>SUBJECT:</b>                      |                      |
|                                                                                       | <b><u>PUBLIC SAFETY BUILDING</u></b> |                      |
|                                                                                       | <b><u>BUILDING DEMOLITION</u></b>    |                      |
|                                                                                       | <b>DEADLINE DATE:</b>                |                      |
|                                                                                       | <b><u>JANUARY 3, 2019</u></b>        |                      |
|                                                                                       | <b><u>PRIOR TO 2:00PM ALASKA</u></b> |                      |
|                                                                                       | <b><u>TIME</u></b>                   |                      |

**Mailing/delivery times to Alaska may take longer than other areas of the U.S.** Late bids will not be accepted and will be returned.

**SITE OF WORK.** The site of the WORK is the Public Safety Building located at 450 Whittier Street, Juneau, AK 99801.

**BIDDING, CONTRACT, or TECHNICAL QUESTIONS.** All communications relative to this WORK, prior to opening Bids, shall be directed to the following:

Greg Smith, Contract Administrator  
CBJ Engineering Department, 3<sup>rd</sup> Floor, Marine View Center  
greg.smith@juneau.org  
Telephone: (907) 586-0873  
Fax: (907) 586-4530

**BID SECURITY.** Each Bid shall be accompanied by a certified or cashier's check or Bid Bond, in the amount of 5% percent of the Bid, payable to the City and Borough of Juneau, Alaska, as a guarantee that the Bidder, if its Bid is accepted, will promptly execute the Agreement. A Bid shall not be considered unless one of the forms of Bidder's security is enclosed with it.

**CONTRACTOR'S LICENSE.** All contractors are required to have a current Alaska Contractor's License, prior to submitting a Bid, and a current Alaska Business License prior to award.

**BID TO REMAIN OPEN.** The Bidder shall guarantee the Bid for a period of 120 Days from the date of Bid opening. Any component of the Bid may be awarded anytime during the 120 Days.

**OWNER'S RIGHTS RESERVED.** The OWNER reserves the right to reject any or all Bids, to waive any informality in a Bid, and to make award to the lowest responsive, responsible Bidder as it may best serve the interests of the OWNER.

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

**NOTICE INVITING BIDS  
Page 00030-2**

**SECTION 00030 - NOTICE INVITING BIDS**

**OWNER: City and Borough of Juneau**

By:   
Greg Smith, Contract Administrator

Date 12/10/2018

**END OF SECTION**

## SECTION 00100 - INSTRUCTIONS TO BIDDERS

**1.0 DEFINED TERMS.** Terms used in these Instructions to Bidders and the Notice Inviting Bids, which are defined in the General Conditions, have the meanings assigned to them in the General Conditions. The term "Bidder" means one who submits a Bid directly to the OWNER, as distinct from a sub-bidder, who submits a Bid to a Bidder.

### **2.0 INTERPRETATIONS AND ADDENDA.**

A. **INTERPRETATIONS.** All questions about the meaning or intent of the Contract Documents are to be directed to the Engineering Contracts Administrator. Interpretations or clarifications considered necessary by the Engineering Contracts Administrator in response to such questions will be issued by Addendum, mailed, faxed, or delivered to all parties recorded by the Engineering Contracts Administrator, or OWNER, as having received the Contract Documents. Questions received less than seven Days prior to the Deadline for Bids may not be answered. Only questions answered by formal written Addendum will be binding. Oral and other interpretations or clarifications will be without legal effect.

B. **ADDENDA.** Addenda may be issued to modify the Contract Documents as deemed advisable by the OWNER. Addenda may be faxed or, if addendum format warrants, addenda may be posted to the CBJ Engineering Department website. In any event, notification of addendum issuance will be faxed to planholders. Hard copies are available upon request. The OWNER will make all reasonable attempts to ensure that all planholders receive notification of Addenda, however, it is strongly recommended by the OWNER that bidders independently confirm the contents, number, and dates of each Addendum prior to submitting a Bid.

**3.0 FAIR COMPETITION.** More than one Bid from an individual, firm, partnership, corporation, or association under the same or different names will not be considered. If the OWNER believes that any Bidder is interested in more than one Bid for the WORK contemplated, all Bids in which such Bidder is interested will be rejected. If the OWNER believes that collusion exists among the Bidders, all Bids will be rejected.

**4.0 RESPONSIBILITY OF BIDDERS.** Only responsive Bids from responsible Bidders will be considered. A Bid submitted by a Bidder determined to be not responsible may be rejected. The OWNER may find a bidder to be not responsible for any one of the following reasons, but is not limited in its responsibility analysis to the following factors:

- A. Evidence of bid rigging or collusion;
- B. Fraud or dishonesty in the performance of previous contracts;
- C. Record of integrity;
- D. More than one bid for the same work from an individual, firm, or corporation under the same or different name;
- E. Unsatisfactory performance on previous or current contracts;
- F. Failure to pay, or satisfactorily settle, all bills due for labor and material on previous contracts;

## SECTION 00100 - INSTRUCTIONS TO BIDDERS

- G. Uncompleted work that, in the judgment of the OWNER, might hinder or prevent the bidder's prompt completion of additional work, if awarded;
- H. Failure to reimburse the OWNER for monies owed on any previous contracts;
- I. Default under previous contracts;
- J. Failure to comply with any qualification requirements of the OWNER; special standards for responsibility, if applicable, will be specified. These special standards establish minimum standards or experience required for a responsible Bidder on a specific contract;
- K. Engaging in any activity that constitutes a cause for debarment or suspension under the CBJ Procurement Code 53.50 or submitting a bid during a period of debarment;
- L. Lack of skill, ability, financial resources, or equipment required to perform the contract; or
- M. Lack of legal capacity to contract.
- N. Bidders must be registered as required by law and in good standing for all amounts owned to the OWNER per Paragraph 21.0 of this Section.
- O. Failure to submit Failure to submit all completed documents as required and specified on the Bid Form, Section 00300.

Nothing contained in this section deprives the OWNER of its discretion in determining the lowest responsible bidder. Before a Bid is considered for award, a Bidder may be requested to submit information documenting its ability and competency to perform the WORK, according to general standards of responsibility and any special standards which may apply. It is Bidder's responsibility to submit sufficient, relevant, and adequate information. OWNER will make its determination of responsibility and has no obligation to request clarification or supplementary information.

**5.0 NON-RESPONSIVE BIDS.** Only responsive Bids will be considered. Bids may be considered non-responsive and may be rejected. Some of the reasons a Bid may be rejected for being non-responsive are:

- A. If a Bid is received by the CBJ Purchasing Division after the Deadline for Bids.
- B. If the Bid is on a form other than that furnished by the OWNER, or legible copies thereof; or if the form is altered or any part thereof is detached; or if the Bid is improperly signed.
- C. If there are unauthorized additions, conditional or alternate Bids, or irregularities of any kind which may tend to make the bid incomplete, indefinite, ambiguous as to its meaning, or in conflict with the OWNER's Bid document.
- D. If the Bidder adds any unauthorized conditions, limitations, or provisions reserving the right to accept or reject any award, or to enter into a contract pursuant to an award. This does not exclude a Bid limiting the maximum gross amount of awards acceptable to any one Bidder at any one Bid opening, provided that any selection of awards will be made by the OWNER.
- E. If the Bid does not contain a Unit Price for each pay item listed, except in the case of

## SECTION 00100 - INSTRUCTIONS TO BIDDERS

authorized alternate pay items.

- F. If the Bidder has not acknowledged receipt of each Addendum.
- G. If the Bidder fails to furnish an acceptable Bid guaranty with the Bid.
- H. If any of the Unit Prices Bid are excessively unbalanced (either above or below the amount of a reasonable Bid) to the potential detriment of the OWNER.
- I. If a Bid modification does not conform to Article 15.0 of this Section.

### **6.0 BIDDER'S EXAMINATION OF CONTRACT DOCUMENTS AND SITE.** It is the responsibility of each Bidder before submitting a Bid:

- A. To examine thoroughly the Contract Documents, and other related data identified in the Bidding documents (including "technical data" referred to below):
  - 1. To visit the site to become familiar with and to satisfy the Bidder as to the general and local conditions that may affect cost, progress, or performance, of the WORK,
  - 2. To consider federal, state and local laws and regulations that may affect cost, progress, or performance of the WORK,
  - 3. To study and carefully correlate the Bidder's observations with the Contract Documents, and other related data; and
  - 4. To notify the ARCHITECT of all conflicts, errors, or discrepancies in or between the Contract Documents and such other related data.

### **7.0 REFERENCE IS MADE TO THE SUPPLEMENTARY GENERAL CONDITIONS FOR IDENTIFICATION OF:**

- A. Those reports of explorations and tests of subsurface conditions at the site which have been utilized by the Architect of Record in the preparation of the Contract Documents. The Bidder may rely upon the accuracy of the technical data contained in such reports, however, the interpretation of such technical data, including any interpolation or extrapolation thereof, together with non-technical data, interpretations, and opinions contained therein or the completeness thereof is the responsibility of the Bidder.
- B. Those Drawings of physical conditions in or relating to existing surface and subsurface conditions (except underground utilities) which are at or contiguous to the site have been utilized by the Architect of Record in the preparation of the Contract Documents. The Bidder may rely upon the accuracy of the technical data contained in such Drawings, however, the interpretation of such technical data, including any interpolation or extrapolation thereof, together with nontechnical data, interpretations, and opinions contained in such Drawings or the completeness thereof is the responsibility of the Bidder.
- C. Copies of such reports and Drawings will be made available by the OWNER to any Bidder on request if said reports and Drawings are not bound herein. Those reports and Drawings are not part of the Contract Documents, but the technical data contained therein upon which the Bidder is entitled to rely, as provided in Paragraph SGC-4.2 of the Supplementary General Conditions, are incorporated herein by reference.
- D. Information and data reflected in the Contract Documents with respect to underground

## SECTION 00100 - INSTRUCTIONS TO BIDDERS

utilities at or contiguous to the site is based upon information and data furnished to the OWNER and the Architect of Record by the owners of such underground utilities or others, and the OWNER does not assume responsibility for the accuracy or completeness thereof unless it is expressly provided otherwise in the Supplementary General Conditions, or in Section 01530 - Protection and Restoration of Existing Facilities of the General Requirements.

- E. Provisions concerning responsibilities for the adequacy of data furnished to prospective Bidders on subsurface conditions, underground utilities and other physical conditions, and possible changes in the Contract Documents due to differing conditions appear in Paragraphs 4.2, 4.3, and 4.4 of the General Conditions.
- F. Before submitting a Bid, each Bidder will, at Bidder's own expense, make or obtain any additional examinations, investigations, explorations, tests, and studies and obtain any additional information and data which pertain to the physical conditions (surface, subsurface, and underground utilities) at or contiguous to the site or otherwise which may affect cost, progress, or performance of the WORK and which the Bidder deems necessary to determine its Bid for performing the WORK in accordance with the time, price, and other terms and conditions of the Contract Documents.
- G. On request in advance, the OWNER will provide each Bidder access to the site to conduct such explorations and tests as each Bidder deems necessary for submission of a Bid. Bidder shall fill all holes and shall clean up and restore the site to its former condition upon completion of such explorations.
- H. The lands upon which the WORK is to be performed, rights-of-way and easements for access thereto and other lands designated for use by the CONTRACTOR in performing the WORK are identified in the Contract Documents. All additional lands and access thereto required for temporary construction facilities or storage of materials and equipment are to be provided by the CONTRACTOR. Easements for permanent structures or permanent changes in existing structures are to be obtained and paid for by the OWNER unless otherwise provided in the Contract Documents.
- I. The submission of a Bid will constitute an incontrovertible representation by the Bidder that the Bidder has complied with every requirement of Article 6.0, "Bidder's Examination of Contract Documents and Site" herein, that without exception the Bid is premised upon performing the WORK required by the Contract Documents and such means, methods, techniques, sequences, or procedures of construction as may be indicated in or required by the Contract Documents, and that the Contract Documents are sufficient in scope and detail to indicate and convey understanding of all terms and conditions for performance of the WORK.

### 8.0 BID FORM.

- A. The Bid shall be made on the Bid Schedule(s) bound herein, or on the yellow Bid packet provided, or on legible and complete copies thereof, and shall contain the following: Sections 00300, 00310, the required Bid Security, and any other documents required in Section 00300 – Bid.
- B. All blanks on the Bid Form and Bid Schedule must be completed in ink or typed.

## SECTION 00100 - INSTRUCTIONS TO BIDDERS

- C. Bids by corporations must be executed in the corporate name by the president, a vice-president (or other corporate officer). The corporate address and state of incorporation must appear below the signature.
- D. Bids by partnerships must be executed in the partnership name and be signed by a managing partner, and the official address of the partnership must appear below the signature.
- E. The Bidder's Bid must be signed. All names must be printed or typed below the signature.
- F. The Bid shall contain an acknowledgment of receipt of all Addenda, the numbers of which shall be filled in on the Bid form. Failure to acknowledge Addenda may render Bid non-responsive and may cause its rejection.
- G. The address to which communications regarding the Bid are to be directed must be shown.

**9.0 QUANTITIES OF WORK.** The quantities of WORK, or material, stated in Unit Price items of the Bid are supplied only to give an indication of the general scope of the WORK; the OWNER does not expressly or by implication agree that the actual amount of WORK, or material, will correspond therewith, and reserves the right after award to increase or decrease the amount of any Unit Price item of the WORK by an amount up to and including 25 percent of any Bid item, without a change in the Unit Price, and shall include the right to delete any Bid item in its entirety, or to add additional Bid items up to and including an aggregate total amount not to exceed 25 percent of the Contract Price (see Section 00700 - General Conditions, Article 10 Changes In the WORK).

**10.0 SUBSTITUTE OR "OR-EQUAL" ITEMS.** Substitution requests are not accepted during the bidding process. The procedure for the submittal of substitute or "or-equal" products is specified in Section 01300 – Contractor Submittals.

**11.0 SUBMISSION OF BIDS.** The Bid shall be delivered by the time and to the place stipulated in Section 00030 - Notice Inviting Bids. It is the Bidder's sole responsibility to see that its Bid is received in proper time. Oral, telegraphic, emailed, or faxed Bids will not be considered. The envelope enclosing the sealed Bids shall be plainly marked in the upper left-hand corner with the name and address of the Bidder and shall also include the label included in Section 00030 – Notice Inviting Bids. The Bid Security shall be enclosed in the same envelope with the Bid

**12.0 BID SECURITY, BONDS, AND INSURANCE.** Each Bid shall be accompanied by a certified, or cashier's check, or approved Bid Bond in an amount of at least 5 percent of the total Bid price. The "total Bid price" is the amount of the Base Bid, plus the amount of alternate Bids, if any, which total to the maximum amount for which the CONTRACT could be awarded. Said check or Bond shall be made payable to the OWNER and shall be given as a guarantee that the Bidder, if offered the WORK, will enter into an Agreement with the OWNER, and will furnish the necessary insurance certificates, Payment Bond, and Performance Bond; each of said Bonds, if required, and insurance amounts shall be as stated in the Supplementary General Conditions. In case of refusal or failure to enter into said Agreement, the check or Bid Bond, as the case may be, may be forfeited to the OWNER. If the Bidder elects to furnish a Bid Bond as its Bid security, the Bidder shall use the Bid Bond form bound herein, or one conforming substantially to it in form. Bid Bonds must be accompanied by a legible Power of Attorney.

## SECTION 00100 - INSTRUCTIONS TO BIDDERS

**13.0 RETURN OF BID SECURITY.** The OWNER will return all Bid security checks (certified or cashier's) accompanying such of the Bids as are not considered in making the award. All other Bid securities will be held until the Agreement has been executed. Following execution of the Agreement, all other Bid security checks will be returned to the respective Bidders whose Bids they accompanied and Bid security bonds will be appropriately discarded.

**14.0 DISCREPANCIES IN BIDS.** In the event there is more than one Pay Item in a Bid Schedule, the Bidder shall furnish a price for all Pay Items in the schedule, and failure to do so may render the Bid non-responsive and cause its rejection. In the event there are Unit Price Pay Items in a Bid Schedule and the "amount" indicated for a Unit Price Bid Item does not equal the product of the Unit Price and quantity, the Unit Price shall govern and the amount will be corrected accordingly, and the Bidder shall be bound by said correction. In the event there is more than one Pay Item in a Bid Schedule and the total indicated for the schedule does not agree with the sum of the prices Bid on the individual items, the prices Bid on the individual items shall govern and the total for the schedule will be corrected accordingly, and the Bidder shall be bound by said correction.

### **15.0 BID MODIFICATIONS AND UNAUTHORIZED ALTERNATIVE BIDS.**

- A. Any bidder may deliver a modification to a bid in person, by mail or fax (907-586-4561), provided that such modification is received by the Purchasing Division no later than the deadline for bids. Modifications will be time and date stamped by the Purchasing Division, which will establish the official time of receipt of the modification. The modification must not reveal the bid price but should be in the form of an addition or subtraction or other modification so that the final prices will not be known until the sealed bid is opened.

The Bid modifications shall be provided on the **Bid Modification Form** located at the end of this Section. Submittal of any other form by the vendor may deem the modification unacceptable by the OWNER. **A mail or fax modification should not reveal the Bid price but should provide the addition or subtraction or other modification so that the final prices will not be known by the City and Borough until the sealed Bid is opened.** Submitted Modification forms shall include the modification to the unit price or lump sum amount of each pay item modified.

**FAX DISCLAIMER:** It is the responsibility of the bidder to submit modifications in a timely manner. Bidders' use of a fax machine to modify their bid shall be at bidders' sole risk. The Purchasing Division will attempt to keep the fax machine in good working order but will not be responsible for bid modifications that are late due to mechanical failure, a busy fax machine, or any other cause arising from bidder's use of a fax machine, even if bidder submits a transmission report or provides other confirmation indicating that the bidder transmitted a bid modification prior to the deadline. The City will not be responsible for its failure to receive the modification whether such failure is caused by equipment or human error, or otherwise. Bidders are therefore strongly encouraged to confirm receipt of their bid modification with the Purchasing Division (907-586-5258) prior to deadline.

- B. Conditioned bids, limitations, or provisos attached to the Bid or bid modification will render it unauthorized and cause its rejection as being non-responsive. The completed Bid forms shall be without interlineations, alterations, or erasures in the printed text. All changes shall be initialed by the person signing the Bid. Alternative Bids will not be considered unless called for.

## **SECTION 00100 - INSTRUCTIONS TO BIDDERS**

**16.0 WITHDRAWAL OF BID.** Prior to the Deadline for Bids, the Bid may be withdrawn by the Bidder by means of a written request, signed by the Bidder or its properly authorized representative. Such written request must be delivered to the place stipulated in the Notice Inviting Bids for receipt of Bids.

### **17.0 AWARD OF CONTRACT.**

- A. Award of a contract, if it is awarded, will be on the basis of materials and equipment described in the Drawings or specified in the Technical Specifications and will be made to the lowest responsive, responsible Bidder whose Bid complies with all the requirements prescribed. Unless otherwise specified, any such award will be made within the period stated in the Notice Inviting Bids that the Bids are to remain open. Unless otherwise indicated, a single award will be made for all the Bid items in an individual Bid Schedule.
- B. If the OWNER has elected to advertise this Project with a Base Bid and Alternates, the OWNER may elect to award the contract for the Base Bid, or the Base Bid in combination with one or more Alternates selected by the OWNER. In either case, award shall be made to the responsive, responsible bidder offering the lowest total Bid for the WORK to be awarded.

### **18.0 EXECUTION OF AGREEMENT.**

- A. All Bids of value greater than \$1,000,000 must be approved by the CBJ Assembly. After the CBJ Assembly has approved the award and after the Bid protest period, the OWNER will issue a Notice of Intent to Award to the approved Bidder. The Bidder to whom award is made shall execute a written Agreement with the OWNER on the Agreement form, Section 00500, collect insurance, and shall furnish all certificates and Bonds required by the Contract Documents within 10 Days (calendar) from the date of the Notice of Intent to Award letter.
- B. Failure or refusal to enter into the Agreement as herein provided or to conform to any of the stipulated requirements in connection therewith shall be just cause for annulment of the award and forfeiture of the Bid security. If the lowest responsive, responsible Bidder refuses or fails to execute the Agreement, the OWNER may award the contract to the second lowest responsive, responsible Bidder. If the second lowest responsive, responsible Bidder refuses or fails to execute the Agreement, the OWNER may award the contract to the third lowest responsive, responsible Bidder. On the failure or refusal of such second or third lowest Bidder to execute the Agreement, each such Bidder's Bid securities shall be likewise forfeited to the OWNER.

**19.0 LIQUIDATED DAMAGES.** Provisions for liquidated damages if any, are set forth in Section 00500 - Agreement.

### **20.0 FILING A PROTEST.**

- A. A Bidder may protest the proposed award of a competitive sealed Bid by the City and Borough of Juneau. The protest shall be executed in accordance with CBJ Ordinance 53.50.062 PROTESTS and CBJ Ordinance 53.50.080 ADMINISTRATION OF

## SECTION 00100 - INSTRUCTIONS TO BIDDERS

PROTEST. The entire text of the CBJ Purchasing Ordinance can be accessed at the CBJ website, <http://www.juneau.org/law/code/code.php>, or call the CBJ Purchasing Division at (907) 586-5258 for a copy of the ordinance.

B. Late protests shall not be considered by the CBJ Purchasing Officer.

**21.0 CONTRACTOR'S GOOD STANDING WITH CBJ FINANCE DEPARTMENT:** Contractors must be in good standing with the CBJ prior to award, and prior to any contract renewals, and in any event no later than ***seven business days*** following notification by the CBJ of intent to award as indicated in the Posting Notice of Bids. **Good standing** means: all amounts owed to the CBJ are current and the Contractor is not delinquent with respect to any taxes, fees, assessment, or other monies due and owed the CBJ, or a Confession of Judgment has been executed and the Contractor is in compliance with the terms of any stipulation associated with the Confession of Judgment, including being current as to any installment payments due; and Contractor is current in all CBJ reporting obligations (such as sales tax registration and reporting and business personal property declarations). Failure to meet these requirements may be cause for rejection of your bid. To determine if your business is in good standing, or for further information, contact the CBJ Finance Department's Sales Tax Division at (907) 586-5265 for sales tax issues, Assessor's Office at (907)586-0930 for business personal property issues, or Collections Division at (907) 586-5268 for all other accounts.

**22.0 PERMITS AND LICENSES.** The CONTRACTOR is responsible for all WORK associated with meeting any local, state, and/or federal permit and licensing requirements.

**SECTION 00100 - INSTRUCTIONS TO BIDDERS**

CITY AND BOROUGH OF JUNEAU  
PURCHASING DIVISION  
FAX NO. 907-586-4561

**BID MODIFICATION FORM**

Modification Number: \_\_\_\_\_

Note: All modifications shall be made to the original bid amount(s). If more than one Modification form is submitted by any one bidder, changes from all Modification forms submitted will be combined and applied to the original bid. Changes to the modified Bid amounts will be calculated by the OWNER.

| <b>PAY ITEM<br/>NO.</b> | <b>PAY ITEM DESCRIPTION</b> | <b>MODIFICATIONS<br/>TO UNIT PRICE OR<br/>LUMP SUM<br/>(<i>indicate +/-</i>)</b> |
|-------------------------|-----------------------------|----------------------------------------------------------------------------------|
|                         |                             |                                                                                  |
|                         |                             |                                                                                  |

**Base Bid Total Increase or Decrease: \$** \_\_\_\_\_

\_\_\_\_\_  
**Name of Bidding Firm**

\_\_\_\_\_  
**Responsible Party Signature**

\_\_\_\_\_  
**Printed Name (must be an authorized signatory for Bidding Firm)**

**END OF SECTION**

**SECTION 00300 - BID**

**BID TO: THE CITY AND BOROUGH OF JUNEAU**

1. The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with the OWNER in the form included in the Contract Documents (as defined in Article 7 of Section 00500 - Agreement) to perform the WORK as specified or indicated in said Contract Documents entitled  
**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**
2. Bidder accepts all of the terms and conditions of the Contract Documents, including without limitation those in the "Notice Inviting Bids" and "Instructions to Bidders," dealing with the disposition of the Bid Security.
3. This Bid will remain open for the period of time stated in the "Notice Inviting Bids" unless otherwise required by law. Bidder will enter into an Agreement within the time and in the manner required in the "Notice Inviting Bids" and the "Instructions to Bidders," and will furnish insurance certificates, Payment Bond, Performance Bond, and any other documents as may be required by the Contract Documents.
4. Bidder has familiarized itself with the nature and extent of the Contract Documents, WORK, site, locality where the WORK is to be performed, the legal requirements (federal, state and local laws, ordinances, rules, and regulations), and the conditions affecting cost, progress or performance of the WORK and has made such independent investigations as Bidder deems necessary.
5. This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; Bidder has not solicited or induced any person, firm or corporation to refrain from bidding; and Bidder has not sought by collusion to obtain for itself any advantage over any other Bidder or over OWNER.
6. To all the foregoing, and including all Bid Schedule and information required of Bidder contained in this Bid Form, said Bidder further agrees to complete the WORK required under the Contract Documents within the Contract Time stipulated in said Contract Documents, and to accept in full payment therefore the Contract Price based on the total bid price(s) named in the aforementioned Bid Schedule.
7. Bidder has examined copies of all the Contract Documents including the following Addenda (receipt of all of which is hereby acknowledged by the Undersigned):

| Addenda No. | Date Issued |
|-------------|-------------|
|             |             |
|             |             |
|             |             |

| Addenda No. | Date Issued |
|-------------|-------------|
|             |             |
|             |             |
|             |             |

**Give number and date of each addenda above. Failure to acknowledge receipt of all Addenda may cause the Bid to be non-responsive and may cause its rejection.**

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

**BID  
Page 00300-1**

## SECTION 00300 - BID

8. The Bidder has read this Bid and agrees to the conditions as stated herein by signing his/her signature in the space provided below.

|                                                      |                                        |
|------------------------------------------------------|----------------------------------------|
| Dated: _____                                         | Bidder: _____<br>(Company Name)        |
| Alaska<br>CONTRACTOR's<br>Business License No: _____ | By: _____<br>(Signature)               |
| Alaska<br>CONTRACTOR's<br>License No: _____          | Printed Name: _____                    |
| Telephone No: _____                                  | Title: _____                           |
| Fax No: _____                                        | Address: _____<br>(Street or P.O. Box) |
| Email: _____                                         | (City, State, Zip)                     |

9. TO BE CONSIDERED, ALL BIDDERS MUST COMPLETE AND INCLUDE THE FOLLOWING AT THE TIME OF THE DEADLINE FOR BIDS:

- Bid, Section 00300 (includes addenda receipt statement)
- Completed Bid Schedule, Section 00310
- Bid Security (Bid Bond, Section 00320, or by a certified or cashier's check as stipulated in the Notice Inviting Bids, Section 00030)

10. The apparent low Bidder is required to complete and submit the following documents by 4:30 p.m. on the **fifth business day** following the date of the Posting Notice.

- Subcontractor Report, Section 00360
- Contractor Financial Responsibility Form 00370

The apparent low Bidder who fails to submit a completed Subcontractor Report within the time specified in Section 00360 – Subcontractor Report will be found to be not a responsible Bidder and may be required to forfeit the Bid security. The OWNER will then consider the next lowest Bidder for award of the contract.

11. The successful Bidder will be required to submit, within **ten Days (calendar)** after the date of the “Notice of Intent to Award” letter, the following executed documents:

- Agreement Forms, Section 00500
- Performance Bond, Section 00610
- Payment Bond, Section 00620
- Certificates of Insurance, (CONTRACTOR) Section 00700 and Section 00800

**END OF SECTION**

## SECTION 00310 - BID SCHEDULE

Bid Schedule for construction of **BE19-117 Public Safety Building Building Demolition**, in accordance with the Contract Documents.

---

**BASE BID** - Furnish all labor, equipment and materials for abatement of hazardous materials within the existing structure prior to demolition, removal of subsurface utilities, foundations, and fuel storage tank, remediation of contaminated soils if encountered, removal of all site improvements including asphalt paving, removal of the entire facility, subsurface drainage improvements, grading, asphalt paving, parking lot striping, miscellaneous related WORK, and perform all WORK as described in these Contract Documents.

**BASE BID DEMOLITION \$** \_\_\_\_\_  
(Price in figures)

| PAY<br>ITEM<br>NO. | PAY ITEM DESCRIPTION                       | PAY<br>UNIT | APPROX.<br>QUANTITY | UNIT PRICE |       | AMOUNT  |       |
|--------------------|--------------------------------------------|-------------|---------------------|------------|-------|---------|-------|
|                    |                                            |             |                     | DOLLARS    | CENTS | DOLLARS | CENTS |
| 26100              | Removal & Replacement of Contaminated Soil | Ton         | 140                 |            |       |         |       |

**TOTAL BASE BID AND UNIT PRICE ITEMS \$** \_\_\_\_\_  
(Price in Figures)

---

**Date:** \_\_\_\_\_

**Bidder:** \_\_\_\_\_  
(Company Name)

**END OF SECTION**

**SECTION 00320 - BID BOND**

KNOW ALL PERSONS BY THESE PRESENTS, that \_\_\_\_\_  
\_\_\_\_\_ as Principal, and \_\_\_\_\_  
as Surety, are held and firmly bound unto **THE CITY AND BOROUGH OF JUNEAU** hereinafter called  
"OWNER," in the sum of \_\_\_\_\_  
\_\_\_\_\_ dollars, (not less than five percent of the total amount of the Bid) for  
the payment of which sum, well and truly to be made, we bind ourselves, our heirs, executors, administrators,  
successors, and assigns, jointly and severally, firmly by these presents.

WHEREAS, said Principal has submitted a Bid to said OWNER to perform the WORK required under  
the Bid Schedule of the OWNER's Contract Documents entitled

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

NOW THEREFORE, if said Principal is awarded a contract by said OWNER and, within the time and  
in the manner required in the "Notice Inviting Bids" and the "Instructions to Bidders" enters into a written  
Agreement on the form of Agreement bound with said Contract Documents, furnishes the required certificates  
of insurance, and furnishes the required Performance Bond and Payment Bond, then this obligation shall be  
null and void, otherwise it shall remain in full force and effect. In the event suit is brought upon this bond by  
said OWNER and OWNER prevails, said Surety shall pay all costs incurred by said OWNER in such suit,  
including a reasonable attorney's fee to be fixed by the court.

SIGNED AND SEALED, this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

(SEAL) \_\_\_\_\_  
(Principal)

By: \_\_\_\_\_  
(Signature)

(SEAL) \_\_\_\_\_  
(Surety)

By: \_\_\_\_\_  
(Signature)

**END OF SECTION**

## SECTION 00360 - SUBCONTRACTOR REPORT

### LIST OF SUBCONTRACTORS (AS 36.30.115)

The apparent low Bidder must submit a list of Subcontractors that the Bidder proposes to use in the performance of this contract ***on the fifth business day*** following the Posting Notice of Bids. If the fifth day falls on a weekend or holiday, the report is due by close of business on the next business Day following the weekend or holiday. The Subcontractor Report list must include each Subcontractor's name, address, location, evidence of valid Alaska Business License, and valid Alaska Contractor's Registration under AS 08.18. ***If no Subcontractors are to be utilized in the performance of the WORK, write in ink or type "NONE" on line (1) below***

| <u>SUBCONTRACTOR</u>       | <sup>1</sup> AK Contractor<br><u>License No.</u> | <sup>1</sup> <u>Contact Name</u> | <u>Type of</u> | <u>Contract</u> |                          |
|----------------------------|--------------------------------------------------|----------------------------------|----------------|-----------------|--------------------------|
| <u>ADDRESS</u>             | <sup>2</sup> AK Business<br><u>License No.</u>   | <sup>2</sup> <u>Phone No.</u>    | <u>Work</u>    | <u>Amount</u>   | ✓ if<br><u>DBE</u>       |
| 1. _____<br>_____<br>_____ | <sup>1</sup> _____<br><br><sup>2</sup> _____     | _____<br>_____                   | _____<br>_____ | \$ _____        | <input type="checkbox"/> |
| 2. _____<br>_____<br>_____ | <sup>1</sup> _____<br><br><sup>2</sup> _____     | _____<br>_____                   | _____<br>_____ | \$ _____        | <input type="checkbox"/> |
| 3. _____<br>_____<br>_____ | <sup>1</sup> _____<br><br><sup>2</sup> _____     | _____<br>_____                   | _____<br>_____ | \$ _____        | <input type="checkbox"/> |
| 4. _____<br>_____<br>_____ | <sup>1</sup> _____<br><br><sup>2</sup> _____     | _____<br>_____                   | _____<br>_____ | \$ _____        | <input type="checkbox"/> |

I certify that the above listed Alaska Business License(s) and CONTRACTOR Registration(s), if applicable, were valid at the time Bids were opened for this Project.

\_\_\_\_\_  
CONTRACTOR, Authorized Signature

\_\_\_\_\_  
CONTRACTOR, Printed Name

\_\_\_\_\_  
COMPANY

## **SECTION 00360 - SUBCONTRACTOR REPORT**

- A. A Bidder may replace a listed Subcontractor if the Subcontractor:
1. fails to comply with AS 08.18;
  2. files for bankruptcy or becomes insolvent;
  3. fails to execute a contract with the Bidder involving performance of the WORK for which the Subcontractor was listed and the Bidder acted in good faith;
  4. fails to obtain bonding;
  5. fails to obtain insurance acceptable to the OWNER;
  6. fails to perform the contract with the Bidder involving work for which the Subcontractor was listed;
  7. must be substituted in order for the CONTRACTOR to satisfy required state and federal affirmative action requirements;
  8. refuses to agree or abide with the Bidder's labor agreement; or
  9. is determined by the OWNER not to be responsible.
  10. is not in "Good Standing" with the OWNER as required in Article 21.0 in Section 00100 – Instructions to Bidders.
- B. If a Bidder fails to list a Subcontractor or lists more than one Subcontractor for the same portion of WORK, the Bidder shall be considered to have agreed to perform that portion of WORK without the use of a Subcontractor and to have represented the Bidder to be qualified to perform that WORK.
- C. A Bidder who attempts to circumvent the requirements of this section by listing as a Subcontractor another contractor who, in turn, sublets the majority of the WORK required under the contract violates this section.
- D. If a contract is awarded to a Bidder who violates this section, the OWNER may:
1. cancel the contract; or
  2. after notice and a hearing, assess a penalty on the Bidder in an amount that does not exceed 10 percent of the value of the subcontract at issue.
- E. On the Subcontractor Report, the apparent low Bidder must list any Subcontractors anticipated to perform WORK with a value of greater than one-half of one percent of the intended award amount, or \$2,000, whichever is less.
- F. An apparent low Bidder who fails to submit a completed Subcontractor Report within the time specified in this section may be found to be not a responsible Bidder and may be required to forfeit the Bid security. The OWNER will then consider the next lowest Bidder for award of the contract.

**END OF SECTION**

## SECTION 00370 - CONTRACTOR'S FINANCIAL RESPONSIBILITY

The apparent low Bidder must complete this form and submit ***on the fifth business day*** following the Posting Notice of Bids. If the fifth day falls on a weekend or holiday, the report is due by close of business on the next business Day following the weekend or holiday. Attach additional sheets as necessary to respond to questions.

### PROJECT: BE19-117 PUBLIC SAFETY BUILDING BUILDING DEMOLITION

As the General Contractor on this project, I intend to subcontract \_\_\_\_% of the total value of this contract.

#### A. EXPERIENCE

1. Have you ever failed to complete a contract due to insufficient resources?

☐ No ☐ Yes If YES, explain:

---

---

---

---

2. Describe arrangements you have made to finance this work:

---

---

---

---

3. Have you had previous construction contracts or subcontracts with the City and Borough of Juneau?

☐ Yes ☐ No

4. Describe your most recent or current contract, its completion date, and scope of work:

---

---

---

---

---

5. List below, and/or as an attachment to this questionnaire, other construction projects you have completed, dates of completion, scope of work, and total contract amount for each project completed in the past twelve months.

---

---

---

---

---

**SECTION 00370 - CONTRACTOR'S FINANCIAL RESPONSIBILITY**

6. Per Alaska Statute 36.90.210, on previous public contracts, have you ever failed to pay a subcontractor within eight working days after receiving payment from the Owner (for projects occurring within the last 3 years)?

☐ Yes      ☐ No      If yes, please attach a detailed explanation for each occurrence.

**B. EQUIPMENT**

1. Describe below, and/or as an attachment, the equipment you have available and intend to use for this project.

| ITEM | QUANTITY | MAKE | MODEL | SIZE/CAPACITY | PRESENT<br>MARKET<br>VALUE |
|------|----------|------|-------|---------------|----------------------------|
|      |          |      |       |               |                            |
|      |          |      |       |               |                            |
|      |          |      |       |               |                            |
|      |          |      |       |               |                            |
|      |          |      |       |               |                            |
|      |          |      |       |               |                            |
|      |          |      |       |               |                            |
|      |          |      |       |               |                            |

2. Do you propose to purchase any equipment for use on this project not listed on table B-1?

☐ No    ☐ Yes    If YES, describe type, quantity, and approximate cost:

---

---

---

---

3. Do you propose to rent any equipment for this work not listed on table B-1?

☐ No    ☐ Yes    If YES, describe type and quantity:

---

---

---

---

---

---

**SECTION 00370 - CONTRACTOR'S FINANCIAL RESPONSIBILITY**

4. Is your bid based on firm offers for all materials necessary for this project?

☐ Yes   ☐ No   If NO, please explain:

---

---

---

---

---

---

**I hereby certify that the above statements are true and complete.**

---

Contractor Signature

---

Name and Title of Person Signing

---

Signature

---

Date

## SECTION 00500 - AGREEMENT

THIS AGREEMENT is between THE CITY AND BOROUGH OF JUNEAU (hereinafter called OWNER) and \_\_\_\_\_ (hereinafter called CONTRACTOR) OWNER and CONTRACTOR, in consideration of the mutual covenants hereinafter set forth, agree as follows:

### ARTICLE 1. WORK.

CONTRACTOR shall complete the WORK as specified or as indicated under the Bid Schedule of the OWNERS Contract Documents **Contract BE19-117, PUBLIC SAFETY BUILDING BUILDING DEMOLITION**

The WORK is generally described as follows: Abatement of hazardous materials within the existing structure prior to demolition, removal of subsurface utilities, foundations, and fuel storage tank, remediation of contaminated soils if encountered, removal of all site improvements including asphalt paving, removal of the entire facility, subsurface drainage improvements, grading, asphalt paving, parking lot striping, and miscellaneous related WORK.

The WORK to be paid under this contract shall include the following: Total Bid as shown in Section 00310 - Bid Schedule.

### ARTICLE 2. CONTRACT COMPLETION TIME.

Work can begin no earlier than April 22, 2019.

| <b><u>Work Description</u></b> | <b><u>Completion Date</u></b> |
|--------------------------------|-------------------------------|
| Substantial Completion         | July 19 ,2019                 |
| Final Completion               | July 26, 2019                 |

### ARTICLE 3. DATE OF AGREEMENT

The date of this agreement will be the date of the last signature on page three of this section.

### ARTICLE 4. LIQUIDATED DAMAGES.

OWNER and the CONTRACTOR recognize that time is of the essence of this Agreement and that the OWNER will suffer financial loss if the WORK is not completed within the time specified in Article 2 herein, plus any extensions thereof allowed in accordance with Article 12 of the General Conditions. They also recognize the delays, expense, and difficulties involved in proving in a legal proceeding the actual damages suffered by the OWNER if the WORK is not completed on time. Accordingly, instead of requiring any such proof, the OWNER and the CONTRACTOR agree that as liquidated damages for delay (but not as a penalty) the CONTRACTOR shall pay the OWNER **\$400** for each Day that expires after the completion time(s) specified in Article 2 herein. The amount of liquidated damages specified above is agreed to be a reasonable estimate based on all facts known as of the date of this Agreement.

### ARTICLE 5. CONTRACT PRICE.

OWNER shall pay CONTRACTOR for completion of the WORK in accordance with the Contract Documents in current funds the amount set forth in the Bid Schedule. The CONTRACTOR agrees to accept as full and complete payment for all WORK to be done in this contract for: **CBJ Contract BE19-117, PUBLIC PUBLIC SAFETY BUILDING BUILDING DEMOLITION**  
**CBJ Contract No. BE19-117**

**AGREEMENT**  
**Page 00500-1**

## SECTION 00500 - AGREEMENT

**SAFETY BUILDING BUILDING DEMOLITION**, those Unit Price amounts as set forth in the Bid Schedule in the Contract Documents for this Project.

The total amount of this contract shall be \_\_\_\_\_ (\$ \_\_\_\_\_), except as adjusted in accordance with the provisions of the Contract Documents.

### ARTICLE 6. PAYMENT PROCEDURES.

CONTRACTOR shall submit Applications for Payment in accordance with Article 14 of the General Conditions. Applications for Payment will be processed by the ARCHITECT as provided in the General Conditions.

Progress payments will be paid in full in accordance with Article 14 of the General Conditions until ninety (90) percent of the Contract Price has been paid. The remaining ten (10) percent of the Contract Price may be retained, in accordance with applicable Alaska State Statutes, until final inspection, completion, and acceptance of the Project by the OWNER.

### ARTICLE 7. CONTRACT DOCUMENTS.

The Contract Documents which comprise the entire Agreement between OWNER and CONTRACTOR concerning the WORK consist of this Agreement (pages 00500-1 to 00500-6, inclusive) and the following sections of the Contract Documents:

- Table of Contents (pages 00030-1 to 00030-2, inclusive).
- Notice Inviting Bids (pages 00030-1 to 00030-2, inclusive).
- Instructions to Bidders (pages 00100-1 to 00100-8, inclusive).
- Bid (pages 00300-1 to 00300-2, inclusive).
- Bid Schedule (pages 00310-1, inclusive).
- Bid Bond (page 00320-1, inclusive) or Bid Security.
- Subcontractor Report (pages 00360-1 to 00360-2, inclusive).
- Contractor Financial Responsibility (pages 00370-1 to 00370-3, inclusive).
- Performance Bond (pages 00610-1 to 00610-2, inclusive).
- Payment Bond (pages 00620-1 to 00620-2, inclusive).
- Insurance Certificate(s).
- General Conditions (pages 00700-1 to 00700-44, inclusive).
- Supplementary General Conditions (pages 00800-1 to 00800-5, inclusive).
- Alaska Labor Standards, Reporting, and Prevailing Wage Determination (page 00830-1).
- Permits, (page 00852-1).
- Technical Specifications as listed in the Table of Contents.
- Drawings consisting of 12 sheets, as listed in the Table of Contents.
- Addenda numbers \_\_\_\_\_ to \_\_\_\_\_, inclusive.
- Change Orders which may be delivered or issued after the Date of the Agreement and which are not attached hereto.

There are no Contract Documents other than those listed in this Article 7. The Contract Documents may only be amended by Change Order as provided in Paragraph 3.3 of the General Conditions.

## SECTION 00500 - AGREEMENT

### ARTICLE 8. MISCELLANEOUS.

Terms used in this Agreement which are defined in Article 1 of the General Conditions will have the meanings indicated in the General Conditions.

No assignment by a party hereto of any rights under or interests in the Contract Documents will be binding on another party hereto without the written consent of the party sought to be bound; and specifically but without limitation monies that may become due and monies that are due may not be assigned without such consent (except to the extent that the effect of this restriction may be limited by law), and unless specifically stated to the contrary in any written consent to an assignment, no assignment will release or discharge the assignor from any duty or responsibility under the Contract Documents.

OWNER and CONTRACTOR each binds itself, its partners, successors, assigns and legal representatives to the other party hereto, its partners, successors, assigns and legal representatives in respect of all covenants, agreements and obligations contained in the Contract Documents. This Agreement shall be governed by the laws of the State of Alaska. Jurisdiction shall be in the State of Alaska, First Judicial District.

IN WITNESS WHEREOF, OWNER and CONTRACTOR have caused this Agreement to be executed on the date listed below signed by OWNER.

**OWNER:**

\_\_\_\_\_  
City and Borough of Juneau

\_\_\_\_\_  
(Signature)

By: Duncan Rorie Watt, City & Borough Manager  
(Printed Name)

Date: \_\_\_\_\_

OWNER's address for giving notices:

\_\_\_\_\_  
155 South Seward Street

\_\_\_\_\_  
Juneau, Alaska 99801

\_\_\_\_\_  
907-586-0873      907-586-4530  
(Telephone)      (Fax)

**CONTRACTOR:**

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature)

By: \_\_\_\_\_  
(Printed Name, Authority or Title)

Date: \_\_\_\_\_  
(CONTRACTOR Signature Date)

CONTRACTOR's address for giving notices:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
(Telephone)      (Fax)

\_\_\_\_\_  
(E-mail address)

CONTRACTOR License No. \_\_\_\_\_

SECTION 00500 - AGREEMENT

CERTIFICATE  
(if Corporation)

STATE OF                    )  
                                  ) SS:  
COUNTY OF                )

I HEREBY CERTIFY that a meeting of the Board of Directors of the  
\_\_\_\_\_ a corporation existing under the laws of  
the State of \_\_\_\_\_, held on \_\_\_\_\_, 20\_\_\_\_, the following resolution  
was duly passed and adopted:

“RESOLVED, that \_\_\_\_\_, as \_\_\_\_\_ President  
of the Corporation, be and is hereby authorized to **execute the Agreement** with the CITY AND  
BOROUGH OF JUNEAU and this corporation and that the execution thereof, attested by the  
Secretary of the Corporation, and with the Corporate Seal affixed, shall be the official act and deed  
of this Corporation.”

I further certify that said resolution is now in full force and effect.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the official seal of the  
corporation this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Secretary

(SEAL)

SECTION 00500 - AGREEMENT

CERTIFICATE  
(if Partnership)

STATE OF                    )  
                                  ) SS:  
COUNTY OF                )

I HEREBY CERTIFY that a meeting of the Partners of the  
\_\_\_\_\_ a partnership existing under the laws of the State  
of \_\_\_\_\_, held on \_\_\_\_\_, 20\_\_\_\_, the following resolution was duly  
passed and adopted:

"RESOLVED, that \_\_\_\_\_, as \_\_\_\_\_ of the Partnership, be and is  
hereby authorized to **execute the Agreement** with the CITY AND BOROUGH OF JUNEAU and  
this partnership and that the execution thereof, attested by the \_\_\_\_\_ shall be  
the official act and deed of this Partnership."

I further certify that said resolution is now in full force and effect.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_\_\_, day of \_\_\_\_\_,  
20\_\_\_\_\_.

Secretary

(SEAL)

SECTION 00500 - AGREEMENT

CERTIFICATE  
(if Joint Venture)

STATE OF            )  
                          ) SS:  
COUNTY OF        )

I HEREBY CERTIFY that a meeting of the Principals of the  
\_\_\_\_\_ a joint venture existing under the laws of the  
State of \_\_\_\_\_, held on \_\_\_\_\_, 20\_\_\_\_, the following resolution was duly passed and  
adopted:

"RESOLVED, that \_\_\_\_\_, as \_\_\_\_\_ of the  
Joint Venture, be and is hereby authorized to **execute the Agreement** with the CITY AND  
BOROUGH OF JUNEAU and this joint venture and that the execution thereof, attested by the  
\_\_\_\_\_ shall be the official act and deed of this Joint Venture."

I further certify that said resolution is now in full force and effect.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_\_\_, day of  
\_\_\_\_\_, 20\_\_\_\_\_.

Secretary

(SEAL)

END OF SECTION

**SECTION 00610 - PERFORMANCE BOND**

KNOW ALL PERSONS BY THESE PRESENTS: That we \_\_\_\_\_  
(Name of CONTRACTOR)  
a \_\_\_\_\_  
(Corporation, Partnership, Individual)  
hereinafter called "Principal" and \_\_\_\_\_  
(Surety)  
of \_\_\_\_\_, State of \_\_\_\_\_ hereinafter called the "Surety", are held and firmly bound  
to the CITY AND BOROUGH of JUNEAU, ALASKA hereinafter called "OWNER", for the penal sum  
(Owner) (City and State)  
of \_\_\_\_\_ dollars (\$ \_\_\_\_\_) in  
lawful money of the United States, for the payment of which sum well and truly to be made, we bind ourselves,  
our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that whereas, the CONTRACTOR has entered into a  
certain contract with the OWNER, the effective date of which is (CBJ Contracts Office to fill in effective date)  
\_\_\_\_\_, a copy of which is hereto attached and made a part hereof for the construction of:

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

NOW, THEREFORE, if the Principal shall truly and faithfully perform its duties, all the undertakings,  
covenants, terms, conditions, and agreements of said contract during the original term thereof, and any extensions  
thereof, which may be granted by the OWNER, with or without notice to the Surety, and if it shall satisfy all claims  
and demands incurred under such contract, and shall fully indemnify and save harmless the OWNER from all costs  
and damages which it may suffer by reason of failure to do so, and shall reimburse and repay the OWNER all  
outlay and expense which the OWNER may incur in making good any default, then this obligation shall be void;  
otherwise to remain in full force and effect.

PROVIDED, FURTHER, that the said Surety, for value received hereby stipulates and agrees that no  
change, extension of time, alteration or addition to the terms of the contract or to the WORK to be performed  
thereunder or the specifications accompanying the same shall in any wise affect its obligation on this bond, and it  
does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract  
or to the WORK or to the Specifications.

PROVIDED, FURTHER, that no final settlement between the OWNER and the Principal shall abridge the  
right of any beneficiary hereunder, whose claim may be unsatisfied.

**SECTION 00610 - PERFORMANCE BOND**

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

IN WITNESS WHEREOF, this instrument is issued in two (2) identical counterparts, each one of which shall be deemed an original.

**CONTRACTOR:**

By: \_\_\_\_\_  
(Signature)

\_\_\_\_\_  
(Printed Name)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Mailing Address)

\_\_\_\_\_  
(City, State, Zip Code)

**SURETY:**

By: \_\_\_\_\_  
(Signature of Attorney-in-Fact)

Date Issued: \_\_\_\_\_

\_\_\_\_\_  
(Printed Name)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Mailing Address)

\_\_\_\_\_  
(City, State, Zip Code)

**(Affix SURETY'S SEAL)**

**NOTE: If CONTRACTOR is Partnership, all Partners must execute bond.**

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

**PERFORMANCE BOND  
Page 00610-2**

**SECTION 00620 - PAYMENT BOND**

KNOW ALL PERSONS BY THESE PRESENTS: That we \_\_\_\_\_  
(Name of CONTRACTOR)

\_\_\_\_\_ a \_\_\_\_\_  
(Corporation, Partnership, Individual)

hereinafter called "Principal" and \_\_\_\_\_  
(Surety)

of \_\_\_\_\_, State of \_\_\_\_\_ hereinafter called the "Surety," are held and  
firmly bound to the CITY AND BOROUGH of JUNEAU, ALASKA hereinafter called "OWNER," for the  
(Owner) (City and State)

penal sum of \_\_\_\_\_ Dollars  
(\$ \_\_\_\_\_) in lawful money of the United States, for the payment of which sum well  
and truly to be made, we bind ourselves, our heirs, executors, administrators and successors, jointly and  
severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that Whereas, the CONTRACTOR has entered  
into a certain contract with the OWNER, the effective date of which is (CBJ Contracts Office to fill in effective  
date) \_\_\_\_\_, a copy of which is hereto attached and made a part hereof for the  
construction of:

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

NOW, THEREFORE, if the Principal shall promptly make payment to all persons, firms,  
Subcontractors, and corporations furnishing materials for, or performing labor in the prosecution of the WORK  
provided for in such contract, and any authorized extension or modification thereof, including all amounts due  
for materials, lubricants, oil, gasoline, coal and coke, repairs on machinery, equipment and tools, consumed or  
used in connection with the construction of such WORK, and all insurance premiums on said work, and for all  
labor performed in such WORK, whether by Subcontractor or otherwise, then this obligation shall be void;  
otherwise to remain in full force and effect.

PROVIDED, FURTHER, that the said Surety, for value received hereby stipulates and agrees that no  
change, extension of time, alteration or addition to the terms of the contract or to the WORK to be performed  
thereunder or the specifications accompanying the same shall in any wise affect its obligation on this bond, and  
it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the  
contract or to the WORK or to the Specifications.

PROVIDED, FURTHER, that no final settlement between the OWNER and the Principal shall abridge  
the right of any beneficiary hereunder, whose claim may be unsatisfied.

**SECTION 00620 - PAYMENT BOND**

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

IN WITNESS WHEREOF, this instrument is issued in two (2) identical counterparts, each one of which shall be deemed an original.

**CONTRACTOR:**

By: \_\_\_\_\_  
(Signature)

\_\_\_\_\_  
(Printed Name)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Mailing Address)

\_\_\_\_\_  
(City, State, Zip Code)

**SURETY:**

By: \_\_\_\_\_  
(Signature of Attorney-in-Fact)

Date Issued: \_\_\_\_\_

\_\_\_\_\_  
(Printed Name)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Mailing Address)

\_\_\_\_\_  
(City, State, Zip Code)

**(Affix SURETY'S SEAL)**

**NOTE: If CONTRACTOR is Partnership, all Partners must execute bond.**

## **SECTION 00700 - GENERAL CONDITIONS**

### **TABLE OF CONTENTS**

|                                    |                |
|------------------------------------|----------------|
| <b>ARTICLE 1 DEFINITIONS .....</b> | <b>00700-5</b> |
|------------------------------------|----------------|

#### **ARTICLE 2 PRELIMINARY MATTERS**

|     |                                                        |         |
|-----|--------------------------------------------------------|---------|
| 2.1 | Delivery of Bonds/Insurance Certificates .....         | 00700-9 |
| 2.2 | Copies of Documents .....                              | 00700-9 |
| 2.3 | Commencement of Contract Time; Notice to Proceed ..... | 00700-9 |
| 2.4 | Starting the WORK .....                                | 00700-9 |
| 2.5 | Pre-construction Conference .....                      | 00700-9 |
| 2.6 | Finalizing CONTRACTOR Submittals.....                  | 00700-9 |

#### **ARTICLE 3 CONTRACT DOCUMENTS: INTENT, AMENDING, REUSE**

|     |                                                    |          |
|-----|----------------------------------------------------|----------|
| 3.1 | Intent .....                                       | 00700-10 |
| 3.2 | Order of Precedence of Contract Documents .....    | 00700-10 |
| 3.3 | Amending and Supplementing Contract Documents..... | 00700-11 |
| 3.4 | Reuse of Documents.....                            | 00700-11 |

#### **ARTICLE 4 AVAILABILITY OF LANDS; PHYSICAL CONDITIONS; REFERENCE POINTS**

|     |                                                                |          |
|-----|----------------------------------------------------------------|----------|
| 4.1 | Availability of Lands .....                                    | 00700-11 |
| 4.2 | Physical Conditions - Subsurface and Existing Structures ..... | 00700-11 |
| 4.3 | Differing Site Conditions .....                                | 00700-12 |
| 4.4 | Physical Conditions - Underground Utilities.....               | 00700-12 |
| 4.5 | Reference Points.....                                          | 00700-13 |
| 4.6 | Use of the CBJ/State Lemon Creek Gravel Pit .....              | 00700-13 |

#### **ARTICLE 5 BONDS AND INSURANCE**

|     |                                           |          |
|-----|-------------------------------------------|----------|
| 5.1 | Performance, Payment and Other Bonds..... | 00700-14 |
| 5.2 | Insurance .....                           | 00700-15 |

#### **ARTICLE 6 CONTRACTOR'S RESPONSIBILITIES**

|     |                                                       |          |
|-----|-------------------------------------------------------|----------|
| 6.1 | Supervision and Superintendence.....                  | 00700-16 |
| 6.2 | Labor, Materials, and Equipment .....                 | 00700-17 |
| 6.3 | Adjusting Progress Schedule.....                      | 00700-18 |
| 6.4 | Substitutes or "Or Equal" Items.....                  | 00700-18 |
| 6.5 | Concerning Subcontractors, Suppliers and Others ..... | 00700-18 |
| 6.6 | Permits.....                                          | 00700-18 |
| 6.7 | Patent Fees and Royalties .....                       | 00700-19 |
| 6.8 | Laws and Regulations.....                             | 00700-19 |

## **SECTION 00700 - GENERAL CONDITIONS**

### **TABLE OF CONTENTS**

#### **ARTICLE 6 CONTRACTOR'S RESPONSIBILITIES (Cont'd.)**

|      |                                                                     |          |
|------|---------------------------------------------------------------------|----------|
| 6.9  | Taxes .....                                                         | 00700-19 |
| 6.10 | Use of Premises .....                                               | 00700-19 |
| 6.11 | Safety and Protection .....                                         | 00700-20 |
| 6.12 | Shop Drawings and Samples .....                                     | 00700-21 |
| 6.13 | Continuing the WORK .....                                           | 00700-21 |
| 6.14 | Indemnification .....                                               | 00700-21 |
| 6.15 | CONTRACTOR's Daily Reports .....                                    | 00700-22 |
| 6.16 | Assignment of Contract .....                                        | 00700-22 |
| 6.17 | CONTRACTOR's Responsibility for Utility Property and Services ..... | 00700-22 |
| 6.18 | Operating Water System Valves .....                                 | 00700-22 |
| 6.19 | Contractor's Work Schedule Limitations .....                        | 00700-23 |

#### **ARTICLE 7 OTHER WORK**

|     |                            |          |
|-----|----------------------------|----------|
| 7.1 | Related Work at Site ..... | 00700-23 |
| 7.2 | Coordination .....         | 00700-23 |

#### **ARTICLE 8 OWNER'S RESPONSIBILITIES**

|     |                                     |          |
|-----|-------------------------------------|----------|
| 8.1 | Communications .....                | 00700-24 |
| 8.2 | Payments .....                      | 00700-24 |
| 8.3 | Lands, Easements, and Surveys ..... | 00700-24 |
| 8.4 | Change Orders .....                 | 00700-24 |
| 8.5 | Inspections and Tests .....         | 00700-24 |
| 8.6 | Suspension of WORK .....            | 00700-24 |
| 8.7 | Termination of Agreement .....      | 00700-24 |

#### **ARTICLE 9 ARCHITECT'S STATUS DURING CONSTRUCTION**

|     |                                                          |          |
|-----|----------------------------------------------------------|----------|
| 9.1 | OWNER's Representative .....                             | 00700-24 |
| 9.2 | Visits to Site .....                                     | 00700-24 |
| 9.3 | Project Representation .....                             | 00700-24 |
| 9.4 | Clarifications and Interpretations .....                 | 00700-24 |
| 9.5 | Authorized Variations in WORK .....                      | 00700-25 |
| 9.6 | Rejecting or Accepting Defective WORK .....              | 00700-25 |
| 9.7 | CONTRACTOR Submittals, Change Orders, and Payments ..... | 00700-25 |
| 9.8 | Decisions on Disputes .....                              | 00700-25 |
| 9.9 | Limitation on ARCHITECT's Responsibilities .....         | 00700-26 |

## **SECTION 00700 - GENERAL CONDITIONS**

### **TABLE OF CONTENTS**

#### **ARTICLE 10 CHANGES IN THE WORK**

|      |                                     |          |
|------|-------------------------------------|----------|
| 10.1 | General .....                       | 00700-26 |
| 10.2 | Allowable Quantity Variations ..... | 00700-27 |

#### **ARTICLE 11 CHANGE OF CONTRACT PRICE**

|      |                                                 |          |
|------|-------------------------------------------------|----------|
| 11.1 | General .....                                   | 00700-27 |
| 11.2 | Costs Relating to Weather .....                 | 00700-28 |
| 11.3 | Cost of WORK (Based on Time and Materials)..... | 00700-28 |
| 11.4 | CONTRACTOR's Fee.....                           | 00700-31 |
| 11.5 | Excluded Costs.....                             | 00700-31 |

#### **ARTICLE 12 CHANGE OF CONTRACT TIME**

|      |                                                  |          |
|------|--------------------------------------------------|----------|
| 12.1 | General .....                                    | 00700-32 |
| 12.2 | Extensions of Time for Delay Due to Weather..... | 00700-33 |

#### **ARTICLE 13 WARRANTY AND GUARANTEE; TESTS AND INSPECTIONS; CORRECTION, REMOVAL, OR ACCEPTANCE OF DEFECTIVE WORK**

|      |                                              |          |
|------|----------------------------------------------|----------|
| 13.1 | Warranty and Guarantee.....                  | 00700-33 |
| 13.2 | Access to WORK .....                         | 00700-33 |
| 13.3 | Inspections and Tests.....                   | 00700-33 |
| 13.4 | OWNER May Stop the WORK.....                 | 00700-34 |
| 13.5 | Correction or Removal of Defective WORK..... | 00700-34 |
| 13.6 | One Year Correction Period .....             | 00700-34 |
| 13.7 | Acceptance of Defective WORK.....            | 00700-35 |

#### **ARTICLE 14 PAYMENTS TO CONTRACTOR AND COMPLETION**

|       |                                                     |          |
|-------|-----------------------------------------------------|----------|
| 14.1  | Schedule of Values (Lump Sum Price Breakdown) ..... | 00700-35 |
| 14.2  | Unit Price Bid Schedule .....                       | 00700-35 |
| 14.3  | Application for Progress Payment .....              | 00700-35 |
| 14.4  | CONTRACTOR's Warranty of Title .....                | 00700-36 |
| 14.5  | Review of Applications for Progress Payment .....   | 00700-36 |
| 14.6  | Partial Utilization .....                           | 00700-37 |
| 14.7  | Substantial Completion .....                        | 00700-37 |
| 14.8  | Final Application for Payment.....                  | 00700-37 |
| 14.9  | Final Payment and Acceptance.....                   | 00700-37 |
| 14.10 | Release of Retainage and Other Deductions.....      | 00700-38 |
| 14.11 | CONTRACTOR's Continuing Obligation.....             | 00700-38 |
| 14.12 | Final Payment Terminates Liability of OWNER.....    | 00700-38 |

## **SECTION 00700 - GENERAL CONDITIONS**

### **TABLE OF CONTENTS**

#### **ARTICLE 15 SUSPENSION OF WORK AND TERMINATION**

|      |                                                             |          |
|------|-------------------------------------------------------------|----------|
| 15.1 | Suspension of WORK by OWNER.....                            | 00700-39 |
| 15.2 | Termination of Agreement by OWNER (CONTRACTOR Default)..... | 00700-39 |
| 15.3 | Termination of Agreement by OWNER (For Convenience) .....   | 00700-39 |
| 15.4 | Termination of Agreement by CONTRACTOR.....                 | 00700-39 |

#### **ARTICLE 16 MISCELLANEOUS**

|       |                                                         |          |
|-------|---------------------------------------------------------|----------|
| 16.1  | Giving Notice .....                                     | 00700-40 |
| 16.2  | Rights In and Use of Materials Found on the WORK .....  | 00700-40 |
| 16.3  | Right to Audit.....                                     | 00700-41 |
| 16.4  | Archaeological or Historical Discoveries .....          | 00700-41 |
| 16.5  | Construction Over or Adjacent to Navigable Waters ..... | 00700-41 |
| 16.6  | Gratuity and Conflict of Interest.....                  | 00700-41 |
| 16.7  | Suits of Law Concerning the WORK .....                  | 00700-41 |
| 16.8  | Certified Payrolls.....                                 | 00700-42 |
| 16.9  | Prevailing Wage Rates .....                             | 00700-42 |
| 16.10 | Employment Reference .....                              | 00700-42 |
| 16.11 | Cost Reduction Incentive .....                          | 00700-43 |

## **SECTION 00700 - GENERAL CONDITIONS**

### **ARTICLE 1 DEFINITIONS**

Wherever used in these General Conditions or in the Contract Documents the following terms have the meanings indicated which are applicable to both the singular and plural thereof. Where a word is capitalized in the definitions and is found not capitalized in the Contract Documents it has the ordinary dictionary definition.

Addenda - Written or graphic instruments issued prior to the opening of Bids which make additions, deletions, or revisions to the Contract Documents.

Agreement - The written contract between the OWNER and the CONTRACTOR covering the WORK to be performed; other documents are attached to the Agreement and made a part thereof as provided therein.

Application for Payment - The form furnished by the ARCHITECT which is to be used by the CONTRACTOR to request progress or final payment and which is to be accompanied by such supporting documentation as is required by the Contract Documents.

ARCHITECT - The ARCHITECT is the firm or person(s) selected by the City and Borough of Juneau (CBJ) to perform the duties of project inspection and management. CBJ will inform the CONTRACTOR of the identity of the ARCHITECT at or before the Notice to Proceed.

Architect of Record – The individual, partnership, corporation, joint-venture or other legal entity legally responsible for preparation of Design and Construction Documents for the project.

Asbestos - Any material that contains more than one percent asbestos and is friable or is releasing asbestos fibers into the air above current action levels established by the United States Occupational Safety and Health Administration.

Bid - The offer or proposal of the Bidder submitted on the prescribed form setting forth the price or prices for the WORK.

Bonds - Bid, Performance, and Payment Bonds and other instruments which protect against loss due to inability or refusal of the CONTRACTOR to perform its contract.

CBJ - City and Borough of Juneau

CBJ Project Manager - The authorized representative of the City and Borough of Juneau Engineering Department, as OWNER, who is responsible for administration of the contract.

Change Order - A document recommended by the ARCHITECT, which is signed by the CONTRACTOR and the OWNER and authorizes an addition, deletion, or revision in the WORK, or an adjustment in the Contract Price or the Contract Time, issued on or after the Effective Date of the Agreement.

Contract Documents - The Table of Contents, Notice Inviting Bids, Instructions to Bidders, Bid Forms (including the Bid, Bid Schedule(s), Information Required of Bidder, Bid Bond, and all required certificates and affidavits), Agreement, Performance Bond, Payment Bond, General Conditions, Supplementary General Conditions, Technical Specifications, Drawings, Permits, and all Addenda, Field Orders and Change Orders executed pursuant to the provisions of the Contract Documents.

## **SECTION 00700 - GENERAL CONDITIONS**

Contract Price - The total monies payable by the OWNER to the CONTRACTOR under the terms and conditions of the Contract Documents.

Contract Time - The number of successive calendar Days or the specific date stated in the Contract Documents for the completion of the WORK.

CONTRACTOR - The individual, partnership, corporation, joint-venture or other legal entity with whom the OWNER has executed the Agreement.

Day - A calendar day of 24 hours measured from midnight to the next midnight.

Defective WORK - WORK that is unsatisfactory, faulty, or deficient; or that does not conform to the Contract Documents; or that does not meet the requirements of any inspection, reference standard, test, or approval referred to in the Contract Documents; or WORK that has been damaged prior to the ARCHITECT's recommendation of final payment.

Drawings - The drawings, plans, maps, profiles, diagrams, and other graphic representations which indicate the character, location, nature, extent, and scope of the WORK and which have been prepared by the Architect of Record and are referred to in the Contract Documents. Shop Drawings are not within the meaning of this paragraph.

Effective Date of the Agreement - The date indicated in the Agreement on which it becomes effective, but if no such date is indicated it means the date on which the Agreement is signed and delivered by the last of the two parties to sign and deliver.

Field Order - A written order issued by the ARCHITECT which may or may not involve a change in the WORK.

General Requirements - Division 1 of the Technical Specifications.

Hazardous Waste - The term Hazardous Waste shall have the meaning provided in Section 1004 of the Solid Waste Disposal Act (42 USC Section 9603) as amended from time to time.

Holidays - The CBJ legal holidays occur on:

- A. New Year's Day - January 1
- B. Martin Luther King's Birthday - Third Monday in January
- C. President's Day - Third Monday in February
- D. Seward's Day - Last Monday in March
- E. Memorial Day - Last Monday in May
- F. Independence Day - July 4
- G. Labor Day - First Monday in September
- H. Alaska Day - October 18
- I. Veteran's Day - November 11
- J. Thanksgiving Day - Fourth Thursday and the following Friday in November
- K. Christmas Day - December 25.

## **SECTION 00700 - GENERAL CONDITIONS**

If any holiday listed above falls on a Saturday, Saturday and the preceding Friday are both legal holidays. If the holiday should fall on a Sunday, Sunday and the following Monday are both legal holidays.

Inspector - The authorized representative of the ARCHITECT assigned to make detailed inspections for conformance to the Contract Documents. Any reference to the Resident Project Representative in this document shall mean the Inspector.

Laws and Regulations; Laws or Regulations - Any and all applicable laws, rules, regulations, ordinances, codes, and/or orders of any and all governmental bodies, agencies, authorities and courts having jurisdiction.

Mechanic's Lien - A form of security, an interest in real property, which is held to secure the payment of an obligation. When referred to in these Contract Documents, "Mechanic's Lien" or "lien" means "Stop Notice".

Milestone - A principal event specified in the Contract Documents relating to an intermediate completion date of a portion of the work, or a period of time within which the portion of the work should be performed prior to Substantial Completion of all the WORK.

Notice of Intent to Award - The written notice by the OWNER to the apparent successful bidder stating that upon compliance by the apparent successful bidder with the requirements listed therein, within the time specified, the OWNER will enter into an Agreement.

Notice of Award - The written notice by the OWNER to the apparent successful bidder stating that the apparent successful bidder has complied with all conditions for award of the contract.

Notice of Completion - A form signed by the ARCHITECT and the CONTRACTOR recommending to the OWNER that the WORK is Substantially Complete and fixing the date of Substantial Completion. After acceptance of the WORK by the OWNER's governing body, the form is signed by the OWNER. This filing starts the 30 day lien filing period on the WORK.

Notice to Proceed - The written notice issued by the OWNER to the CONTRACTOR authorizing the CONTRACTOR to proceed with the WORK and establishing the date of commencement of the Contract Time.

OWNER - The City and Borough of Juneau (CBJ), acting through its legally designated officials, officers, or employees.

Partial Utilization - Use by the OWNER of a substantially completed part of the WORK for the purpose for which it is intended prior to Substantial Completion of all the WORK.

PCB's - Polychlorinated biphenyls.

Petroleum - Petroleum, including crude oil or any fraction thereof which is liquid at standard conditions of temperature and pressure (60 degrees Fahrenheit and 14.7 pounds per square inch absolute), such as oil, petroleum, fuel oil, oil sludge, oil refuse, gasoline, kerosene, and oil mixed with other non-Hazardous Wastes and crude oils.

Project - The total construction of which the WORK to be provided under the Contract Documents may be the whole, or a part as indicated elsewhere in the Contract Documents.

## **SECTION 00700 - GENERAL CONDITIONS**

Radioactive Material - Source, special nuclear, or byproduct material as defined by the Atomic Energy Act of 1954 (42 USC Section 2011 et seq.) as amended from time to time.

Shop Drawings - All drawings, diagrams, illustrations, schedules and other data which are specifically prepared by or for the CONTRACTOR and submitted by the CONTRACTOR, to the ARCHITECT, to illustrate some portion of the WORK.

Specifications - Same definition as for "Technical Specifications" hereinafter.

Stop Notice - A legal remedy for subcontractors and suppliers who contribute to public works, but who are not paid for their work, which secures payment from construction funds possessed by the OWNER. For public property, the Stop Notice remedy is designed to substitute for mechanic's lien rights.

Sub-Consultant - The individual, partnership, corporation, joint-venture or other legal entity having a direct contract with Architect of Record, or with any of its Consultants to furnish services with respect to the Project.

Subcontractor - An individual, partnership, corporation, joint-venture or other legal entity having a direct contract with the CONTRACTOR, or with any of its Subcontractors, for the performance of a part of the WORK at the site.

Substantial Completion - Refers to when the WORK has progressed to the point where, in the opinion of the ARCHITECT as evidenced by Notice of Completion as applicable, it is sufficiently complete, in accordance with the Contract Documents, so that the WORK can be utilized for the purposes for which it is intended; or if no such notice is issued, when final payment is due in accordance with Paragraph 14.8. The terms "substantially complete" and "substantially completed" as applied to any WORK refer to Substantial Completion thereof.

Supplementary General Conditions - The part of the Contract Documents which make additions, deletions, or revisions to these General Conditions.

Supplier - A manufacturer, fabricator, supplier, distributor, material man, or vendor.

Technical Specifications - Divisions 1 through 16 of the Contract Documents consisting of the General Requirements and written technical descriptions of products and execution of the WORK.

Underground Utilities - All pipelines, conduits, ducts, cables, wires, manholes, vaults, tanks, tunnels, or other such facilities or attachments, and any encasements containing such facilities which have been installed underground to furnish any of the following services or materials: water, sewage and drainage removal, electricity, gases, steam, liquid petroleum products, telephone or other communications, cable television, traffic, or other control systems.

WORK, Work - The entire completed construction or the various separately identifiable parts thereof required to be furnished under the Contract Documents. WORK is the result of performing, or furnishing labor and furnishing and incorporating materials and equipment into the construction, and performing or furnishing services and furnishing documents, all as required by the Contract Documents.

## **SECTION 00700 - GENERAL CONDITIONS**

### **ARTICLE 2 PRELIMINARY MATTERS**

- 2.1 DELIVERY OF BONDS/INSURANCE CERTIFICATES. When the CONTRACTOR delivers the signed Agreements to the OWNER, the CONTRACTOR shall also deliver to the OWNER such Bonds and Insurance Policies and Certificates as the CONTRACTOR may be required to furnish in accordance with the Contract Documents.
- 2.2 COPIES OF DOCUMENTS. The OWNER shall furnish to the CONTRACTOR the required number of copies of the Contract Documents specified in the Supplementary General Conditions.
- 2.3 COMMENCEMENT OF CONTRACT TIME; NOTICE TO PROCEED. The Contract Time will start to run on the commencement date stated in the Notice to Proceed. If no date is stated, Contract Time shall commence upon the date of the Notice to Proceed is issued.
- 2.4 STARTING THE WORK
- A. The CONTRACTOR shall begin to perform the WORK within 10 days after the commencement date stated in the Notice to Proceed, but no WORK shall be done at the site prior to said commencement date.
  - B. Before undertaking each part of the WORK, the CONTRACTOR shall carefully study and compare the Contract Documents and check and verify pertinent figures shown thereon and all applicable field measurements. The CONTRACTOR shall promptly report in writing to the ARCHITECT any conflict, error, or discrepancy which the CONTRACTOR may discover and shall obtain a written interpretation or clarification from the ARCHITECT before proceeding with any WORK affected thereby.
  - C. The CONTRACTOR shall submit to the ARCHITECT for review those documents called for under Section 01300 - CONTRACTOR Submittals in the General Requirements.
- 2.5 PRE-CONSTRUCTION CONFERENCE. The CONTRACTOR is required to attend a Pre-Construction Conference. This conference will be attended by the ARCHITECT and others as appropriate in order to discuss the WORK in accordance with the applicable procedures specified in the General Requirements, Section 01010 - Summary of Work.
- 2.6 FINALIZING CONTRACTOR SUBMITTALS. At least 7 days before submittal of the first Application for Payment a conference attended by the CONTRACTOR, the ARCHITECT and others as appropriate will be held to finalize the initial CONTRACTOR submittals in accordance with the General Requirements. As a minimum the CONTRACTOR's representatives should include it's project manager and schedule expert. The CONTRACTOR should plan on this meeting taking no less than 8 hours. If the submittals are not finalized at the end of the meeting, additional meetings will be held so that the submittals can be finalized prior to the submittal of the first Application for Payment. No Application for Payment will be processed until CONTRACTOR submittals are finalized.

## SECTION 00700 - GENERAL CONDITIONS

### ARTICLE 3 CONTRACT DOCUMENTS: INTENT, AMENDING, REUSE

#### 3.1 INTENT

- A. The Contract Documents comprise the entire agreement between the OWNER and the CONTRACTOR concerning the WORK. The Contract Documents shall be construed as a whole in accordance with Alaska Law.
- B. It is the intent of the Contract Documents to describe the WORK, functionally complete, to be constructed in accordance with the Contract Documents. Any WORK, materials, or equipment that may reasonably be inferred from the Contract Documents as being required to produce the intended result shall be supplied whether or not specifically called for. When words or phrases which have a well-known technical or construction industry or trade meaning are used to describe WORK, materials, or equipment such words or phrases shall be interpreted in accordance with that meaning, unless a definition has been provided in Article 1 of the General Conditions. Reference to standard specifications, manuals, or codes of any technical society, organization, or association, or to the Laws or Regulations of any governmental authority, whether such reference be specific or by implication, shall mean the latest standard specification, manual, code, or Laws or Regulations in effect at the time of opening of Bids, except as may be otherwise specifically stated. However, no provision of any referenced standard specification, manual, or code (whether or not specifically incorporated by reference in the Contract Documents) shall be effective to change the duties and responsibilities of the ARCHITECT, OWNER, the CONTRACTOR, or the Architect of Record or any of their consultants, agents, or employees from those set forth in the Contract Documents.
- C. If, during the performance of the WORK, CONTRACTOR discovers any conflict, error, ambiguity or discrepancy within the Contract Documents or between the Contract Documents and any provision of any such Law or Regulation applicable to the performance of the WORK or of any such standard, specification, manual or code or of any instruction of any Supplier referred to in paragraph 6.5, the CONTRACTOR shall report it to the ARCHITECT in writing at once, and the CONTRACTOR shall not proceed with the WORK affected thereby (except in an emergency as authorized by the ARCHITECT) until a clarification Field Order, or Change Order to the Contract Documents has been issued.

#### 3.2 ORDER OF PRECEDENCE OF CONTRACT DOCUMENTS

- A. In resolving conflicts resulting from, errors, or discrepancies in any of the Contract Documents, the order of precedence shall be as follows:
  - 1. Permits from other agencies as may be required by law, excepting the definition of "Permittee" in these permits.
  - 2. Field Orders
  - 3. Change Orders
  - 4. ARCHITECT's written interpretations and clarifications.
  - 5. Agreement
  - 6. Addenda
  - 7. CONTRACTOR's Bid (Bid Form)
  - 8. Supplementary General Conditions
  - 9. Notice Inviting Bids
  - 10. Instructions to Bidders

## **SECTION 00700 - GENERAL CONDITIONS**

11. General Conditions
12. Technical Specifications
13. Drawings

B. With reference to the Drawings the order of precedence is as follows:

1. Figures govern over scaled dimensions
2. Detail drawings govern over general drawings
3. Addenda/Change Order drawings govern over contract Drawings
4. Contract Drawings govern over standard details

3.3 AMENDING AND SUPPLEMENTING CONTRACT DOCUMENTS. The Contract Documents may be amended to provide for additions, deletions, and revisions in the WORK or to modify the terms and conditions thereof by a Change Order (pursuant to Article 10 CHANGES IN THE WORK).

3.4 REUSE OF DOCUMENTS. Neither the CONTRACTOR, nor any Subcontractor or Supplier, nor any other person or organization performing any of the WORK under a contract with the OWNER shall have or acquire any title to or ownership rights in any of the Drawings, Technical Specifications, or other documents used on the WORK, and they shall not reuse any of them on the extensions of the Project or any other project without written consent of the OWNER.

### **ARTICLE 4 AVAILABILITY OF LANDS; PHYSICAL CONDITIONS; REFERENCE POINTS**

4.1 AVAILABILITY OF LANDS. The OWNER shall furnish, as indicated in the Contract Documents, the lands upon which the WORK is to be performed, rights-of-way and easements for access thereto, and such other lands which are designated for the use of the CONTRACTOR. Easements for permanent structures or permanent changes in existing facilities will be obtained and paid for by the OWNER, unless otherwise provided in the Contract Documents. Nothing contained in the Contract Documents shall be interpreted as giving the CONTRACTOR exclusive occupancy of the lands or rights-of-way provided. The CONTRACTOR shall provide for all additional lands and access thereto that may be required for temporary construction facilities or storage of materials and equipment; provided, that the CONTRACTOR shall not enter upon nor use any property not under the control of the OWNER until a written temporary construction easement, lease or other appropriate agreement has been executed by the CONTRACTOR and the property owner, and a copy of said agreement furnished to the ARCHITECT prior to said use; and, neither the OWNER nor the ARCHITECT shall be liable for any claims or damages resulting from the CONTRACTOR's unauthorized trespass or use of any such properties.

#### **4.2 PHYSICAL CONDITIONS - SUBSURFACE AND EXISTING STRUCTURES**

A. Explorations and Reports. Reference is made to SGC 4.2 Physical Conditions of the Supplementary General Conditions for identification of those reports of explorations and tests of sub-surface conditions at the site that have been utilized by the Architect of Record in the preparation of the Contract Documents. The CONTRACTOR may rely upon the accuracy of the technical data contained in such reports, however, reports are not to be considered complete or comprehensive and nontechnical data, interpretations, and opinions contained in such reports are not to be relied on by the CONTRACTOR. The CONTRACTOR is responsible for any further explorations or tests that may be

## SECTION 00700 - GENERAL CONDITIONS

necessary and any interpretation, interpolation, or extrapolation that it makes of any information shown in such reports.

- B. Existing Structures. Reference is made to SGC 4.2 Physical Conditions of the Supplementary General Conditions for identification of those drawings of physical conditions in or relating to existing surface and subsurface structures (except Underground Utilities referred to in Paragraph 4.4 herein) which are at or contiguous to the site that have been utilized by the Architect of Record in the preparation of the Contract Documents. The CONTRACTOR may rely upon the accuracy of the technical data contained in such drawings, however, nontechnical data, interpretations, and opinions contained in such drawings are not to be relied on by the CONTRACTOR. The CONTRACTOR is also responsible for any interpretation, interpolation, or extrapolation that it makes of any information shown in such drawings.

### 4.3 DIFFERING SITE CONDITIONS

- A. The CONTRACTOR shall promptly upon discovery (but in no event later than 14 days thereafter) and before the following conditions are disturbed, notify the ARCHITECT, in writing of any:
  - 1. Material that the CONTRACTOR believes may be material that is hazardous waste, as defined in Article 1 of these General Conditions, or asbestos, PCB's, petroleum or any other substance or material posing a threat to human or to the environment.
  - 2. Subsurface or latent physical conditions at the site differing from those indicated.
  - 3. Unknown physical conditions at the site of any unusual nature, different materially from those ordinarily encountered and generally recognized as inherent in WORK of the character provided for in the contract.
- B. The ARCHITECT shall promptly investigate the conditions, and if it finds that the conditions do materially so differ, or do involve hazardous waste, and cause a decrease or increase in the CONTRACTOR's cost of, or the time required for, performance of any part of the WORK shall issue a Change Order under the procedures described in the contract.
- C. In the event that a dispute arises between the ARCHITECT and the CONTRACTOR whether the conditions materially differ, or involved hazardous waste or other materials listed above, or cause a decrease or increase in the CONTRACTOR's cost of, or time required for, performance of any part of the WORK, the CONTRACTOR shall not be excused from any scheduled completion date provided for by the contract, but shall proceed with all WORK to be performed under the contract. The CONTRACTOR shall retain any and all rights provided either by contract or by Law which pertain to the resolution of disputes and protests between the contracting parties.

### 4.4 PHYSICAL CONDITIONS - UNDERGROUND UTILITIES

- A. Indicated. The information and data indicated in the Contract Documents with respect to existing Underground Utilities at or contiguous to the site are based on information and data furnished to the OWNER or the Architect of Record by the owners of such Underground Utilities or by others. Unless it is expressly provided in the Supplementary General Conditions and/or Section 01530 - Protection and Restoration of Existing Facilities, the OWNER and the Architect of Record shall not be responsible for the accuracy or completeness of any such information or data, and the CONTRACTOR shall have full responsibility for reviewing and checking all such information and data, for locating all Underground Utilities indicated in the Contract Documents, for coordination of

## SECTION 00700 - GENERAL CONDITIONS

the WORK with the owners of such Underground Utilities during construction, for the safety and protection thereof and repairing any damage thereto resulting from the WORK, the cost of which will be considered as having been included in the Contract Price.

- B. Not Indicated. If an Underground Utility is uncovered or revealed at or contiguous to the site which was not indicated in the Contract Documents and which the CONTRACTOR could not reasonably have been expected to be aware of, the CONTRACTOR shall identify the owner of such Underground Utility and give written notice thereof to that owner and shall notify the ARCHITECT in accordance with the requirements of the Supplementary General Conditions and Section 01530 - Protection and Restoration of Existing Facilities of the General Requirements.

### 4.5 REFERENCE POINTS

- A. The ARCHITECT will provide one bench mark, near or on the site of the WORK, and will provide two points near or on the site to establish a base line for use by the CONTRACTOR for alignment control. Unless otherwise specified in the General Requirements, the CONTRACTOR shall furnish all other lines, grades, and bench marks required for proper execution of the WORK.
- B. The CONTRACTOR shall preserve all bench marks, stakes, and other survey marks, and in case of their removal or destruction by its own employees or by its subcontractor's employees, the CONTRACTOR shall be responsible for the accurate replacement of such reference points by personnel qualified under the Alaska Statute governing the licensing of architects, engineers, and land surveyors.

### 4.6 USE OF THE CBJ/STATE LEMON CREEK GRAVEL PIT

- A. On City and Borough of Juneau (CBJ) construction projects, the CBJ may make unclassified material available to CONTRACTORS, from the CBJ/State Lemon Creek gravel pit, at a rate less than charged other customers. CONTRACTORS are not required to use material from the CBJ/State pit and the CBJ makes no guarantee as to the quantity or quality of the available material. For this Project, contact Alec Venechuk, CBJ Material Source Manager, at (907) 586-0874 for the current material rates.
- B. CONTRACTORS proposing to use gravel from the CBJ/State pit are required to be in good standing for all amounts owed to the CBJ, for previous gravel operations, prior to submitting a mining plan for approval. CONTRACTORS using the pit must comply with Allowable Use Permit USE 2008-00061. Failure to meet these requirements, if so subject, shall be sufficient reason to deny use of the CBJ/State pit as a gravel source. To determine if your company is subject to these requirements, contact the CBJ Engineering Department, Gravel Pit Management, at (907) 586-0874.
- C. CONTRACTORS deciding to use material from the CBJ/State pit shall provide an Individual Mining Plan prepared by a professional engineer registered in the State of Alaska. The Individual Mining Plan must be reviewed and approved by the CBJ, prior to commencing operations within the pit. CONTRACTORS shall also secure a Performance Bond to ensure compliance with contract provisions, including any Individual Mining Plan stipulations. The bond shall remain in full force and effect until a release is obtained from the CBJ.
- D. If CONTRACTOR operations for a Project do not exceed 500 tons of material, the CONTRACTOR will not be required to provide an Individual Mining Plan prepared by an engineer, however, the CONTRACTOR must submit an Individual Mining Plan that is in compliance with Allowable Use

## **SECTION 00700 - GENERAL CONDITIONS**

Permit USE 2008-00061 for gravel extraction within the CBJ/State pit. The CONTRACTOR must contact the CBJ Engineering Department for conditions for the extraction.

- E. CONTRACTORS using the CBJ material may do primary dry separation (screening) of materials within the pit. Crushing and washing of material will not be allowed. CONTRACTORS shall account for placement of materials removed from the pit. The CBJ may require CONTRACTORS to cross-check weight tickets, submit to an audit, or participate in other measures required by the CBJ to ensure accountability. Unprocessed overburden removed from the pit will not be weighed. All other material mined will be weighed at the CBJ scale. CONTRACTORS will be responsible for loading and/or screening their own material. If asphalt pavement is removed as part of the WORK, CONTRACTORS shall dispose of the material at a to-be-specified location within the pit area, as directed by the CBJ Gravel Pit Manager, (907) 586-0874.
- F. The gravel pit overhead charge shall be paid to the CBJ by the CONTRACTOR within 60 days after removal of all materials from the pit and prior to requesting and/or receiving final payment. Upon completion of each excavation CONTRACTORS shall notify the CBJ, in writing, in sufficient time to perform a field-compliance examination prior to vacating the pit. Any significant deviation from the stipulations of the Individual Mining Plan identified during the field inspection shall be corrected by the CONTRACTOR prior to release of the bond. A signed release from CBJ will be required prior to releasing the CONTRACTOR's bond.
- G. If asphalt pavement is removed as part of this WORK, the CONTRACTOR shall dispose of the material at the location designated as the Asphalt Storage Facility, or as directed by the ARCHITECT.
- H. The CBJ/State Pit is a seasonal operation. The hours of operation are from 7:00 a.m. to 6:00 p.m., Monday through Friday, from April 1 through October 15 of the year. CONTRACTORS may obtain gravel on weekends, or during the off-season, by applying for a separate agreement with the City and Borough of Juneau Engineering Department. The CONTRACTOR will be responsible for any additional costs incurred during weekend or off-season operations at the gravel pit.
- I. All CONTRACTORS/equipment operators using the CBJ/State Pit shall be in compliance with Federal Mine Safety and Health Administration regulations for quarry and gravel operations.

## **ARTICLE 5 BONDS AND INSURANCE**

### **5.1 PERFORMANCE, PAYMENT, AND OTHER BONDS**

- A. The CONTRACTOR shall furnish Performance and Payment Bonds, each in the amount set forth in the Supplementary General Conditions as security for the faithful performance and payment of all the CONTRACTOR's obligations under the Contract Documents. These bonds shall remain in effect at least until one year after the date of Substantial Completion except as otherwise provided by Law or Regulation or by the Contract Documents. The CONTRACTOR shall also furnish such other Bonds as are required by the Supplementary General Conditions. All Bonds shall be in the form prescribed by the Contract Documents except as provided otherwise by Laws or Regulations, and shall be executed by such sureties as are named in the current list of "Companies Holding Certificates of Authority as Acceptable Sureties on Federal Bonds and as Acceptable Reinsuring Companies" as published in Circular 570 (amended) by the Audit Staff, Bureau of Government Financial Operations, U.S. Treasury Department. All Bonds signed by an agent must be accompanied by a certified copy of such agent's authority to act.

## SECTION 00700 - GENERAL CONDITIONS

- B. If the surety on any Bond furnished by the CONTRACTOR is declared bankrupt or becomes insolvent or its right to do business is terminated in any state where any part of the WORK is located, the CONTRACTOR shall within 7 days thereafter substitute another Bond and Surety, which must be acceptable to the OWNER.
- C. All Bonds required by the Contract Documents to be purchased and maintained by CONTRACTOR shall be obtained from surety companies that are duly licensed or authorized in the State of Alaska to issue Bonds for the limits so required. Such surety companies shall also meet such additional requirements and qualifications as may be provided in the Supplementary General Conditions.

### 5.2 INSURANCE

- A. The CONTRACTOR shall purchase and maintain the insurance required under this paragraph. Such insurance shall include the specific coverages set out herein and be written for not less than the limits of liability and coverages provided in the Supplementary General Conditions, or required by law, whichever are greater. All insurance shall be maintained continuously during the life of the Agreement up to the date of Final Completion and at all times thereafter when the CONTRACTOR may be correcting, removing, or replacing Defective WORK in accordance with Paragraph 13.6, but the CONTRACTOR's liabilities under this Agreement shall not be deemed limited in any way to the insurance coverage required.
- B. All insurance required by the Contract Documents to be purchased and maintained by the CONTRACTOR shall be obtained from insurance companies that are duly licensed or authorized in the State of Alaska to issue insurance policies for the limits and coverages so required. Such insurance companies shall have a current Best's Rating of at least an "A" (Excellent) general policy holder's rating and a Class VII financial size category and shall also meet such additional requirements and qualifications as may be provided in the Supplementary General Conditions.
- C. The CONTRACTOR shall furnish the OWNER with certificates showing the type, amount, class of operations covered, effective dates and dates of expiration of policies. All of the policies of insurance so required to be purchased and maintained (or the certificates or other evidence thereof) shall contain a provision or endorsement that the coverage afforded will not be cancelled, reduced in coverage, or renewal refused until at least 30 days' prior written notice has been given to the OWNER by certified mail. All such insurance required herein (except for Workers' Compensation and Employer's Liability) shall name the OWNER, its Consultants and subconsultants and their officers, directors, agents, and employees as "additional insureds" under the policies. The CONTRACTOR shall purchase and maintain the following insurance:
  - 1. Workers' Compensation and Employer's Liability. This insurance shall protect the CONTRACTOR against all claims under applicable state workers' compensation laws. The CONTRACTOR shall also be protected against claims for injury, disease, or death of employees which, for any reason, may not fall within the provisions of a Workers' Compensation law. This policy shall include an "all states" endorsement. The CONTRACTOR shall require each Subcontractor similarly to provide Workers' Compensation Insurance for all of the latter's employees to be engaged in such work unless such employees are covered by the protection afforded by the CONTRACTOR's Workers' Compensation Insurance. In case any class of employees is not protected, under the Workers' Compensation Statute, the

## **SECTION 00700 - GENERAL CONDITIONS**

CONTRACTOR shall provide and shall cause each subcontractor to provide adequate employer's liability insurance for the protection of such of its employees as are not otherwise protected.

2. Commercial General Liability. This insurance shall be written in comprehensive form and shall protect the CONTRACTOR against all claims arising from injuries to persons other than its employees or damage to property of the OWNER or others arising out of any act or omission of the CONTRACTOR or its agents, employees, or Subcontractors. The policy shall contain no exclusions for any operations within the scope of this contract.
3. Comprehensive Automobile Liability. This insurance shall be written in comprehensive form and shall protect the CONTRACTOR against all claims for injuries to members of the public and damage to property of others arising from the use of motor vehicles, and shall cover operation on or off the site of all motor vehicles licensed for highway use, whether they are owned, non-owned, or hired. Coverage for hired motor vehicles should include endorsement covering liability assumed under this contract.
4. Subcontractor's Public Liability and Property Damage Insurance and Vehicle Liability Insurance. The CONTRACTOR shall either require each of its Subcontractors to procure and to maintain Subcontractor's Commercial General Liability and Property Damage Insurance and Vehicle Liability Insurance of the type and in the amounts specified in the Supplementary General Conditions or insure the activities of its subcontractors in the CONTRACTOR's own policy, in like amount.
5. Builder's Risk. This insurance shall be of the "all risks" type, shall be written in completed value form, and shall protect the CONTRACTOR, the OWNER, and the ARCHITECT, against risks of damage to buildings, structures, and materials and equipment. The amount of such insurance shall be not less than the insurable value of the WORK at completion. Builder's risk insurance shall provide for losses to be payable to the CONTRACTOR and the OWNER, as their interests may appear. The policy shall contain a provision that in the event of payment for any loss under the coverage provided, the insurance company shall have no rights of recovery against the CONTRACTOR, the OWNER, and the ARCHITECT. The Builder's Risk policy shall insure against all risks of direct physical loss or damage to property from any external cause including flood and earthquake. Allowable exclusions, if any, shall be as specified in the Supplementary General Conditions.

### **ARTICLE 6 CONTRACTOR'S RESPONSIBILITIES**

#### **6.1 SUPERVISION AND SUPERINTENDENCE**

- A. The CONTRACTOR shall supervise, inspect, and direct the WORK competently and efficiently, devoting such attention thereto and applying such skills and expertise as may be necessary to perform the WORK in accordance with the Contract Documents. The CONTRACTOR shall be solely responsible for the means, methods, techniques, sequences, and procedures of construction and safety precautions and programs incidental thereto. The CONTRACTOR shall be responsible to see that the completed WORK complies accurately with the Contract Documents.
- B. The CONTRACTOR shall designate in writing and keep on the work site at all times during its progress a technically qualified, English-speaking superintendent, who is an employee of the CONTRACTOR and who shall not be replaced without written notice to the OWNER and the ARCHITECT. The superintendent will be the CONTRACTOR's representative at the site and shall

## SECTION 00700 - GENERAL CONDITIONS

have authority to act on behalf of the CONTRACTOR. All communications given to the superintendent shall be as binding as if given to the CONTRACTOR. The CONTRACTOR shall issue all its communications to the OWNER through the ARCHITECT and the ARCHITECT only.

- C. The CONTRACTOR's superintendent shall be present at the site of the WORK at all times while WORK is in progress. Failure to observe this requirement shall be considered suspension of the WORK by the CONTRACTOR until such time as such superintendent is again present at the site.

### 6.2 LABOR, MATERIALS, AND EQUIPMENT

- A. The CONTRACTOR shall provide competent, suitably qualified personnel to survey and lay out the WORK and perform construction as required by the Contract Documents. The CONTRACTOR shall furnish, erect, maintain, and remove the construction plant and any temporary works as may be required. The CONTRACTOR shall at all times maintain good discipline and order at the site. Except in connection with the safety or protection of persons or the WORK or property at the site or adjacent thereto, and except as otherwise indicated in the Contract Documents, all WORK at the site shall be performed during regular working hours, and the CONTRACTOR will not permit overtime WORK or the performance of WORK on Saturday, Sunday, or any legal holiday without the OWNER's written consent. The CONTRACTOR shall apply for this consent through the ARCHITECT.
- B. Except as otherwise provided in this Paragraph, the CONTRACTOR shall receive no additional compensation for overtime WORK, i.e., work in excess of 8 hours in any one calendar day or 40 hours in any one calendar week, even though such overtime WORK may be required under emergency conditions and may be ordered by the ARCHITECT in writing. Additional compensation will be paid the CONTRACTOR for overtime WORK only in the event extra WORK is ordered by the ARCHITECT and the Change Order specifically authorizes the use of overtime WORK and then only to such extent as overtime wages are regularly being paid by the CONTRACTOR for overtime WORK of a similar nature in the same locality.
- C. All costs of inspection and testing performed during overtime WORK by the CONTRACTOR which is allowed solely for the convenience of the CONTRACTOR shall be borne by the CONTRACTOR. The ARCHITECT shall have the authority to deduct the cost of all such inspection and testing from any partial payments otherwise due to the CONTRACTOR.
- D. Unless otherwise specified in the Contract Documents, the CONTRACTOR shall furnish and assume full responsibility for all materials, equipment, labor, transportation, construction equipment and machinery, tools, appliances, fuel, power, light, heat, telephone, water, sanitary facilities, and all other facilities and incidentals necessary for the furnishing, performance, testing, start-up, and completion of the WORK.
- E. All materials and equipment to be incorporated into the WORK shall be of good quality and new, except as otherwise provided in the Contract Documents. All warranties and guarantees specifically called for by the Specifications shall expressly run to the benefit of the OWNER. If required by the ARCHITECT, the CONTRACTOR shall furnish satisfactory evidence (including reports of required tests) as to the kind and quality of materials and equipment. All materials and equipment shall be applied, installed, connected, erected, used, cleaned, and conditioned in accordance with the instructions of the applicable Supplier except as otherwise provided in the Contract Documents; but no provisions of any such instructions will be effective to assign to the ARCHITECT, or any of the Architect's of Record consultants, agents, or employees, any duty or authority to supervise or direct the

## SECTION 00700 - GENERAL CONDITIONS

furnishing or performance of the WORK or any duty or authority to undertake responsibility contrary to the provisions of Paragraphs 9.9C and 9.9D.

- F. The CONTRACTOR shall at all times employ sufficient labor and equipment for prosecuting the several classes of WORK to full completion in the manner and time set forth in and required by these specifications. All workers shall have sufficient skill and experience to properly perform the WORK assigned to them. Workers engaged in special WORK, or skilled WORK, shall have sufficient experience in such WORK and in the operation of the equipment required to perform all WORK, properly and satisfactorily.
  - G. Any person employed by the CONTRACTOR or by any SUBCONTRACTOR who, in the opinion of the ARCHITECT, does not perform the WORK in a proper and skillful manner, or is intemperate or disorderly shall, at the written request of the ARCHITECT, be removed forthwith by the CONTRACTOR or Subcontractor employing such person, and shall not be employed again in any portion of the WORK without the approval of the ARCHITECT. Should the CONTRACTOR fail to remove such person or persons as required above, or fail to furnish suitable and sufficient personnel for the proper prosecution of the WORK, the ARCHITECT may suspend the WORK by written notice until such orders are complied with.
- 6.3 ADJUSTING PROGRESS SCHEDULE. The CONTRACTOR shall submit monthly updates of the progress schedule to the ARCHITECT for acceptance in accordance with the provisions in Section 01300 - CONTRACTOR Submittals in the General Requirements.
- 6.4 SUBSTITUTES OR "OR-EQUAL" ITEMS. The CONTRACTOR shall submit proposed substitutes or "or-equal" items in accordance with the provisions in Section 01300 - CONTRACTOR Submittals in the General Requirements.
- 6.5 CONCERNING SUBCONTRACTORS, SUPPLIERS, AND OTHERS. The CONTRACTOR shall be responsible to the OWNER and the ARCHITECT of Record for the acts and omissions of its subcontractors and their employees to the same extent as CONTRACTOR is responsible for the acts and omissions of its own employees. Nothing contained in this Paragraph shall create any contractual relationship between any subcontractor and the OWNER or the ARCHITECT nor relieve the CONTRACTOR of any liability or obligation under the contract.
- 6.6 PERMITS
- A. Unless otherwise provided in the Supplementary General Conditions, the CONTRACTOR shall obtain and pay for all construction permits and licenses from the agencies having jurisdiction, including the furnishing of insurance and Bonds if required by such agencies. The enforcement of such requirements under this contract shall not be made the basis for claims for additional compensation. The OWNER shall assist the CONTRACTOR, when necessary, in obtaining such permits and licenses. The CONTRACTOR shall pay all governmental charges and inspection fees necessary for the prosecution of the WORK, which are applicable at the time of opening of Bids. The CONTRACTOR shall pay all charges of utility owners for connections to the WORK.
  - B. These Contract Documents may require that the WORK be performed within the conditions and/or requirements of local, state and/or federal permits. These permits may be bound within the Contract Documents, included within the Contract Documents by reference, or included as part of the WORK, as designated in this Section. The CONTRACTOR is responsible for completing the WORK required

## SECTION 00700 - GENERAL CONDITIONS

for compliance with all permit requirements; this WORK is incidental to other items in the Contract Documents. Any reference to the PERMITTEE in the permits shall mean the CONTRACTOR. If any permits were acquired by the OWNER, this action was done to expedite the start of construction. If the CONTRACTOR does not complete the WORK within the specified permit window, the CONTRACTOR shall be responsible for the permit extension, and for completing any additional requirements placed upon the permit.

- 6.7 PATENT FEES AND ROYALTIES. The CONTRACTOR shall pay all license fees and royalties and assume all costs incident to the use in the performance of the WORK or the incorporation in the WORK of any invention, design, process, product, software or device which is the subject of patent rights or copyrights held by others. If a particular invention, design, process, product, or device is specified in the Contract Documents for use in the performance of the WORK and if to the actual knowledge of the OWNER or the Architect of Record its use is subject to patent rights or copyrights calling for the payment of any license fee or royalty to others, the existence of such rights shall be disclosed by the OWNER in the Contract Documents. The CONTRACTOR shall indemnify, defend and hold harmless the OWNER and the Architect of Record and anyone directly or indirectly employed by either of them from and against all claims, damages, losses, and expenses (including attorneys' fees and court costs) arising out of any infringement of patent rights or copyrights incident to the use in the performance of the WORK or resulting from the incorporation in the WORK of any invention, design, process, product, or device not specified in the Contract Documents, and shall defend all such claims in connection with any alleged infringement of such rights.
- 6.8 LAWS AND REGULATIONS. The CONTRACTOR shall observe and comply with all federal, state, and local laws, ordinances, codes, orders, and regulations which in any manner affect those engaged or employed on the WORK, the materials used in the WORK, or the conduct of the WORK. If any discrepancy or inconsistency should be discovered in this contract in relation to any such law, ordinance, code, order, or regulation, the CONTRACTOR shall report the same in writing to the ARCHITECT. The CONTRACTOR shall indemnify, defend, and hold harmless the OWNER, the Architect of Record, and their officers, agents, and employees against all claims or liability arising from violation of any such law, ordinance, code, order, or regulation, whether by CONTRACTOR or by its employees, Subcontractors, or third parties. Any particular law or regulation specified or referred to elsewhere in the Contract Documents shall not in any way limit the obligation of the CONTRACTOR to comply with all other provisions of federal, state, and local laws and regulations.
- 6.9 TAXES. The CONTRACTOR shall pay all sales, consumer, use, and other similar taxes required to be paid by the CONTRACTOR in accordance with the Laws and Regulations of the place of the Project which are applicable during the performance of the WORK.
- 6.10 USE OF PREMISES. The CONTRACTOR shall confine construction equipment, the storage of materials and equipment, and the operations of workers to (1) the Project site, (2) the land and areas identified in and permitted by the Contract Documents, and (3) the other land and areas permitted by Laws and Regulations, rights-of-way, permits, leases and easements. The CONTRACTOR shall assume full responsibility for any damage to any such land or area, or to the owner or occupant thereof or of any land or areas contiguous thereto, resulting from the performance of the WORK. Should any claim be made against the OWNER or the Architect of Record by any such owner or occupant because of the performance of the WORK, the CONTRACTOR shall promptly attempt to settle with such other party by agreement or otherwise resolve the claim through litigation. The CONTRACTOR shall, to the fullest extent permitted by Laws and Regulations, indemnify, defend, and hold the OWNER and the Architect of Record harmless from and against all claims, damages, losses, and

## SECTION 00700 - GENERAL CONDITIONS

expenses (including, but not limited to, fees of Architect's of Records attorneys, and other professionals and court costs) arising directly, indirectly, or consequentially out of any action, legal or equitable, brought by any such owner or occupant against the OWNER, the Architect of Record, their consultants, sub-consultants, and the officers, directors, employees and agents of each and any of them to the extent caused by or based upon the CONTRACTOR's performance of the WORK.

### 6.11 SAFETY AND PROTECTION

- A. The CONTRACTOR shall be responsible for initiating, maintaining, and supervising all safety precautions and programs in connection with the WORK. The CONTRACTOR shall take all necessary precautions for the safety of, and shall provide the necessary protection to prevent damage, injury or loss to:
  - 1. all employees on the WORK and other persons and organizations who may be affected thereby;
  - 2. all the WORK and materials and equipment to be incorporated therein, whether in storage on or off the site; and
  - 3. other property at the site or adjacent thereto, including trees, shrubs, lawns, walks, pavements, roadways, structures, and utilities not designated for removal, relocation, or replacement in the course of construction.
- B. The CONTRACTOR shall comply with all applicable Laws and Regulations whether referred to herein or not) of any public body having jurisdiction for the safety of persons or property or to protect them from damage, injury, or loss and shall erect and maintain all necessary safeguards for such safety and protection. The CONTRACTOR shall notify owners of adjacent property and utilities when prosecution of the WORK may affect them, and shall cooperate with them in the protection, removal, relocation, and replacement of their property.
- C. The CONTRACTOR shall designate a qualified and experienced safety representative at the site whose duties and responsibilities shall be the prevention of accidents and the maintaining and supervising of safety precautions and program.
- D. Materials that contain hazardous substances or mixtures may be required on the WORK. A Material Safety Data Sheet (MSDS) shall be requested by the CONTRACTOR from the manufacturer of any hazardous product used.
- E. Material usage shall be accomplished with strict adherence to all safety requirements and all manufacturer's warnings and application instructions listed on the Material Safety Data Sheet and on the product container label.
- F. The CONTRACTOR shall be responsible for coordinating communications on any exchange of Material Safety Data Sheets or other hazardous material information that is required to be made available to, or exchanged between, or among, employers at the site in accordance with Laws or Regulations.
- G. The CONTRACTOR shall notify the ARCHITECT if it considers a specified product or its intended usage to be unsafe. This notification must be given to the ARCHITECT prior to the product being ordered, or if provided by some other party, prior to the product being incorporated in the WORK.

## SECTION 00700 - GENERAL CONDITIONS

### 6.12 SHOP DRAWINGS AND SAMPLES

- A. After checking and verifying all field measurements and after complying with applicable procedures specified in the General Requirements, the CONTRACTOR shall submit to the ARCHITECT for review, all Shop Drawings in accordance with Section 01300 - CONTRACTOR Submittals in the General Requirements.
- B. The CONTRACTOR shall also submit to the ARCHITECT for review all samples in accordance with Section 01300 - CONTRACTOR Submittals in the General Requirements.
- C. Before submittal of each Shop Drawing or sample, the CONTRACTOR shall have determined and verified all quantities, dimensions, specified performance criteria, installation requirements, materials, catalog numbers, and similar data with respect thereto and reviewed or coordinated each Shop Drawing or sample with other Shop Drawings and samples and with the requirements of the WORK and the Contract Documents.

### 6.13 CONTINUING THE WORK. The CONTRACTOR shall carry on the WORK and adhere to the progress schedule during all disputes or disagreements with the OWNER. No WORK shall be delayed or postponed pending resolution of any disputes or disagreements, except as the CONTRACTOR and the OWNER may otherwise agree in writing.

### 6.14 INDEMNIFICATION

- A. To the fullest extent permitted by Laws and Regulations, the CONTRACTOR shall indemnify, defend, and hold harmless the OWNER, the Architect of Record, their consultants, sub-consultants and the officers, directors, employees, and agents of each and any of them, against and from all claims and liability arising under, by reason of or incidentally to the contract or any performance of the WORK, but not from the sole negligence or willful misconduct of the OWNER, and the Architect of Record. Such indemnification by the CONTRACTOR shall include but not be limited to the following:
  - 1. Liability or claims resulting directly or indirectly from the negligence or carelessness of the CONTRACTOR, its employees, or agents in the performance of the WORK, or in guarding or maintaining the same, or from any improper materials, implements, or appliances used in its construction, or by or on account of any act or omission of the CONTRACTOR, its employees, agents, or third parties;
  - 2. Liability or claims arising directly or indirectly from bodily injury, occupational sickness or disease, or death of the CONTRACTOR's or Subcontractor's own employees engaged in the WORK resulting in actions brought by or on behalf of such employees against the OWNER, or the Architect of Record;
  - 3. Liability or claims arising directly or indirectly from or based on the violation of any law, ordinance, regulation, order, or decree, whether by the CONTRACTOR, its employees, or agents;
  - 4. Liability or claims arising directly or indirectly from the use or manufacture by the CONTRACTOR, its employees, or agents in the performance of this contract of any copyrighted or non-copyrighted composition, secret process, patented or non-patented invention, computer software, article, or appliance, unless otherwise specifically stipulated in this contract.

## SECTION 00700 - GENERAL CONDITIONS

5. Liability or claims arising directly or indirectly from the breach of any warranties, whether express or implied, made to the ARCHITECT, OWNER or any other parties by the CONTRACTOR, its employees, or agents;
  6. Liabilities or claims arising directly or indirectly from the willful or criminal misconduct of the CONTRACTOR, its employees, or agents; and,
  7. Liabilities or claims arising directly or indirectly from any breach of the obligations assumed herein by the CONTRACTOR.
- B. The CONTRACTOR shall reimburse the OWNER and the Architect of Record for all costs and expenses, (including but not limited to fees and charges of Architects of Record, attorneys, and other professionals and court costs including all costs of appeals) incurred by the OWNER, and the Architect of Record in enforcing the provisions of this Paragraph 6.14.
- C. The indemnification obligation under this Paragraph 6.14 shall not be limited in any way by any limitation of the amount or type of damages, compensation, or benefits payable by or for the CONTRACTOR or any such Subcontractor or other person or organization under workers' compensation acts, disability benefit acts, or other employee benefit acts.
- 6.15 CONTRACTOR'S DAILY REPORTS. The CONTRACTOR shall complete a daily report indicating total manpower for each construction trade, major equipment on site, each Subcontractor's manpower, weather conditions, etc., involved in the performance of the WORK. The daily report shall be completed on forms provided by the ARCHITECT and shall be submitted to the ARCHITECT at the conclusion of each WORK day. The report should comment on the daily progress and status of the WORK within each major component of the WORK. These components will be decided by the ARCHITECT. The CONTRACTOR shall record the name, affiliation, time of arrival and departure, and reason for visit for all visitors to the location of the WORK.
- 6.16 ASSIGNMENT OF CONTRACT. The CONTRACTOR shall not assign, sublet, sell, transfer, or otherwise dispose of the contract or any portion thereof, or its right, title, or interest therein, or obligations thereunder, without the written consent of the OWNER except as imposed by law. If the CONTRACTOR violates this provision, the contract may be terminated at the option of the OWNER. In such event, the OWNER shall be relieved of all liability and obligations to the CONTRACTOR and to its assignee or transferee, growing out of such termination.
- 6.17 CONTRACTOR'S RESPONSIBILITY FOR UTILITY PROPERTY AND SERVICES. It is understood that any turn-on, or turn-off line locates and any other WORK or assistance necessary by the CBJ Water Utilities Division, will be at the CONTRACTOR's expense unless otherwise stated in the bid documents. All cost must be agreed to prior to any related actions, and will be considered incidental to the Project cost. Billing to the CONTRACTOR will be direct from the CBJ Water Utilities Division.
- 6.18 OPERATING WATER SYSTEM VALVES
- A. The CONTRACTOR shall submit a written request, to the ARCHITECT, for approval to operate any valve on any in-service section of the CBJ water system. The request must be submitted at least 24-hours prior to operating any valves. The CBJ Water Utilities Division reserves the right to approve or deny the request. The request shall specifically identify each valve to be operated, the time of operation, and the operation to be performed. The CONTRACTOR shall obtain the written approval of the ARCHITECT for any scheduled operation before operating any valve.

## **SECTION 00700 - GENERAL CONDITIONS**

- B. The CONTRACTOR shall be responsible for all damages, both direct and consequential, to the OWNER or any other party, caused by unauthorized operation of any valve of the CBJ water system.
- 6.19 CONTRACTOR'S WORK SCHEDULE LIMITATIONS. Construction of Buildings and Projects. It is unlawful to operate any pile driver, power shovel, pneumatic hammer, derrick, power hoist, or similar heavy construction equipment before 7:00 a.m. or after 10:00 p.m., Monday through Friday, or before 9:00 a.m. or after 10:00 p.m., Saturday and Sunday, unless a permit shall first be obtained from the City and Borough Building Official. Such permit shall be issued by the Building Official only upon a determination that such operation during hours not otherwise permitted hereunder is necessary and will not result in unreasonable disturbance to surrounding residents.

### **ARTICLE 7 OTHER WORK**

#### **7.1 RELATED WORK AT SITE**

- A. The OWNER may perform other work related to the Project at the site by the OWNER's own forces, have other work performed by utility owners, or let other direct contracts therefor which may contain General Conditions similar to these. If the fact that such other work is to be performed was not noted in the Contract Documents, written notice thereof will be given to the CONTRACTOR prior to starting any such other work.
- B. The CONTRACTOR shall afford each other contractor who is a party to such a direct contract and each utility owner (or the OWNER, if the OWNER is performing the additional work with the OWNER's employees) proper and safe access to the site and a reasonable opportunity for the introduction and storage of materials and equipment and the execution of such work, and shall properly connect and coordinate with their WORK. The CONTRACTOR shall do all cutting, fitting, and patching of the WORK that may be required to make its several parts come together properly and integrate with such other work. The CONTRACTOR shall not endanger any work of others by cutting, excavating, or otherwise altering their work and will only cut or alter their work with the written consent of the ARCHITECT and the others whose work will be affected.
- C. If the proper execution or results of any part of the CONTRACTOR's WORK depends upon the work of any such other contractor or utility owner (or OWNER), the CONTRACTOR shall inspect and report to the ARCHITECT in writing any delays, defects, or deficiencies in such other work that render it unavailable or unsuitable for such proper execution and results. The CONTRACTOR's failure to report such delays, defects, or deficiencies will constitute an acceptance of the other work as fit and proper for integration with the CONTRACTOR's WORK except for latent or nonapparent defects and deficiencies in the other work.
- 7.2 COORDINATION. If the OWNER contracts with others for the performance of other work on the Project at the site, the person or organization who will have authority and responsibility for coordination of the activities among the various prime contractors will be identified in the Supplementary General Conditions, and the specific matters to be covered by such authority and responsibility will be itemized and the extent of such authority and responsibilities will be provided in the Supplementary General Conditions.

## **SECTION 00700 - GENERAL CONDITIONS**

### **ARTICLE 8 OWNER'S RESPONSIBILITIES**

#### **8.1 COMMUNICATIONS**

- A. The OWNER shall issue all its communications to the CONTRACTOR through the ARCHITECT.
- B. The CONTRACTOR shall issue all its communications to the OWNER through the ARCHITECT.

8.2 PAYMENTS. The OWNER shall make payments to the CONTRACTOR as provided in Paragraphs 14.5, 14.8, 14.9 and 14.10.

8.3 LANDS, EASEMENTS, AND SURVEYS. The OWNER's duties in respect of providing lands and easements and providing surveys to establish reference points are set forth in Paragraphs 4.1 and 4.5.

8.4 CHANGE ORDERS. The OWNER shall execute Change Orders as indicated in Paragraph 10.1F.

8.5 INSPECTIONS AND TESTS. The OWNER's responsibility in respect of inspections, tests, and approvals is set forth in Paragraph 13.3.

8.6 SUSPENSION OF WORK. In connection with the OWNER's right to stop WORK or suspend WORK, see Paragraphs 13.4 and 15.1.

8.7 TERMINATION OF AGREEMENT. Paragraphs 15.2 and 15.3 deal with the OWNER's right to terminate services of the CONTRACTOR.

### **ARTICLE 9 ARCHITECT'S STATUS DURING CONSTRUCTION**

9.1 OWNER'S REPRESENTATIVE. The ARCHITECT will be the OWNER's representative during the construction period. The duties and responsibilities and the limitations of authority of the ARCHITECT as the OWNER's representative during construction are set forth in the Contract Documents.

9.2 VISITS TO SITE. The ARCHITECT will make visits to the site during construction to observe the progress and quality of the WORK and to determine, in general, if the WORK is proceeding in accordance with the Contract Documents. Exhaustive or continuous on-site inspections to check the quality or quantity of the WORK will not be required of the ARCHITECT. The ARCHITECT will not, during such visits, or as a result of such observations of the CONTRACTOR's WORK in progress, supervise, direct, or have control over the CONTRACTOR's WORK.

9.3 PROJECT REPRESENTATION. The ARCHITECT may furnish an Inspector to assist in observing the performance of the WORK. The duties, responsibilities, and limitations of authority of any such Inspector and assistants will be as provided in the Supplementary General Conditions.

9.4 CLARIFICATIONS AND INTERPRETATIONS. The ARCHITECT will issue with reasonable promptness such written clarifications or interpretations of the requirements of the Contract Documents (in the form of Drawings or otherwise) as the ARCHITECT may determine necessary, which shall be consistent with or reasonably inferable from the overall intent of the Contract Documents.

## SECTION 00700 - GENERAL CONDITIONS

- 9.5 AUTHORIZED VARIATIONS IN WORK. The ARCHITECT may authorize variations in the WORK from the requirements of the Contract Documents. These may be accomplished by a Field Order and will require the CONTRACTOR to perform the WORK involved in a manner that minimizes the impact to the WORK and the contract completion date. If the CONTRACTOR believes that a Field Order justifies an increase in the Contract Price or an extension of the Contract Time, the CONTRACTOR may make a claim therefor as provided in Article 11 or 12.
- 9.6 REJECTING OR ACCEPTING DEFECTIVE WORK. The ARCHITECT will have authority to reject or accept WORK which the ARCHITECT believes to be defective and will also have authority to require special inspection or testing of the WORK as provided in Paragraph 13.3G, whether or not the WORK is fabricated, installed, or completed.
- 9.7 CONTRACTOR SUBMITTALS, CHANGE ORDERS, AND PAYMENTS
- A. In accordance with the procedures set forth in the General Requirements, the ARCHITECT will review all CONTRACTOR submittals, including Shop Drawings, samples, substitutes, or "or equal" items, etc., in order to determine if the items covered by the submittals will, after installation or incorporation in the WORK, conform to the requirements of the Contract Documents and be compatible with the design concept of the completed Project as a functioning whole as indicated by the Contract Documents. The ARCHITECT's review will not extend to means, methods, techniques, sequences or procedures of construction or to safety precautions or programs incident thereto.
  - B. In connection with the ARCHITECT's responsibilities as to Change Orders, see Articles 10, 11, and 12.
  - C. In connection with the ARCHITECT's responsibilities in respect of Applications for Payment, see Article 14.
- 9.8 DECISIONS ON DISPUTES
- A. The ARCHITECT will be the initial interpreter of the requirements of the Contract Documents and judge of the acceptability of the WORK thereunder. Claims, disputes, and other matters relating to the acceptability of the WORK; the interpretation of the requirements of the Contract Documents pertaining to the performance of the WORK; and those claims under Articles 11 and 12 in respect to changes in the Contract Price or Contract Time will be referred initially to the ARCHITECT in writing with a request for formal decision in accordance with this paragraph, which the ARCHITECT will render in writing within 30 days of receipt of the request. Written notice of each such claim, dispute, and other matter will be delivered by the CONTRACTOR to the ARCHITECT promptly (but in no event later than 30 days) after the occurrence of the event giving rise thereto. Written supporting data will be submitted to the ARCHITECT within 60 days after such occurrence unless the ARCHITECT allows an additional period of time to ascertain more accurate data in support of the claim.
  - B. The rendering of a decision by the ARCHITECT with respect to any such claim, dispute, or other matter (except any which have been waived by the making or acceptance of final payment as provided in Paragraph 14.12) will be a condition precedent to any exercise by the OWNER or the CONTRACTOR of such rights or remedies as either may otherwise have under the Contract Documents or by Law or Regulations in respect of any such claim, dispute, or other matter.

## **SECTION 00700 - GENERAL CONDITIONS**

### **9.9 LIMITATION ON ARCHITECT'S RESPONSIBILITIES**

- A. Neither the ARCHITECT's authority to act under this Article or other provisions of the Contract Documents nor any decision made by the ARCHITECT in good faith either to exercise or not exercise such authority shall give rise to any duty or responsibility of the ARCHITECT to the CONTRACTOR, any Subcontractor, any Supplier, any surety for any of them, or any other person or organization performing any of the WORK.
- B. Whenever in the Contract Documents the terms "as ordered," "as directed," "as required," "as allowed," "as reviewed," "as approved," or terms of like effect or import are used, or the adjectives "reasonable," "suitable," "acceptable," "proper," or "satisfactory" or adjectives of like effect or import are used to describe a requirement, direction, review, or judgment of the ARCHITECT as to the WORK, it is intended that such requirement, direction, review, or judgment will be solely to evaluate the WORK for compliance with the requirements of the Contract Documents, and conformance with the design concept of the completed Project as a functioning whole as indicated by the Contract Documents, unless there is a specific statement indicating otherwise. The use of any such term or adjective shall not be effective to assign to the ARCHITECT any duty or authority to supervise or direct the performance of the WORK or any duty or authority to undertake responsibility contrary to the provisions of Paragraph 9.9C or 9.9D.
- C. The ARCHITECT will not supervise, direct, control, or have authority over or be responsible for the CONTRACTOR's means, methods, techniques, sequences, or procedures of construction, or the safety precautions and programs incident thereto, or for any failure of the CONTRACTOR to comply with Laws and Regulations, applicable to the performance of the WORK. The ARCHITECT will not be responsible for the CONTRACTOR's failure to perform the WORK in accordance with the Contract Documents.
- D. The ARCHITECT will not be responsible for the acts or omissions of the CONTRACTOR nor of any Subcontractor, Supplier, or any other person or organization performing any of the WORK.

## **ARTICLE 10 CHANGES IN THE WORK**

### **10.1 GENERAL**

- A. Without invalidating the Agreement and without notice to any surety, the OWNER may at any time or from time to time, order additions, deletions, or revisions in the WORK; these will be authorized by a written Field Order and/or a Change Order issued by the ARCHITECT.
- B. If the CONTRACTOR believes that it is entitled to an increase or decrease in the Contract Price, or an extension or shortening in the Contract Time as the result of a Field Order, a claim may be made as provided in Articles 11 and 12.
- C. If the OWNER and CONTRACTOR agree on the value of any WORK, or the amount of Contract Time that should be allowed as a result of a Field Order, upon receiving written notice from the ARCHITECT, the CONTRACTOR shall proceed so as to minimize the impact on and delays to the WORK pending the issuance of a Change Order.
- D. If the OWNER and the CONTRACTOR are unable to agree as to the extent, if any, of an increase or decrease in the Contract Price or an extension or shortening of the Contract Time that should be

## SECTION 00700 - GENERAL CONDITIONS

allowed as a result of a Field Order, the ARCHITECT can direct the CONTRACTOR to proceed on the basis of Time and Materials so as to minimize the impact on and delays to the WORK, and a claim may be made therefor as provided in Articles 11 and 12.

- E. The CONTRACTOR shall not be entitled to an increase in the Contract Price nor an extension of the Contract Time with respect to any WORK performed that is not required by the Contract Documents as amended, modified, supplemented by Change Order, except in the case of an emergency and except in the case of uncovering WORK as provided in Paragraph 13.3G.
- F. The OWNER and the CONTRACTOR shall execute appropriate Change Orders covering:
  - 1. changes in the WORK which are ordered by the OWNER pursuant to Paragraph 10.1A;
  - 2. changes required because of acceptance of Defective WORK under Paragraph 13.7;
  - 3. changes in the Contract Price or Contract Time which are agreed to by the parties; or
  - 4. changes in the Contract Price or Contract Time which embody the substance of any written decision rendered by the ARCHITECT pursuant to Paragraph 9.8.
- G. If notice of any change is required by the provisions of any Bond to be given to a surety, the giving of any such notice will be the CONTRACTOR's responsibility, and the amount of each applicable Bond shall be adjusted accordingly.

### 10.2 ALLOWABLE QUANTITY VARIATIONS

- A. In the event of an increase or decrease in bid item quantity of a unit price contract, the total amount of WORK actually done or materials or equipment furnished shall be paid for according to the unit price established for such WORK under the Contract Documents, wherever such unit price has been established; provided, that an adjustment in the Contract Price may be made for changes which result in an increase or decrease in excess of 25% of the estimated quantity of any major item of the WORK. Major Item is defined as any bid item amount that is ten percent (10%) or more of the total contract amount.
- B. In the event a part of the WORK is to be entirely eliminated and no lump sum or unit price is named in the Contract Documents to cover such eliminated WORK, the price of the eliminated WORK shall be agreed upon in writing by the OWNER and the CONTRACTOR. If the OWNER and the CONTRACTOR fail to agree upon the price of the eliminated WORK, said price shall be determined in accordance with the provisions of Article 11.

## ARTICLE 11 CHANGE OF CONTRACT PRICE

### 11.1 GENERAL

- A. The Contract Price constitutes the total compensation payable to the CONTRACTOR for performing the WORK. All duties, responsibilities, and obligations assigned to or undertaken by the CONTRACTOR to complete the WORK shall be at its expense without change in the Contract Price.
- B. The Contract Price may only be changed by a Change Order. Any claim for an increase in the Contract Price shall be based on written notice delivered by the CONTRACTOR to the ARCHITECT promptly (but in no event later than 30 days) after the start of the occurrence or the event giving rise to the claim

## SECTION 00700 - GENERAL CONDITIONS

and stating the general nature of the claim. Notice of the amount of the claim with supporting data shall be delivered within 60 days after such occurrence (unless the ARCHITECT allows an additional period of time to ascertain more accurate data in support of the claim) and shall be accompanied by the CONTRACTOR's written statement that the amount claimed covers all known amounts (direct, indirect, and consequential) to which the CONTRACTOR is entitled as a result of said occurrence or event. All claims for adjustment in the Contract Price shall be determined by the ARCHITECT in accordance with Paragraph 9.8A if the OWNER and the CONTRACTOR cannot otherwise agree on the amount involved. No claim for an adjustment in the Contract Price will be valid if not submitted in accordance with this Paragraph 11.1B.

- C. The value of any WORK covered by a Change Order or of any claim for an increase or decrease in the Contract Price shall be determined in one of the following ways:

1. Where the WORK involved is covered by unit prices contained in the Contract Documents, by application of unit prices to the quantities of the items involved.
2. By mutual acceptance of a lump sum, which may include an allowance for overhead and profit not necessarily in accordance with Paragraph 11.4.
3. On the basis of the "Cost of WORK" (determined as provided in Paragraphs 11.3) plus a CONTRACTOR's fee for overhead and profit (determined as provided in Paragraph 11.4).

11.2 COSTS RELATING TO WEATHER. The CONTRACTOR shall have no claims against the OWNER for damages for any injury to WORK, materials, or equipment, resulting from the action of the elements. If, however, in the opinion of the ARCHITECT, the CONTRACTOR has made all reasonable efforts to protect the materials, equipment and WORK, the CONTRACTOR may be granted a reasonable extension of Contract Time to make proper repairs, renewals, and replacements of the WORK, materials, or equipment.

### 11.3 COST OF WORK (BASED ON TIME AND MATERIALS)

- A. General. The term "Cost of WORK" means the sum of all costs necessarily incurred and paid by the CONTRACTOR for labor, materials, and equipment in the proper performance of extra WORK. Except as otherwise may be agreed to in writing by the OWNER, such costs shall be in amounts no higher than those prevailing in the locality of the Project; shall include only the following items, and shall not include any of the costs itemized in Paragraph 11.5 EXCLUDED COSTS.
- B. Labor. The costs of labor will be the actual cost for wages prevailing for each craft or type of workers performing the extra WORK at the time the extra WORK is done, plus employer payments of payroll taxes, worker's compensation insurance, liability insurance, health and welfare, pension, vacation, apprenticeship funds, and other direct costs resulting from Federal, State or local laws, as well as assessments or benefits required by lawful collective bargaining agreements. Labor costs for equipment operators and helpers shall be paid only when such costs are not included in the invoice for equipment rental. The labor costs for forepersons shall be proportioned to all of their assigned WORK and only that applicable to extra WORK shall be paid. Non-direct labor costs including superintendence shall be considered part of the mark-up set out in paragraph 11.4.
- C. Materials. The cost of materials reported shall be at invoice or lowest current price at which materials are locally available and delivered to the job in the quantities involved, plus the cost of freight, delivery and storage, subject to the following:

## SECTION 00700 - GENERAL CONDITIONS

1. Trade discounts available to the purchaser shall be credited to the OWNER notwithstanding the fact that such discounts may not have been taken by the CONTRACTOR.
  2. For materials secured by other than a direct purchase and direct billing to the purchaser, the cost shall be deemed to be the price paid to the actual supplier as determined by the ARCHITECT. Mark-up except for actual costs incurred in the handling of such materials will not be allowed.
  3. Payment for materials from sources owned wholly or in part by the purchaser shall not exceed the price paid by the purchaser for similar materials from said sources on extra WORK items or the current wholesale price for such materials delivered to the WORK site, whichever price is lower.
  4. If in the opinion of the ARCHITECT the cost of material is excessive, or the CONTRACTOR does not furnish satisfactory evidence of the cost of such material, then the cost shall be deemed to be the lowest current wholesale price for the quantity concerned delivered to the WORK site less trade discount. The OWNER reserves the right to furnish materials for the extra WORK and no claim shall be allowed by the CONTRACTOR for costs and profit on such materials.
- D. Equipment. The CONTRACTOR will be paid for the use of equipment at the rental rate listed for such equipment specified in the Supplementary General Conditions. Such rental rate will be used to compute payments for equipment whether the equipment is under the CONTRACTOR's control through direct ownership, leasing, renting, or another method of acquisition. The rental rate to be applied for use of each item of equipment shall be the rate resulting in the least total cost to the OWNER for the total period of use. If it is deemed necessary by the CONTRACTOR to use equipment not listed in the publication specified in the Supplementary General Conditions, an equitable rental rate for the equipment will be established by the ARCHITECT. The CONTRACTOR may furnish cost data which might assist the ARCHITECT in the establishment of the rental rate.
1. All equipment shall, in the opinion of the ARCHITECT, be in good working condition and suitable for the purpose for which the equipment is to be used.
  2. Before construction equipment is used on the extra WORK, the CONTRACTOR shall plainly stencil or stamp an identifying number thereon at a conspicuous location, and shall furnish to the ARCHITECT, in duplicate, a description of the equipment and its identifying number.
  3. Unless otherwise specified, manufacturer's ratings and manufacturer approved modifications shall be used to classify equipment for the determination of applicable rental rates. Equipment which has no direct power unit shall be powered by a unit of at least the minimum rating recommended by the manufacturer.
  4. Individual pieces of equipment or tools having a replacement value of \$200 or less, whether or not consumed by use, shall be considered to be small tools and no payment will be made therefor.
  5. Rental time will not be allowed while equipment is inoperative due to breakdowns.
  6. Equipment. Unless otherwise agreed to in writing, the CONTRACTOR will be paid for the use of equipment at the rental rate listed for such equipment specified in the current edition of the following reference publication: "Rental Rate Blue Book" available on-line at <http://www.equipmentwatch.com/rbb.htm> or contact Equipment Watch at (800) 669-3282.
- E. Equipment on the WORK Site. The rental time to be paid for equipment on the WORK site shall be the time the equipment is in productive operation on the extra WORK being performed and, in addition, shall include the time required to move the equipment to the location of the extra WORK and return it to the original location or to another location requiring no more time than that required to return it to its original location; except, that moving time will not be paid if the equipment is used on other than the extra WORK, even though located at the site of the extra WORK. Loading and

## SECTION 00700 - GENERAL CONDITIONS

transporting costs will be allowed, in lieu of moving time, when the equipment is moved by means other than its own power, except that no payment will be made for loading and transporting costs when the equipment is used at the site of the extra WORK on other than the extra WORK. The following shall be used in computing the rental time of equipment on the WORK site.

1. When hourly rates are listed, any part of an hour less than 30 minutes of operation shall be considered to be 1/2-hour of operation, and any part of an hour in excess of 30 minutes will be considered one hour of operation.
  2. When daily rates are listed, any part of a day less than 4 hours operation shall be considered to be 1/2-day of operation. When owner-operated equipment is used to perform extra WORK to be paid for on a time and materials basis, the CONTRACTOR will be paid for the equipment and operator, as set forth in Paragraphs (3), (4), and (5), following.
  3. Payment for the equipment will be made in accordance with the provisions in Paragraph 11.3D, herein.
  4. Payment for the cost of labor and subsistence or travel allowance will be made at the rates paid by the CONTRACTOR to other workers operating similar equipment already on the WORK site, or in the absence of such labor, established by collective bargaining agreements for the type of worker and location of the extra WORK, whether or not the operator is actually covered by such an agreement. A labor surcharge will be added to the cost of labor described herein in accordance with the provisions of Paragraph 11.3B, herein, which surcharge shall constitute full compensation for payments imposed by state and federal laws and all other payments made to or on behalf of workers other than actual wages.
  5. To the direct cost of equipment rental and labor, computed as provided herein, will be added the allowances for equipment rental and labor as provided in Paragraph 11.4, herein.
- F. Specialty WORK. Specialty WORK is defined as that WORK characterized by extraordinary complexity, sophistication, or innovation or a combination of the foregoing attributes which are unique to the construction industry. The following shall apply in making estimates for payment for specialty WORK:
1. Any bid item of WORK to be classified as Specialty WORK shall be listed as such in the Supplementary General Conditions. Specialty WORK shall be performed by an entity especially skilled in the work to be performed. After validation of invoices and determination of market values by the ARCHITECT, invoices for Specialty WORK based upon the current fair market value thereof may be accepted without complete itemization of labor, material, and equipment rental costs.
  2. When the CONTRACTOR is required to perform WORK necessitating special fabrication or machining process in a fabrication or a machine shop facility away from the job site, the charges for that portion of the WORK performed at the off-site facility may, by agreement, be accepted as Specialty WORK and accordingly, the invoices for the WORK may be accepted without detailed itemization.
  3. All invoices for specialty WORK will be adjusted by deducting all trade discounts offered or available, whether the discounts were taken or not. In lieu of the allowances for overhead and profit specified in Paragraph 11.4, herein, an allowance of 5 percent will be added to invoices for specialty WORK.
- G. Sureties. All WORK performed hereunder shall be subject to all of the provisions of the Contract Documents and the CONTRACTOR's sureties shall be bound with reference thereto as under the

## SECTION 00700 - GENERAL CONDITIONS

original Agreement. Copies of all amendments to surety Bonds or supplemental surety Bonds shall be submitted to the OWNER for review prior to the performance of any WORK hereunder.

### 11.4 CONTRACTOR'S FEE

- A. Extra WORK ordered on the basis of time and materials will be paid for at the actual necessary cost as determined by the ARCHITECT, plus allowances for overhead and profit. The allowance for overhead and profit shall include full compensation for superintendence, Bond and insurance premiums, taxes, field office expense, extended overhead, home office overhead, and all other items of expense or cost not included in the cost of labor, materials, or equipment provided for under Paragraph 11.3. The allowance for overhead and profit will be made in accordance with the following schedule:

#### Actual Overhead and Profit Allowance

|                 |            |
|-----------------|------------|
| Labor .....     | 15 percent |
| Materials.....  | 10 percent |
| Equipment ..... | 10 percent |

To the sum of the costs and mark-ups provided for in this Article, one (1) percent shall be added as compensation for Bonds.

- B. It is understood that labor, materials, and equipment may be furnished by the CONTRACTOR or by the Subcontractor on behalf of the CONTRACTOR. When all or any part of the extra WORK is performed by a Subcontractor, the allowance specified herein shall be applied to the labor, materials, and equipment costs of the Subcontractor, to which the CONTRACTOR may add five (5) percent of the Subcontractor's total cost for the extra WORK. Regardless of the number of hierarchical tiers of Subcontractors, the five (5) percent increase above the Subcontractor's total cost which includes the allowances for overhead and profit specified herein may be applied one time only.

### 11.5 EXCLUDED COSTS.

- A. The term "Cost of the WORK" shall not include any of the following:
1. Payroll costs and other compensation of CONTRACTOR's officers, executives, principals (of partnership and sole proprietorships), general managers, architects, estimators, attorneys' auditors, accountants, purchasing and contracting agents, expenditures, timekeepers, clerks and other personnel employed by CONTRACTOR whether at the site or in CONTRACTOR's principal or a branch office for general administration of the WORK, or not specifically covered by paragraph 11.3, all of which are to be considered administrative costs covered by the CONTRACTOR's fee.
  2. Expenses of CONTRACTOR's principal and branch offices other than CONTRACTOR's office at the site.
  3. Any part of CONTRACTOR's capital expenses, including interest on CONTRACTOR's capital employed for the WORK and charges against CONTRACTOR for delinquent payments.
  4. Cost of premiums for all Bonds and for all insurance whether or not CONTRACTOR is required by the Contract Documents to purchase and maintain the same (except for the cost of premiums covered by paragraph 11.4 above).
  5. Costs due to the negligence of CONTRACTOR, any Subcontractor, or anyone directly or indirectly employed by any of them or for whose acts any of them may be liable, including but

## SECTION 00700 - GENERAL CONDITIONS

not limited to, the correction of Defective WORK, disposal of materials or equipment wrongly supplied and making good any damage to property.

6. Other overhead or general expense costs of any kind and the cost of any item not specifically and expressly included in paragraph 11.4.

### ARTICLE 12 CHANGE OF CONTRACT TIME

#### 12.1 GENERAL

- A. The Contract Time may only be changed by a Change Order. Any claim for an extension of the Contract Time (or Milestones) shall be based on written notice delivered by the CONTRACTOR to the ARCHITECT promptly (but in no event later than 30 days) after the occurrence of the event giving rise to the claim and stating the general nature of the claim. Notice of the extent of the claim with supporting data shall be delivered within 60 days after such occurrence (unless the ARCHITECT allows an additional period of time to ascertain more accurate data in support of the claim) and shall be accompanied by the CONTRACTOR's written statement that the adjustment claimed is the entire adjustment to which the CONTRACTOR has reason to believe it is entitled as a result of the occurrence of said event. All claims for adjustment in the Contract Time shall be determined by the ARCHITECT in accordance with Paragraph 9.8 if the OWNER and the CONTRACTOR cannot otherwise agree. No claim for an adjustment in the Contract Time will be valid if not submitted in accordance with the requirements of this paragraph. An increase in Contract Time does not mean that the CONTRACTOR is due an increase in Contract Price. Only Compensable time extensions will result in an increase in Contract Price.
- B. All time limits stated in the Contract Documents are of the essence of the Agreement.
- C. Where CONTRACTOR is prevented from completing any part of the WORK within the Contract Times (or Milestones) due to delay beyond the control of CONTRACTOR, the Contract Times (or Milestones) will be extended in an amount equal to the time lost on the critical path of the Project due to such delay if a claim is made therefor as provided in paragraph 12.1. Delays beyond the control of CONTRACTOR shall include, but not be limited to, acts or neglect by OWNER, acts or neglect of utility owners or other contractors performing other work as contemplated by Article 7, fires, floods, epidemics, unprecedented weather conditions or acts of God. Delays attributable to and within the control of a Subcontractor or Supplier shall be deemed to be delays within the control of CONTRACTOR.
- D. Where CONTRACTOR is prevented from completing any part of the WORK within the Contract Times (or Milestones) due to delay beyond the control of both OWNER and CONTRACTOR, an extension of the Contract Times (or Milestones) in an amount equal to the time lost on the critical path of the Project due to such delay shall be CONTRACTOR's sole and exclusive remedy for such delay. In no event shall the OWNER be liable to CONTRACTOR, any Subcontractor, any Supplier, or any other person or organization, or to any surety for or employee or agent of any of them, for damages arising out of or resulting from (i) delays caused by or within the control of CONTRACTOR, or (ii) delays beyond the control of both parties including but not limited to fires, floods, epidemics abnormal weather conditions, acts of God or acts or neglect by utility owners or other contractors performing other work as contemplated by Article 7.

## **SECTION 00700 - GENERAL CONDITIONS**

- 12.2 EXTENSIONS OF TIME FOR DELAY DUE TO WEATHER. Contract time may be extended by the ARCHITECT because of delays in completion of the WORK due to unusually severe weather, provided that the CONTRACTOR shall, within 10 days of the beginning of any such delay, notify the ARCHITECT in writing of the cause of delay and request an extension of contract time. The ARCHITECT will ascertain the facts and the extent of the delay and extend the time for completing the WORK when, in the ARCHITECT's judgment, the findings of fact justify such an extension. Unprecedented, abnormal, or unusually severe weather will be defined as an event, or events, with a greater than 50-year recurrence interval, as determined by the National Weather Service, or equivalent state or federal agency.

### **ARTICLE 13 WARRANTY AND GUARANTEE; TESTS AND INSPECTIONS; CORRECTION, REMOVAL, OR ACCEPTANCE OF DEFECTIVE WORK**

- 13.1 WARRANTY AND GUARANTEE. The CONTRACTOR warrants and guarantees to the OWNER and the ARCHITECT that all WORK will be in accordance with the Contract Documents and will not be defective. Prompt notice of defects known to the OWNER or ARCHITECT shall be given to the CONTRACTOR. All Defective WORK, whether or not in place, may be rejected, corrected, or accepted as provided in this Article 13.
- 13.2 ACCESS TO WORK. The OWNER, ARCHITECT, Architect of Record, their consultants, sub-consultants, other representatives and personnel of OWNER, independent testing laboratories and governmental agencies with jurisdictional interests will have access to the WORK at reasonable times for their observation, inspecting and testing. CONTRACTOR shall provide them proper and safe conditions for such access and advise them of CONTRACTOR's site safety procedures and programs so that they may comply therewith as applicable.
- 13.3 INSPECTIONS AND TESTS
- A. The CONTRACTOR shall give the ARCHITECT timely notice of readiness of the WORK for all required inspections, tests, or approvals, and shall cooperate with inspection and testing personnel to facilitate required inspections or tests.
  - B. If Laws or Regulations of any public body having jurisdiction other than the OWNER require any WORK to specifically be inspected, tested, or approved, the CONTRACTOR shall pay all costs in connection therewith. The CONTRACTOR shall also be responsible for and shall pay all costs in connection with any inspection or testing required in connection with the OWNER's or the ARCHITECT's acceptance of a Supplier of materials or equipment proposed as a substitution or (or-equal) to be incorporated in the WORK, or of materials or equipment submitted for review prior to the CONTRACTOR's purchase thereof for incorporation in the WORK. The cost of all inspections, tests, and approvals in addition to the above which are required by the Contract Documents shall be paid by the OWNER (unless otherwise specified).
  - C. The ARCHITECT will make, or have made, such inspections and tests as the ARCHITECT deems necessary to see that the WORK is being accomplished in accordance with the requirements of the Contract Documents. Unless otherwise specified in the Supplementary General Conditions, the cost of such inspection and testing will be borne by the OWNER. In the event such inspections or tests reveal non-compliance with the requirements of the Contract Documents, the CONTRACTOR shall bear the cost of corrective measures deemed necessary by the ARCHITECT, as well as the cost of subsequent re-inspection and retesting. Neither observations by the ARCHITECT nor inspections, tests, or

## SECTION 00700 - GENERAL CONDITIONS

approvals by others shall relieve the CONTRACTOR from the CONTRACTOR's obligation to perform the WORK in accordance with the Contract Documents.

- D. All inspections, tests, or approvals other than those required by Laws or Regulations of any public body having jurisdiction shall be performed by organizations acceptable to the ARCHITECT and the CONTRACTOR.
  - E. If any WORK (including the work of others anticipated under paragraph 7.1) that is to be inspected, tested, or approved is covered without written concurrence of the ARCHITECT, it must, if requested by the ARCHITECT, be uncovered for observation. Such uncovering shall be at the CONTRACTOR's expense unless the CONTRACTOR has given the ARCHITECT timely notice of the CONTRACTOR's intention to perform such test or to cover the same and the ARCHITECT has not acted with reasonable promptness in response to such notice.
  - F. If any WORK is covered contrary to the written request of the ARCHITECT, it must, if requested by the ARCHITECT, be uncovered for the ARCHITECT's observation and recovered at the CONTRACTOR's expense.
  - G. If the ARCHITECT considers it necessary or advisable that covered WORK be observed by the ARCHITECT or inspected or tested by others, the CONTRACTOR, at the ARCHITECT's request, shall uncover, expose, or otherwise make available for observation, inspection, or testing as the ARCHITECT may require, that portion of the WORK in question, furnishing all necessary labor, material, and equipment. If it is found that such WORK is defective, the CONTRACTOR shall bear all direct, indirect, and consequential costs and damages of such uncovering, exposure, observation, inspection, and testing and of satisfactory reconstruction, including but not limited to fees and charges of Architects of Record, attorneys, and other professionals. However, if such WORK is not found to be defective, the CONTRACTOR shall be allowed an increase in the Contract Price or an extension of the Contract Time, or both, directly attributable to such uncovering, exposure, observation, inspection, testing, and reconstruction; and, if the parties are unable to agree as to the amount or extent thereof, the CONTRACTOR may make a claim therefor as provided in Articles 11 and 12.
- 13.4 OWNER MAY STOP THE WORK. If the WORK is defective, or the CONTRACTOR fails to perform WORK in such a way that the completed WORK will conform to the Contract Documents, the OWNER may order the CONTRACTOR to stop the WORK, or any portion thereof, until the cause for such order has been eliminated; however, this right of the OWNER to stop the WORK shall not give rise to any duty on the part of the OWNER to exercise this right for the benefit of the CONTRACTOR or any other party.
- 13.5 CORRECTION OR REMOVAL OF DEFECTIVE WORK. If required by the ARCHITECT, the CONTRACTOR shall promptly, either correct all Defective WORK, whether or not fabricated, installed, or completed, or, if the WORK has been rejected by the ARCHITECT, remove it from the site and replace it with non-defective WORK. The CONTRACTOR shall bear all direct, indirect and consequential costs and damages of such correction or removal, including but not limited to fees and charges of Architects of Record, attorneys, and other professionals made necessary thereby.
- 13.6 ONE YEAR CORRECTION PERIOD
- A. If within one year after the date of Substantial Completion or such longer period of time as may be prescribed by Laws or Regulations or by the terms of any applicable special guarantee required by the

## **SECTION 00700 - GENERAL CONDITIONS**

Contract Documents or by any specific provision of the Contract Documents, any WORK is found to be defective, the CONTRACTOR shall promptly, without cost to the OWNER and in accordance with OWNER's written notification, (i) correct such Defective WORK, or, if it has been rejected by the OWNER, remove it from the site and replace it with non-defective WORK, and (ii) satisfactorily correct or remove and replace any damage to other work of others resulting therefrom. If the CONTRACTOR does not promptly comply with such notification, or in an emergency where delay would cause serious risk of loss or damage, the OWNER may have the Defective WORK corrected or the rejected WORK removed and replaced, and all direct, indirect, and consequential costs and damages of such removal and replacement including but not limited to fees and charges of Architects of Record, attorneys and other professionals will be paid by the CONTRACTOR.

- B. Where Defective WORK (and damage to other WORK resulting therefrom) has been corrected, removed or replaced under this paragraph 13.6, the correction period hereunder with respect to such WORK will be extended for an additional period of one year after such correction or removal and replacement has been satisfactorily completed.

- 13.7 ACCEPTANCE OF DEFECTIVE WORK. If, instead of requiring correction or removal and replacement of Defective WORK, the OWNER prefers to accept the WORK, the OWNER may do so. The CONTRACTOR shall bear all direct, indirect, and consequential costs attributable to the OWNER's evaluation of and determination to accept such Defective WORK. If any such acceptance occurs prior to final payment, a Change Order will be issued incorporating the necessary revisions in the Contract Documents with respect to the WORK, and the OWNER shall be entitled to an appropriate decrease in the Contract Price.

### **ARTICLE 14 PAYMENTS TO CONTRACTOR AND COMPLETION**

- 14.1 SCHEDULE OF VALUES (LUMP SUM PRICE BREAKDOWN). The Schedule of Values or lump sum price breakdown established as provided in the General Requirements shall serve as the basis for progress payments and will be incorporated into a form of Application for Payment acceptable to the ARCHITECT.
- 14.2 UNIT PRICE BID SCHEDULE. Progress payments on account of Unit Price WORK will be based on the number of units completed.
- 14.3 APPLICATION FOR PROGRESS PAYMENT
  - A. Unless otherwise prescribed by law, on the 25th of each month, the CONTRACTOR shall submit to the ARCHITECT for review, an Application for Payment filled out and signed by the CONTRACTOR covering the WORK completed as of the date of the Application and accompanied by such supporting documentation as is required by the Contract Documents.
  - B. The Application for Payment shall identify, as a sub-total, the amount of the CONTRACTOR's Total Earnings to Date, plus the Value of Materials Stored at the Site which have not yet been incorporated in the WORK, and less a deductive adjustment for materials installed which were not previously incorporated in the WORK, but for which payment was allowed under the provisions for payment for Materials Stored at the Site, but not yet incorporated in the WORK.
  - C. The Net Payment Due the CONTRACTOR shall be the above-mentioned subtotal from which shall be deducted the total amount of all previous payments made to the CONTRACTOR. Progress payments

## SECTION 00700 - GENERAL CONDITIONS

will be paid in full in accordance with Article 14 of the General Conditions until 90% of the contract amount has been paid. The remaining 10% of the contract amount shall be retained until:

1. final inspection has been made;
2. completion of the project;
3. acceptance of the project by the OWNER and;
4. the OWNER has received notification from the Alaska Department of Labor that the CONTRACTOR has no outstanding wage/hour violations.

- D. The Value of Materials Stored at the Site shall be an amount equal to the specified percent of the value of such materials as set forth in the Supplementary General Conditions. Said amount shall be based upon the value of all acceptable materials and equipment not incorporated in the WORK but delivered and suitably stored at the Project site or at another location agreed to in writing; provided, each such individual item has a value of more than \$5000 and will become a permanent part of the WORK. The Application for Payment shall also be accompanied by a bill of sale, invoice, or other documentation warranting that the CONTRACTOR has received the materials and equipment free and clear of all liens, charges, security interests, and encumbrances (which are hereinafter in these General Conditions referred to as "Liens") and evidence that the materials and equipment are covered by appropriate property insurance and other arrangements to protect the OWNER's interest therein, all of which will be satisfactory to the OWNER.

- 14.4 CONTRACTOR'S WARRANTY OF TITLE. The CONTRACTOR warrants and guarantees that title to all WORK, materials, and equipment covered by an Application for Payment, whether incorporated in the WORK or not, will pass to the OWNER no later than the time of payment free and clear of all liens.

### 14.5 REVIEW OF APPLICATIONS FOR PROGRESS PAYMENT

- A. The ARCHITECT will, within seven (7) days after receipt of each Application for Payment, either indicate in writing a recommendation of payment and present the Application to the OWNER, or return the Application to the CONTRACTOR indicating in writing the ARCHITECT's reasons for refusing to recommend payment. In the later case, the CONTRACTOR may make the necessary corrections and resubmit the Application. If the ARCHITECT still disagrees with a portion of the Application, it will submit the Application recommending the undisputed portion of the Application to the OWNER for review and provide reasons for recommending non-payment of the disputed amount. Thirty days after presentation of the Application for Payment with the ARCHITECT's recommendation, the amount recommended will (subject to the provisions of Paragraph 14.5B) become due and when due will be paid by the OWNER to the CONTRACTOR.
- B. The OWNER may refuse to make payment of the full amount recommended by the ARCHITECT because claims have been made against the OWNER on account of the CONTRACTOR's performance of the WORK or Liens have been filed in connection with the WORK or there are other items entitling the OWNER to a credit against the amount recommended, but the OWNER must give the CONTRACTOR written notice within seven (7) days (with a copy to the ARCHITECT) stating the reasons for such action.

## SECTION 00700 - GENERAL CONDITIONS

### 14.6 PARTIAL UTILIZATION

- A. The OWNER shall have the right to utilize or place into service any item of equipment or other usable portion of the WORK prior to completion of the WORK. Whenever the OWNER plans to exercise said right, the CONTRACTOR will be notified in writing by the OWNER, identifying the specific portion or portions of the WORK to be so utilized or otherwise placed into service.
- B. It shall be understood by the CONTRACTOR that until such written notification is issued, all responsibility for care and maintenance of all of the WORK shall be borne by the CONTRACTOR. Upon issuance of said written notice of partial utilization, the OWNER will accept responsibility for the protection and maintenance of all such items or portions of the WORK described in the written notice.
- C. The CONTRACTOR shall retain full responsibility for satisfactory completion of the WORK, regardless of whether a portion thereof has been partially utilized by the OWNER and the CONTRACTOR's one year correction period shall commence only after the date of Substantial Completion for the WORK.

14.7 SUBSTANTIAL COMPLETION. When the CONTRACTOR considers the WORK ready for its intended use the CONTRACTOR shall notify the OWNER and the ARCHITECT in writing that the WORK is substantially complete. The CONTRACTOR will attach to this request a list of all WORK items that remain to be completed and a request that the ARCHITECT prepare a Notice of Completion. Within a reasonable time thereafter, the OWNER, the CONTRACTOR, and the ARCHITECT shall make an inspection of the WORK to determine the status of completion. If the ARCHITECT does not consider the WORK substantially complete, or the list of remaining WORK items to be comprehensive, the ARCHITECT will notify the CONTRACTOR in writing giving the reasons thereof. If the ARCHITECT considers the WORK substantially complete, the ARCHITECT will prepare and deliver to the OWNER, for its execution and recording, the Notice of Completion signed by the ARCHITECT and CONTRACTOR, which shall fix the date of Substantial Completion.

14.8 FINAL APPLICATION FOR PAYMENT. After the CONTRACTOR has completed all of the remaining WORK items referred to in Paragraph 14.7 and delivered all maintenance and operating instructions, schedules, guarantees, Bonds, certificates of inspection, record as-built documents (as provided in the General Requirements) and other documents, all as required by the Contract Documents, and after the ARCHITECT has indicated that the WORK is acceptable, the CONTRACTOR may make application for final payment following the procedure for progress payments. The final Application for Payment shall be accompanied by all documentation called for in the Contract Documents, together with complete and legally effective releases or waivers (satisfactory to the OWNER) of all liens arising out of or filed in connection with the WORK.

### 14.9 FINAL PAYMENT AND ACCEPTANCE

- A. If, on the basis of the ARCHITECT's observation of the WORK during construction and final inspection, and the ARCHITECT's review of the final Application for Payment and accompanying documentation, all as required by the Contract Documents, the ARCHITECT is satisfied that the WORK has been completed and the CONTRACTOR's other obligations under the Contract Documents have been fulfilled, the ARCHITECT will, within 14 days after receipt of the final Application for Payment, indicate in writing the ARCHITECT's recommendation of payment and present the Application to the OWNER for payment.

## SECTION 00700 - GENERAL CONDITIONS

- B. After acceptance of the WORK by the OWNER's governing body, the OWNER will make final payment to the CONTRACTOR of the amount remaining after deducting all prior payments and all amounts to be kept or retained under the provisions of the Contract Documents, including the following items:
1. Liquidated damages, as applicable.
  2. Two times the value of outstanding items of correction WORK or punch list items yet uncompleted or uncorrected, as applicable. All such WORK shall be completed or corrected to the satisfaction of the OWNER within the time stated on the Notice of Completion, otherwise the CONTRACTOR does hereby waive any and all claims to all monies withheld by the OWNER to cover the value of all such uncompleted or uncorrected items.

### 14.10 RELEASE OF RETAINAGE AND OTHER DEDUCTIONS

- A. After executing the necessary documents to initiate the lien period, and not more than 45 days thereafter (based on a 30-day lien filing period and 15-day processing time), the OWNER will release to the CONTRACTOR the retainage funds withheld pursuant to the Agreement, less any deductions to cover pending claims against the OWNER pursuant to Paragraph 14.5B.
- B. After filing of the necessary documents to initiate the lien period, the CONTRACTOR shall have 30 days to complete any outstanding items of correction WORK remaining to be completed or corrected as listed on a final punch list made a part of the Notice of Completion. Upon expiration of the 45 days, referred to in Paragraph 14.10A, the amounts withheld pursuant to the provisions of Paragraph 14.9B herein, for all remaining WORK items will be returned to the CONTRACTOR; provided, that said WORK has been completed or corrected to the satisfaction of the OWNER within said 30 days. Otherwise, the CONTRACTOR does hereby waive any and all claims for all monies withheld by the OWNER under the contract to cover 2 times the value of such remaining uncompleted or uncorrected items.

- 14.11 CONTRACTOR'S CONTINUING OBLIGATION. The CONTRACTOR's obligation to perform and complete the WORK in accordance with the Contract Documents shall be absolute. Neither recommendation of any progress or final payment by the ARCHITECT, nor the issuance of a Notice of Completion, nor any payment by the OWNER to the CONTRACTOR under the Contract Documents, nor any use or occupancy of the WORK or any part thereof by the OWNER, nor any act of acceptance by the OWNER nor any failure to do so, nor any review of a Shop Drawing or sample submittal, will constitute an acceptance of WORK not in accordance with the Contract Documents or a release of the CONTRACTOR's obligation to perform the WORK in accordance with the Contract Documents.

- 14.12 FINAL PAYMENT TERMINATES LIABILITY OF OWNER. Final payment is defined as the last progress payment made to the CONTRACTOR for earned funds, less monies withheld as applicable, pursuant to Paragraph 14.10A. The acceptance by the CONTRACTOR of the final payment referred to in Paragraph 14.9 herein, shall be a release of the OWNER and its agents from all claims of liability to the CONTRACTOR for anything done or furnished for, or relating to, the WORK or for any act of neglect of the OWNER or of any person relating to or affecting the WORK, except demands against the OWNER for the remainder, if any, of the amounts kept or retained under the provisions of Paragraph 14.9 herein; and excepting pending, unresolved claims filed prior to the date of the Notice of Completion.

## **SECTION 00700 - GENERAL CONDITIONS**

### **ARTICLE 15 SUSPENSION OF WORK AND TERMINATION**

- 15.1 SUSPENSION OF WORK BY OWNER. The OWNER, acting through the ARCHITECT, may, at any time and without cause, suspend the WORK or any portion thereof for a period of not more than 90 days by notice in writing to the CONTRACTOR. The CONTRACTOR shall resume the WORK on receipt from the ARCHITECT of a notice of resumption of WORK. The CONTRACTOR shall be allowed an increase in the Contract Price or an extension of the Contract Time, or both, directly attributable to any suspension if the CONTRACTOR makes an approved claim therefor as provided in Articles 11 and 12.
- 15.2 TERMINATION OF AGREEMENT BY OWNER (CONTRACTOR DEFAULT)
- A. In the event of default by the CONTRACTOR, the OWNER may give 10 days written notice to the CONTRACTOR of OWNER's intent to terminate the Agreement and provide the CONTRACTOR an opportunity to remedy the conditions constituting the default. It shall be considered a default by the CONTRACTOR whenever CONTRACTOR shall: (1) declare bankruptcy, become insolvent, or assign its assets for the benefit of its creditors; (2) fail to provide materials or quality of WORK meeting the requirements of the Contract Documents; (3) disregard or violate provisions of the Contract Documents or ARCHITECT's instructions; (4) fail to prosecute the WORK according to the approved progress schedule; or, (5) fail to provide a qualified superintendent, competent workers, or materials or equipment meeting the requirements of the Contract Documents. If the CONTRACTOR fails to remedy the conditions constituting default within the time allowed, the OWNER may then issue the Notice of Termination.
- B. In the event the Agreement is terminated in accordance with Paragraph 15.2A, herein, the OWNER may take possession of the WORK and may complete the WORK by whatever method or means the OWNER may select. The cost of completing the WORK shall be deducted from the balance which would have been due the CONTRACTOR had the Agreement not been terminated and the WORK completed in accordance with the Contract Documents. If such cost exceeds the balance which would have been due, the CONTRACTOR shall pay the excess amount to the OWNER. If such cost is less than the balance which would have been due, the CONTRACTOR shall not have claim to the difference.
- 15.3 TERMINATION OF AGREEMENT BY OWNER (FOR CONVENIENCE). The OWNER may terminate the Agreement at any time if it is found that reasons beyond the control of either the OWNER or CONTRACTOR make it impossible or against the OWNER's interests to complete the WORK. In such a case, the CONTRACTOR shall have no claims against the OWNER except: (1) for the value of WORK performed up to the date the Agreement is terminated; and, (2) for the cost of materials and equipment on hand, in transit, or on definite commitment, as of the date the Agreement is terminated, which would be needed in the WORK and which meet the requirements of the Contract Documents. The value of WORK performed and the cost of materials and equipment delivered to the site, as mentioned above, shall be determined by the ARCHITECT in accordance with the procedure prescribed for the making of the final Application for Payment and payment under Paragraphs 14.8 and 14.9.
- 15.4 TERMINATION OF AGREEMENT BY CONTRACTOR. The CONTRACTOR may terminate the Agreement upon 10 days written notice to the OWNER, whenever: 1) the WORK has been suspended under the provisions of Paragraph 15.1, herein, for more than 90 consecutive days through no fault or

## **SECTION 00700 - GENERAL CONDITIONS**

negligence of the CONTRACTOR, and notice to resume WORK or to terminate the Agreement has not been received from the OWNER within this time period; or, 2) the OWNER should fail to pay the CONTRACTOR any monies due to the CONTRACTOR in accordance with the terms of the Contract Documents and within 60 days after presentation to the OWNER by the CONTRACTOR of a request therefor, unless within said 10-day period the OWNER shall have remedied the condition upon which the payment delay was based. In the event of such termination, the CONTRACTOR shall have no claims against the OWNER except for those claims specifically enumerated in Paragraph 15.3, herein, and as determined in accordance with the requirements of said paragraph.

### **ARTICLE 16 MISCELLANEOUS**

- 16.1 GIVING NOTICE. Whenever any provision of the Contract Documents requires the giving of written notice, it will be deemed to have been validly given if delivered in person to the individual or to a member of the firm or to an officer of the corporation for whom it is intended, or if delivered at or sent by registered or certified mail, postage prepaid, to the last business address known to the giver of the notice.
- 16.2 RIGHTS IN AND USE OF MATERIALS FOUND ON THE WORK
- A. The CONTRACTOR may use on the Project, with ARCHITECT's approval, such stone, gravel, sand, or other material determined suitable by the ARCHITECT, as may be found in the excavation. The CONTRACTOR will be paid for the excavation of such material at the corresponding contract unit price. No additional payment will be made for utilizing the material from excavation as borrow, or select borrow.
  - B. The CONTRACTOR shall replace, at its own expense, with other acceptable material, all of that portion of the excavated material so removed and used which was needed for use on the Project. No charge for the materials so used will be made against the CONTRACTOR except that the CONTRACTOR shall be responsible for payment of any royalties required.
  - C. The CONTRACTOR shall not excavate or remove any material from within the Project location which is not within the grading limits, as indicated by the slope and grade lines, without written authorization from the ARCHITECT.
  - D. In the event the CONTRACTOR has processed materials from OWNER-furnished sources in excess of the quantities required for performance of this contract, including any waste material produced as a by-product, the CBJ may retain possession of such materials without obligation to reimburse the CONTRACTOR for the cost of their production. When such materials are in a stockpile, the ARCHITECT may require: that it remain in stockpile; the CONTRACTOR level such stockpile(s); or that the CONTRACTOR remove such materials and restore the premises to a satisfactory condition at the CONTRACTOR's expense. This provision shall not preclude the CBJ from arranging with the CONTRACTOR to produce material over and above the contract needs, payment for which shall be by written agreement between the CBJ and the CONTRACTOR.
  - E. Unless otherwise provided, the material from any existing old structure may be used temporarily by the CONTRACTOR in the erection of the new structure. Such material shall not be cut or otherwise damaged except with the approval of the ARCHITECT.

## SECTION 00700 - GENERAL CONDITIONS

- 16.3 **RIGHT TO AUDIT.** If the CONTRACTOR submits a claim to the OWNER for additional compensation, the OWNER shall have the right, as a condition to considering the claim, and as a basis for evaluation of the claim, and until the claim has been settled, to audit the CONTRACTOR's books to the extent they are relevant. This right shall include the right to examine books, records, documents, and other evidence and accounting procedures and practices, sufficient to discover and verify all direct and indirect costs of whatever nature claimed to have been incurred or anticipated to be incurred and for which the claim has been submitted. The right to audit shall include the right to inspect the CONTRACTOR's plants, or such parts thereof, as may be or have been engaged in the performance of the WORK. The CONTRACTOR further agrees that the right to audit encompasses all subcontracts and is binding upon Subcontractors. The rights to examine and inspect herein provided for shall be exercisable through such representatives as the OWNER deems desirable during the CONTRACTOR's normal business hours at the office of the CONTRACTOR. The CONTRACTOR shall make available to the OWNER for auditing, all relevant accounting records and documents, and other financial data, and upon request, shall submit true copies of requested records to the OWNER.
- 16.4 **ARCHAEOLOGICAL OR HISTORICAL DISCOVERIES.** When the CONTRACTOR's operation encounters prehistoric artifacts, burials, remains of dwelling sites, paleontological remains, such as shell heaps, land or sea mammal bones or tusks, or other items of historical significance, the CONTRACTOR shall cease operations immediately and notify the ARCHITECT. No artifacts or specimens shall be further disturbed or removed from the ground and no further operations shall be performed at the site until so directed. Should the ARCHITECT order suspension of the CONTRACTOR's operations in order to protect an archaeological or historical finding, or order the CONTRACTOR to perform extra WORK, such order(s) shall be covered by an appropriate contract change document.
- 16.5 **CONSTRUCTION OVER OR ADJACENT TO NAVIGABLE WATERS.** All WORK over, on, or adjacent to navigable waters shall be so conducted that free navigation of the waterways will not be interfered with and the existing navigable depths will not be impaired, except as allowed by permit issued by the U.S. Coast Guard and/or the U.S. Army Corps of Engineers, as applicable.
- 16.6 **GRATUITY AND CONFLICT OF INTEREST.** The CONTRACTOR agrees to not extend any loan, gratuity or gift of money of any form whatsoever to any employee or elected official of the OWNER, nor will the CONTRACTOR rent or purchase any equipment or materials from any employee or elected official of the OWNER, or to the best of the CONTRACTOR's knowledge, from any agent of any employee or elected official of the OWNER. Before final payment, the CONTRACTOR shall execute and furnish the OWNER an affidavit certifying that the CONTRACTOR has complied with the above provisions of the contract.
- 16.7 **SUITS OF LAW CONCERNING THE WORK**
- A. Should a suit of law be entered into, either by the CONTRACTOR (or the CONTRACTOR's surety) against the OWNER, or by the OWNER against the CONTRACTOR (or the CONTRACTOR's surety), the suit of law shall be tried in the First Judicial District of Alaska.
  - B. If one of the questions at issue is the satisfactory performance of the WORK by the CONTRACTOR and should the appropriate court of law judge the WORK of the CONTRACTOR to be unsatisfactory, then the CONTRACTOR (or the CONTRACTOR's surety) shall reimburse the OWNER for all legal and all other expenses (as may be allowed and set by the court) incurred by the OWNER because of

## SECTION 00700 - GENERAL CONDITIONS

the suit of the law and, further, it is agreed that the OWNER may deduct such expense from any sum or sums then, or any that become due the CONTRACTOR under the contract.

### 16.8 CERTIFIED PAYROLLS

- A. All CONTRACTORS or Subcontractor who perform work on a public construction contract for the OWNER shall file a Certified Payroll with the Alaska Department of Labor every two weeks. Before the second Friday, each CONTRACTOR and Subcontractor must file Certified Payrolls with Statements of Compliance for the previous two weeks. (Section 14-2-4 ACLA 1949; am Section 4 ch 142 SLA 1972).
- B. In lieu of submitting the State payroll form, the CONTRACTOR's standard payroll form may be submitted, provided it contains the information required by AS 36.05.040 and a statement that the CONTRACTOR is complying with AS 36.10.010.
- C. Any CONTRACTOR or Subcontractor, who performs work on public construction in the State, as defined by AS 36.95.010(3), shall pay not less than the current prevailing rate of wages as issued by the Alaska Department of Labor before the end of the pay period. (AS 36.05.010).

### 16.9 PREVAILING WAGE RATES

- A. Wage rates for Laborers and Mechanics on Public Contracts, AS 36.05.070. The CONTRACTOR, or Subcontractors, shall pay all employees unconditionally and not less than once a week. Wages may not be less than those stated in Paragraph 16.8C, regardless of the contractual relationship between the CONTRACTOR or Subcontractors and laborers, mechanics, or field surveyors. The scale of wages to be paid shall be posted by the CONTRACTOR in a prominent, easily accessible place at the site of the WORK.
- B. Failure to Pay Agreed Wages, AS 36.05.080. If it is found that a laborer, mechanic, or field surveyor employed by the CONTRACTOR or Subcontractor has been, or is being, paid a rate or wages less than the established rate, the OWNER may, by written notice, terminate the CONTRACTOR or Subcontractors right to proceed with the WORK. The OWNER may prosecute the WORK to completion by contract or otherwise, and the CONTRACTOR and sureties will be held liable to the OWNER for excess costs for completing the WORK. (Section 2 ch 52 SLA 1959).
- C. Listing CONTRACTORS Who Violate contracts, AS 36.05.090. In addition, a list giving the names of persons who have disregarded the rights of their employees shall be distributed to all departments of State government and all political subdivisions. No person appearing on this list, and no firm, corporation, partnership or association in which the person has an interest, may WORK as a CONTRACTOR or Subcontractor on a public construction contract for the State, or a political subdivision of the state, until three years after the date of publication of the list. (Section 3 ch 52 SLA 1959; am Section 9 ch 142 SLA).

- 16.10 EMPLOYMENT REFERENCE. Workers employed in the execution of the contract by the CONTRACTOR or by any Subcontractor under this contract shall not be required or permitted to labor more than 8 hours a day or 40 hours per week in violation of the provisions of the Alaska Wage and Hour Act, Section 23.10.060.

## SECTION 00700 - GENERAL CONDITIONS

### 16.11 COST REDUCTION INCENTIVE

- A. At any time within 45 days after the date of the Notice of Award, the CONTRACTOR may submit to the ARCHITECT in writing, proposals for modifying the plans, specifications, or other requirements of this contract for the sole purpose of reducing the total cost of construction. The cost reduction proposal shall not impair in any manner the essential functions or characteristics of the project, including but not limited to, service life, economy of operation, ease of maintenance, desired appearance or design and safety standards.
- B. The cost reduction proposal shall contain the following information:
  - 1. Description of both the existing contract requirements for performing the WORK and the proposed changes.
  - 2. An itemization of the contract requirements that must be changed if the proposal is adopted.
  - 3. A detailed estimate of the time required and the cost of performing the WORK under both the existing contract and the proposed change.
  - 4. A statement of the date by which the CONTRACTOR must receive the decision from the OWNER on the cost reduction proposal.
  - 5. The contract items of WORK effected by the proposed changes including any quantity variations.
  - 6. A description and estimate of costs the OWNER may incur in implementing the proposed changes, such as test and evaluation and operating and support costs.
  - 7. A prediction of any effects the proposed change would have on future operations and maintenance costs to the OWNER.
- C. The provisions of this section shall not be construed to require the OWNER to consider any cost reduction proposal which may be submitted; nor will the OWNER be liable to the CONTRACTOR for failure to accept or act upon any cost reduction proposal submitted, or for delays to the WORK attributable to the consideration or implementation of any such proposal.
- D. If a cost reduction proposal is similar to a change in the plans or Specifications for the Project under consideration by the OWNER at the time the proposal is submitted, the OWNER will not accept such proposal and reserves the right to make such changes without compensation to the CONTRACTOR under the provisions of this section.
- E. The CONTRACTOR shall continue to perform the WORK in accordance with the requirements of the contract until an executed Change Order incorporating the cost reduction proposal has been issued. If any executed Change Order has not been issued by the date upon which the CONTRACTOR's cost reduction proposal specifies that a decision should be made by the OWNER, in writing, the cost reduction proposal shall be considered rejected.
- F. The OWNER, shall be the sole judge of the acceptability of a cost reduction proposal and of the estimated net savings in Contract Time and construction costs resulting from the adoption of all or any part of such proposal. Should the CONTRACTOR disagree with OWNER's decision on the cost reduction proposal, there is no further consideration. The OWNER reserves the right to make final determination.
- G. If the CONTRACTOR's cost reduction proposal is accepted in whole or in part, such acceptance will be made by a Contract Change Order, which specifically states that the change is executed pursuant to

## **SECTION 00700 - GENERAL CONDITIONS**

this cost reduction proposal section. Such Change Order shall incorporate the changes in the plans and Specifications which are necessary to permit the cost reduction proposal or such part of it as has been accepted to be put into effect and shall include any conditions upon which the OWNER's approval is based, if such approval is conditional. The Change Order shall also describe the estimated net savings in the cost of performing the WORK attributable to the cost reduction proposal, and shall further provide that the contract cost be adjusted by crediting the OWNER with the estimated net savings amount.

- H. Acceptance of the cost reduction proposal and performance of the WORK does not extend the time of completion of the contract, unless specifically provided in the Change Order authorizing the use of the submitted proposal. Should the adoption of the cost reduction proposal result in a Contract Time savings, the total Contract Time shall be reduced by an amount equal to the time savings realized.
- I. The amount specified to the CONTRACTOR in the Change Order accepted in the cost reduction proposal shall constitute full compensation for the performance of WORK. No claims for additional costs as a result of the changes specified in the cost reduction proposal shall be allowed.
- J. The OWNER reserves the right to adopt and utilize any approved cost reduction proposal for general use on any contract administered when it is determined suitable for such application. Cost reduction proposals identical, similar, or previously submitted will not be accepted for consideration if acceptance and compensation has previously been approved. The OWNER reserves the right to use all or part of any cost reduction proposal without obligation or compensation of any kind to the CONTRACTOR.
- K. The CONTRACTOR shall bear the costs, if any, to revise all Bonds and insurance requirements for the Project, to include the cost reduction WORK.

**END OF SECTION**

## SECTION 00800 - SUPPLEMENTARY GENERAL CONDITIONS

**GENERAL.** These Supplementary General Conditions make additions, deletions, or revisions to the General Conditions as indicated herein. All provisions which are not so added, deleted, or revised remain in full force and effect. Terms used in these Supplementary General Conditions which are defined in the General Conditions have the meanings assigned to them in the General Conditions.

**SGC 1 DEFINITIONS.** *Remove* the definition for Contract Documents and *replace* with the following:

Contract Documents – The Table of Contents, Notice Inviting Bids, Instructions to Bidders, Bid Forms (including the Bid, Bid Schedule(s), Subcontractor Report, Bid Bond, and all required certificates and affidavits), Agreement, Performance Bond, Payment Bond, General Conditions, Supplementary General Conditions, Alaska Labor Standards, Reporting, and Prevailing Wage Rate Determination, Special Provisions, Standard Specifications, Technical Specifications, Drawings, Permits, and all Addenda, and Change Orders executed pursuant to the provisions of the Contract Documents.

**SGC 2.2 COPIES OF DOCUMENTS.** *Add* the following:

The OWNER shall furnish to the CONTRACTOR up to ten (10) copies of the Contract Documents which will include bound reduced Drawings. The CBJ Contracts Office shall contact the CONTRACTOR after issuance of Notice of Intent to Award to determine how many copies are needed. Additional quantities of the Contract Documents will be furnished at reproduction cost.

**SGC 3.2 ORDER OF PRECEDENCE OF CONTRACT DOCUMENTS.** *Remove* No. 12. Technical Specifications and No. 13. Drawings, and *add* the following:

12. Special Provisions Section
13. Standard Specifications for Civil Engineering Projects and Subdivision Improvements  
December 2003 Edition with current Errata Sheets.
14. Drawings.

**SGC 4.2 PHYSICAL CONDITIONS - SUBSURFACE AND EXISTING STRUCTURES.** *Add* the following:

- C. In the preparation of the Contract Documents, the Engineer of Record has relied upon field measurements and visual inspection of the existing structures and surface conditions.

**SGC - 4.6 USE OF THE CBJ/STATE LEMON CREEK GRAVEL PIT.** *Add* the following.

**The CBJ/State Lemon Creek Gravel Pit is not available for this Project.**

**SGC 4.7 USE OF CITY/STATE STABLER'S POINT ROCK QUARRY.** *Add* the following:

**The CBJ/State Stabler's Point Rock Quarry is not available for this Project.**

## SECTION 00800 - SUPPLEMENTARY GENERAL CONDITIONS

**SGC 5.1 PERFORMANCE, PAYMENT, AND OTHER BONDS.** The Contractor shall furnish Performance and Payment Bonds in the amount of 100% of the Bid.

**SGC 5.2 INSURANCE AMOUNTS.** The limits of liability for the insurance required by Paragraph 5.2 of the General Conditions shall provide coverage for not less than the following amounts or greater where required by Laws and Regulations. The CONTRACTOR must provide certification of proper insurance coverage and amendatory endorsements or copies of the applicable policy language affecting coverage required in this agreement to the City and Borough of Juneau. All certificates of insurance supplied to the OWNER shall state that the OWNER is named as **“Additional Insured for any and all work performed for the City & Borough of Juneau” for the Commercial General Liability policy and any other policies, if required in this Section.** NOTE: This requirement has changed. The OWNER no longer requires certificates of insurance referencing project names and contract numbers.

*Delete* paragraph C and *Replace* with the following paragraph C:

- C. The CONTRACTOR shall furnish the OWNER with certificates showing the type, amount, class of operations covered, effective dates and dates of expiration of policies. Failure of CBJ to demand such certificate or other evidence of full compliance with these insurance requirements or failure of CBJ to identify a deficiency from evidence that is provided shall not be construed as a waiver of the obligation of the Contractor to maintain the insurance required by this contract. The coverage afforded will not be cancelled, reduced in coverage, or renewal refused until at least 30 days' prior written notice has been given to the OWNER by the CONTRACTOR. **All such insurance required herein (except for Workers' Compensation and Employer's Liability) shall name the OWNER, its Consultants and subconsultants and their officers, directors, agents, and employees as "additional insureds" under the policies.**

The CONTRACTOR shall purchase and maintain the following insurance:

1. Workers' Compensation and Employer's Liability. This insurance shall protect the CONTRACTOR against all claims under applicable state workers' compensation laws. The CONTRACTOR shall also be protected against claims for injury, disease, or death of employees which, for any reason, may not fall within the provisions of a Workers' Compensation law. The CONTRACTOR shall require each Subcontractor similarly to provide Workers' Compensation Insurance for all of the latter's employees to be engaged in such work unless such employees are covered by the protection afforded by the CONTRACTOR's Workers' Compensation Insurance. In case any class of employees is not protected, under the Workers' Compensation Statute, the CONTRACTOR shall provide and shall cause each subcontractor to provide adequate employer's liability insurance for the protection of such of its employees as are not otherwise protected. **The CONTRACTOR grants a waiver of any right to subrogation against the OWNER by virtue of the payment of any loss under such insurance.** This provision applies regardless of whether or not the OWNER has received a waiver of subrogation endorsement from the insurer.

Workers' Compensation: (under Paragraph 5.2C.1 of the General Conditions) as in accordance with AS 23.30.045:

- a. State: Statutory
- b. Applicable Federal (e.g., Longshore): Statutory

Note: If the WORK called for in the Contract Documents involves work in or on any

## SECTION 00800 - SUPPLEMENTARY GENERAL CONDITIONS

navigable waters, the CONTRACTOR shall provide Workers' Compensation coverage which shall include coverage under the Longshore and Harbor Workers' Compensation Act, the Jones Act, and any other coverage required under Federal or State laws pertaining to workers in or on navigable waters.

a. Employers Liability

|                            |                            |
|----------------------------|----------------------------|
| Bodily Injury by Accident: | \$100,000.00 Each Accident |
| Bodily Injury by Disease:  | \$100,000.00 Each Employee |
| Bodily Injury by Disease:  | \$500,000.00 Policy Limit  |

1. CONTRACTOR agrees to waive all rights of subrogation against the OWNER for WORK performed under contract.
2. If CONTRACTOR directly utilizes labor outside of the State of Alaska in the prosecution of the WORK, "Other States" endorsement shall be required as a condition of the contract.

2. Commercial General Liability (CGL), including products and completed operations, property damage, bodily injury and personal and advertising injury, with limits no less than \$1,000,000 each occurrence and \$2,000,000 aggregate. (under Paragraph 5.2C.2 of the General Conditions) **This insurance policy is to contain, or be endorsed to contain, additional insured status for the CBJ, its officers, officials, employees, and volunteers.** If Additional insured status is provided in the form of an endorsement to the Contractor's insurance, the endorsement shall be at least as broad as ISO Form CG 20 10 11 85 or **both** CG 20 10, CG 20 26, CG 20 33, or CG 20 38; **and** CG 20 37 forms if later revisions used).

3. Commercial Automobile Liability: (under Paragraph 5.2C.3 of the General Conditions) including Owned, Hired, and Non-Owned Vehicles:

|                                                          |                |
|----------------------------------------------------------|----------------|
| Combined Single Limit, Bodily Injury and Property Damage | \$1,000,000.00 |
|----------------------------------------------------------|----------------|

**This insurance policy is to contain, or be endorsed to contain, additional insured status for the CBJ, its officers, officials, employees, and volunteers** The CONTRACTOR shall require each Subcontractor similarly to provide Commercial Automobile Liability Insurance for all of the latter's employees to be engaged in such WORK unless such employees are covered by the protection afforded by the CONTRACTOR's Commercial Automobile Liability Insurance.

**Add** the following paragraphs:

- C. Builder's Risk: CONTRACTOR is not required to obtain a Builder's Risk insurance policy for this project. The OWNER carries Builder's Risk insurance. Once this contract is awarded, the OWNER will have the CONTRACTOR and all Subcontractors added as named insureds for this project. If a Builder's Risk claim is filed for this project, the CONTRACTOR will be responsible for the first \$10,000 of the policy's deductible, and the OWNER will be responsible for the remaining deductible.

- C. All Subcontractors are required to secure and maintain the insurance coverages listed above, unless otherwise noted.

- D. If the CONTRACTOR maintains higher limits than the minimums shown above, the OWNER

## SECTION 00800 - SUPPLEMENTARY GENERAL CONDITIONS

requires and shall be entitled to coverage for the higher limits maintained by the CONTRACTOR. Any available insurance proceeds in excess of the specified minimum limits of insurance and coverage shall be available to the OWNER.

- E. Policies shall also specify insurance provided by CONTRACTOR will be considered primary and not contributory to any other insurance available to the OWNER.
- F. Should any of the policies described above be cancelled before the expiration date thereof, notice will be delivered in accordance with the policy provisions.

### **SGC 6.5 CONCERNING SUBCONTRACTORS, SUPPLIERS, AND OTHERS. *Add* the following:**

B. The CONTRACTOR shall perform not less than 40% of the WORK with its own forces (i.e., without subcontracting). The 40% requirement shall be understood to mean that the CONTRACTOR shall perform, with its own organization, WORK amounting to at least 40% of the original contract amount. The 40% requirement will be calculated based upon the total of the subcontract amounts submitted for Contract Award, and any other information requested by the OWNER from the apparent low Bidder.

### **SGC 6.5 CONCERNING SUBCONTRACTORS, SUPPLIERS, AND OTHERS, *Add* the following paragraph:**

- C. CONTRACTOR must pay Subcontractors and/or Suppliers within 30 days of receiving payment from the OWNER, if that payment was made for Work performed by the Subcontractor and/or materials received. Failure to pay Subcontractors within 30 days of receiving payment from which Subcontractor and/or Supplier is to be paid may result in the OWNER initiating debarment proceedings as prescribed in the City and Borough of Juneau Purchasing Code. *The 30 day City and Borough of Juneau requirement does not supersede AS 36.90.210.*

### **SGC 6.6 PERMITS, *Add* the following paragraph:**

- D. Contractor is responsible for obtaining a Hot Works permit from the CBJ Permit Center, if performing work which requires such a permit. Work requiring a Hot Works Permit includes but is not limited to the following: cutting, welding, Thermit welding, brazing, soldering, grinding, thermal spraying, thawing pipe, installation of torch-applied roof systems or any other similar activity.

### **SGC 14.3 APPLICATION FOR PROGRESS PAYMENT. Paragraph D.**

- D. The Value of Materials Stored at the site shall be an amount equal to 85%.

### **SGC 14.9 FINAL PAYMENT AND ACCEPTANCE. *Add* the following paragraph:**

- C. Prior to the final payment the CONTRACTOR shall contact the Alaska Department of Labor and Workforce Development (ADOL) and provide the OWNER with clearance from the ADOL for the CONTRACTOR and all Subcontractors that have worked on the Project. This clearance shall indicate that all Employment Security Taxes have been paid. A sample form for this purpose is at the end of this section. The CONTRACTOR shall also submit a "NOTICE OF COMPLETION OF PUBLIC WORKS" signed by ADOL.

### **SGC 16.8 CERTIFIED PAYROLLS. *Change* paragraph A. to read:**

## **SECTION 00800 - SUPPLEMENTARY GENERAL CONDITIONS**

- A. All CONTRACTORS or Subcontractors who perform work on a public construction contract for the OWNER shall file a certified payroll with Alaska Department of Labor. See Section 00830 - Alaska Labor Standards, Reporting, and Prevailing Wage Rate Determination.

**Add** the following SGC 17:

**SGC 17 GENERAL INFORMATION.** This Project is currently funded by grant from ADCCED/DCRA.

**SECTION 00800 - SUPPLEMENTARY GENERAL CONDITIONS**

**Employment Security Tax Clearance**

Date: \_\_\_\_\_

To: Alaska Department of Labor  
Juneau Field Tax Office  
PH 907-465-2787  
FAX 907-465-2374

From: \_\_\_\_\_

**Subject: PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
Contract No. BE19-117**

Timeframe of Contract \_\_\_\_\_

Please advise whether or not clearance is granted for the following CONTRACTOR or Subcontractor:  
(List only one CONTRACTOR or Subcontractor per page.)

|       |         |
|-------|---------|
| _____ | _____   |
| Name  | Address |

Per AS 23.20.265 of the Alaska Employment Security Act, this request is for tax liability clearance and release to make final payment for WORK performed under the subject contract. Please send your response to:

Greg Smith, Contract Administrator  
Engineering Department  
155 S. Seward Street  
Juneau, Alaska 99801  
FAX 907-586-4530

- ( ) Tax Clearance is granted.  
( ) Tax Clearance is NOT granted.

Remarks: \_\_\_\_\_

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Title

**END OF SECTION**

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
Contract No. BE19-117**

**SUPPLEMENTARY GENERAL CONDITIONS  
Page 00800-6**

**SECTION 00830 - ALASKA LABOR STANDARDS, REPORTING, AND  
PREVAILING WAGE RATE DETERMINATION**

State of Alaska, Department of Labor, Laborers' and Mechanics' Minimum Rates of Pay, AS 36.05.010 and AS 36.05.050, Wage and Hour Administration Pamphlet No. 600, the latest edition published by the State of Alaska, Department of Labor inclusive, are made a part of this contract by reference.

The CONTRACTOR is responsible for contacting the Alaska Department of Labor to determine compliance with current regulations.

Correspondence regarding Title 36 requirements may be submitted electronically or paper copies can be submitted by mail. To submit Title 36 documents electronically, go to <https://myalaska.state.ak.us/home/app>. If filing electronically, submit certified payrolls to ADOL at the website above and email a copy of all certified payrolls to Greg Smith at the email address below. If Contractor elects to submit paper copies, they should be submitted to the physical addresses below.

**Within 10 Days of "Notice of Award/Notice to Proceed"** make a list of **all** Subcontractors. Include their name, address, phone, estimated subcontract amount, and estimated start and finish dates. Send this list to the Wage and Hour Section (contact information below).

**Certified Payrolls must be submitted every two weeks. Before the second Friday**, each CONTRACTOR and Subcontractor must file Certified Payrolls with Statements of Compliance for the previous two weeks. Indicate **"Start"** on your first payroll, and **"Final"** on your last payroll for this Project.

As part of the **final payment request package**, CONTRACTOR must submit a "NOTICE OF COMPLETION OF PUBLIC WORKS" form signed by ADOL personnel.

**Contact Information:**

***Wage and Hour Section***  
State of Alaska  
Department of Labor and Workforce Development  
Labor Standards and Safety Division                      and  
Wage and Hour Administration  
P.O. Box 11149  
Juneau, AK 99811-1149  
907-465-4842  
<http://labor.state.ak.us/lss/home.htm>

***Greg Smith, Contract Administrator***  
City and Borough of Juneau  
155 S. Seward Street  
Juneau, AK 99801  
(907) 586-0873  
[Greg.Smith@juneau.org](mailto:Greg.Smith@juneau.org)

**END OF SECTION**

## SECTION 011000 - SUMMARY

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

- A. Section Includes:

1. Project information.
2. Work covered by Contract Documents.
3. Construction Period.
4. Access to site.
5. Coordination with occupants.
6. Work restrictions.
7. Specification and drawing conventions.
8. Miscellaneous Provisions.

- B. Related Requirements:

1. Section 015000 "Temporary Facilities and Controls" for limitations and procedures governing temporary use of Owner's facilities.

#### 1.3 PROJECT INFORMATION

- A. Project Identification: PUBLIC SAFETY BUILDING BUILDING DEMOLITION CBJ Contract No. BE 19-117.

1. Project Location:
  - a. 450 Whittier Street, Juneau AK

- B. Owner: City and Borough of Juneau.

1. Owner's Representative & CBJ Project Manager: Nathan Coffee, 586-0895.

- C. Architect/Engineer: Tony Yorba AIA, Jensen Yorba Lott, 586-1070

#### 1.4 WORK COVERED BY CONTRACT DOCUMENTS

- A. The Work of Project is defined by the Contract Documents and consists of the following:

1. The project scope of work includes abatement of hazardous materials within the existing structure prior to demolition, removal of subsurface utilities, foundations, and fuel storage tank, remediation of contaminated soils if encountered, removal of all site

## SECTION 011000 - SUMMARY

improvements including asphalt paving, removal of the entire facility, subsurface drainage improvements, grading, asphalt paving, and parking lot striping.

### B. Type of Contract:

1. Project will be constructed under a single prime contract.

## 1.5 ACCESS TO SITE

### A. General: Contractor shall have use of Project site for construction operations as indicated on Drawings by the fencing limits and as indicated by requirements of this Section.

### B. Use of Site: Limit use of premises to work areas and areas within the Contract limits indicated. Do not disturb portions of premises beyond areas in which the Work is indicated.

1. Contractor Staging Area and construction area: Fenced area as shown on drawings available to Contractor for staging, parking, and construction activities. Contractor to procure appropriate permits for street and sidewalk use.
2. Driveways, Walkways and Entrances: Keep driveways loading areas, and entrances serving premises clear and available to Users, Owner, Owner's employees and emergency vehicles at all times.
3. Owner Occupancy: Owner will not occupy the facility during execution of Work.
4. Construction Debris: Construction debris shall be stored in dumpster or similar container when stored on the premises.

### C. Condition of Existing Site: Maintain access to adjacent parking areas. Repair damage caused by construction operations to adjacent property.

### D. Site Security: The Contractor shall be responsible for building security and protecting the site from theft, vandalism, and unauthorized entry during the construction period.

## 1.6 COORDINATION WITH OCCUPANTS

### A. Partial Owner Occupancy: The Owner shall not occupy the facility during the work.

1. Provide not less than 72 hours' notice to Owner of activities that will affect Owner's operations.

## 1.7 WORK RESTRICTIONS

### A. Work Restrictions, General: Comply with limitations on use of public streets and with other requirements of authorities having jurisdiction.

### B. On-Site Work Hours: Limit work in the existing building to normal business working hours of 7:00 a.m. to 7:00 p.m., unless otherwise indicated.

### C. Existing Utility Interruptions: Do not interrupt utilities serving facilities occupied by Owner or others unless permitted under the following conditions and then only after providing temporary utility services according to requirements indicated:

## **SECTION 011000 - SUMMARY**

1. Notify Owner not less than 72 hours in advance of proposed utility interruptions.
  2. Obtain Owner's written permission before proceeding with utility interruptions.
- D. Controlled Substances: Use of tobacco products and controlled substances on Project site is not permitted.

### **1.8 SPECIFICATION AND DRAWING CONVENTIONS**

- A. Specification Content: The Specifications use certain conventions for the style of language and the intended meaning of certain terms, words, and phrases when used in particular situations. These conventions are as follows:
1. Imperative mood and streamlined language are generally used in the Specifications. The words "shall," "shall be," or "shall comply with," depending on the context, are implied where a colon (:) is used within a sentence or phrase.
  2. Specification requirements are to be performed by Contractor unless specifically stated otherwise.
- B. Division 01 General Requirements: Requirements of Sections in Division 01 apply to the Work of all Sections in the Specifications.
- C. Drawing Coordination: Requirements for materials and products identified on Drawings are described in detail in the Specifications. One or more of the following are used on Drawings to identify materials and products:
1. Terminology: Materials and products are identified by the typical generic terms used in the individual Specifications Sections.

### **1.9 MISCELLANEOUS PROVISIONS**

- A. All references in specifications to Engineer and Architect shall be facilitated and coordinated with the CBJ Project Manager.
- B. All references in the specifications to Owner or Owner's representative shall mean CBJ Project Manager.

**END OF SECTION**

## **SECTION 01025 - MEASUREMENT AND PAYMENT**

### **PART 1 - GENERAL**

#### **1.1 SCOPE**

- A. Payment for the various items of the Bid Schedule, as further specified herein, shall include all compensation to be received by the CONTRACTOR for furnishing all tools, equipment, supplies, and manufactured articles, and for all labor, operations, and incidentals appurtenant to the items of WORK being described, as necessary to complete the various items of the WORK all in accordance with the requirements of the Contract Documents, including all appurtenances thereto, and including all costs of permits and cost of compliance with the regulations of public agencies having jurisdiction, including Safety and Health Requirements of the Occupational Safety and Health Administration of the U.S. Department of Labor (OSHA).
- B. No separate payment will be made for any item that is not specifically set forth in the Bid Schedule, and all costs therefor shall be included in the prices named in the Bid Schedule for the various appurtenant items of WORK.
- C. In addition to other incidental items of WORK listed elsewhere in the contract, the following items shall also be considered as incidental to other Items of WORK under this contract:
  - 1. Maintenance of all services through Project area, including water, sewer, storm, garbage pickup, mail delivery, other deliveries and emergency vehicles.

#### **1.3 REMOVAL & REPLACEMENT OF CONTAMINATED SOIL (Pay Item No. 026100) PRICE BASED ON QUANTITY, TON**

- A. Removal and replacement of contaminated soil will be measured by the actual tons of material delivered to the ADEC approved processing facility and supported by receipt, and as approved by the ENGINEER.
- B. Payment for removal and replacement of contaminated soil will be made at the Unit Price named in the Bid Schedule under Pay Item No. 026100, which payment will constitute full compensation for all WORK described in Section 026100 – Contaminated Soil Removal & Replacement and as directed by the ENGINEER.

### **PART 2 - PRODUCTS (Not Used)**

### **PART 3 - EXECUTION (Not Used)**

**END OF SECTION**

## **SECTION 012200 - UNIT PRICES**

### **PART 1 - GENERAL**

#### **1.1 SUMMARY**

- A. Section includes administrative and procedural requirements for unit prices.

#### **1.2 DEFINITIONS**

- A. Unit price is a price per unit of measurement for mobilization, materials, equipment, or services, or a portion of the Work, added to or deducted from the Contract Sum by appropriate modification, if the scope of Work or estimated quantities of Work required by the Contract Documents are increased or decreased.

#### **1.3 PROCEDURES**

- A. Unit prices include all necessary mobilization, material, plus cost for delivery, installation, insurance, overhead, and profit.
- B. Owner reserves the right to reject Contractor's measurement of work-in-place that involves use of established unit prices and to have this work measured, at Owner's expense, by an independent surveyor acceptable to Contractor.
- C. List of Unit Prices: A schedule of unit prices is included in Part 3. Specification Sections referenced in the schedule contain requirements for materials described under each unit price.

### **PART 2 - PRODUCTS (Not Used)**

### **PART 3 - EXECUTION**

#### **3.1 SCHEDULE OF UNIT PRICES**

- A. Unit Price No. 1 – Removal & replacement of contaminated soil with suitable fill:
  - 1. Description: Removal and replacement of contaminated soil in excess of 10 tons up to a total of 150 tons, should it be encountered as part of the overall project. Removal and replacement of the initial 10 tons of contaminated soil are part of the base bid per section 026500. Clean and store removed components.
  - 2. Bid Quantity for the Item covered in this Section is 140 tons. Unit price for material shall be included in the Contractor's Bid (total Item price divided by 140 tons). Contractor shall be paid for actual tonnage on this Item based on this Unit Price for any quantity

between 1 ton and 140 tons that exceeds the 10 tons of disposal included in Section 026500. See Measurement and Payment section for details.

**END OF SECTION 012200**

## **SECTION 012500 - SUBSTITUTION PROCEDURES**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes administrative and procedural requirements for substitutions.
- B. Related Requirements:
  - 1. Section 016000 "Product Requirements" for requirements for submitting comparable product submittals for products by listed manufacturers.

#### **1.3 DEFINITIONS**

- A. Substitutions: Changes in products, materials, equipment, and methods of construction from those required by the Contract Documents and proposed by Contractor.
  - 1. Substitutions for Cause: Changes proposed by Contractor that are required due to changed Project conditions, such as unavailability of product, regulatory changes, or unavailability of required warranty terms.
  - 2. Substitutions for Convenience: Changes proposed by Contractor or Owner that are not required in order to meet other Project requirements but may offer advantage to Contractor or Owner.

#### **1.4 ACTION SUBMITTALS**

- A. Substitution Requests: Submit three copies of each request for consideration. Identify product or fabrication or installation method to be replaced. Include Specification Section number and title and Drawing numbers and titles.
  - 1. Substitution Request Form: Use CSI Form 13.1A or a similar form
  - 2. Documentation: Show compliance with requirements for substitutions and the following, as applicable:
    - a. Statement indicating why specified product or fabrication or installation cannot be provided.
    - b. Coordination information, including a list of changes or revisions needed to other parts of the Work and to construction performed by Owner and separate contractors that will be necessary to accommodate proposed substitution.

## SECTION 012500 - SUBSTITUTION PROCEDURES

- c. Detailed comparison of significant qualities of proposed substitution with those of the Work specified. Include annotated copy of applicable Specification Section. Significant qualities may include attributes such as performance, weight, size, durability, visual effect, sustainable design characteristics, warranties, and specific features and requirements indicated. Indicate deviations, if any, from the Work specified.
  - d. Product Data, including drawings and descriptions of products and fabrication and installation procedures.
  - e. Samples, where applicable or requested.
  - f. Certificates and qualification data, where applicable or requested.
  - g. List of similar installations for completed projects with project names and addresses and names and addresses of architects and owners.
  - h. Material test reports from a qualified testing agency indicating and interpreting test results for compliance with requirements indicated.
  - i. Research reports evidencing compliance with building code in effect for Project, from ICC-ES.
  - j. Detailed comparison of Contractor's construction schedule using proposed substitution with products specified for the Work, including effect on the overall Contract Time. If specified product or method of construction cannot be provided within the Contract Time, include letter from manufacturer, on manufacturer's letterhead, stating date of receipt of purchase order, lack of availability, or delays in delivery.
  - k. Cost information, including a proposal of change, if any, in the Contract Sum.
  - l. Contractor's certification that proposed substitution complies with requirements in the Contract Documents except as indicated in substitution request, is compatible with related materials, and is appropriate for applications indicated.
  - m. Contractor's waiver of rights to additional payment or time that may subsequently become necessary because of failure of proposed substitution to produce indicated results.
3. Architect's Action: If necessary, Architect will request additional information or documentation for evaluation within seven days of receipt of a request for substitution. Architect will notify Contractor of acceptance or rejection of proposed substitution within 7 days of receipt of request, or seven days of receipt of additional information or documentation, whichever is later.
- a. Forms of Acceptance: Change Order, Construction Change Directive, or Architect's Supplemental Instructions for minor changes in the Work.
  - b. Use product specified if Architect does not issue a decision on use of a proposed substitution within time allocated.

### 1.5 QUALITY ASSURANCE

- A. Compatibility of Substitutions: Investigate and document compatibility of proposed substitution with related products and materials. Engage a qualified testing agency to perform compatibility tests recommended by manufacturers.

## **SECTION 012500 - SUBSTITUTION PROCEDURES**

### **1.6 PROCEDURES**

- A. Coordination: Revise or adjust affected work as necessary to integrate work of the approved substitutions.

## **PART 2 - PRODUCTS**

### **2.1 SUBSTITUTIONS**

- A. Substitutions for Cause: Submit requests for substitution immediately on discovery of need for change, but not later than 15 days prior to time required for preparation and review of related submittals.
  - 1. Conditions: Architect will consider Contractor's request for substitution when the following conditions are satisfied. If the following conditions are not satisfied, Architect will return requests without action, except to record noncompliance with these requirements:
    - a. Requested substitution is consistent with the Contract Documents and will produce indicated results.
    - b. Substitution request is fully documented and properly submitted.
    - c. Requested substitution will not adversely affect Contractor's construction schedule.
    - d. Requested substitution has received necessary approvals of authorities having jurisdiction.
    - e. Requested substitution is compatible with other portions of the Work.
    - f. Requested substitution has been coordinated with other portions of the Work.
    - g. Requested substitution provides specified warranty.
    - h. If requested substitution involves more than one contractor, requested substitution has been coordinated with other portions of the Work, is uniform and consistent, is compatible with other products, and is acceptable to all contractors involved.
- B. Substitutions for Convenience: Architect will consider requests for substitution if received within 30 days after the Notice to Proceed. Requests received after that time will not be considered.
  - 1. Conditions: Architect will consider Contractor's request for substitution when the following conditions are satisfied. If the following conditions are not satisfied, Architect will return requests without action, except to record noncompliance with these requirements:
    - a. Requested substitution offers Owner a substantial advantage in cost, time, energy conservation, or other considerations, after deducting additional responsibilities Owner must assume. Owner's additional responsibilities may include compensation to Architect for redesign and evaluation services, increased cost of other construction by Owner, and similar considerations.
    - b. Requested substitution does not require extensive revisions to the Contract Documents.
    - c. Requested substitution is consistent with the Contract Documents and will produce indicated results.

## **SECTION 012500 - SUBSTITUTION PROCEDURES**

- d. Substitution request is fully documented and properly submitted.
- e. Requested substitution will not adversely affect Contractor's construction schedule.
- f. Requested substitution has received necessary approvals of authorities having jurisdiction.
- g. Requested substitution is compatible with other portions of the Work.
- h. Requested substitution has been coordinated with other portions of the Work.
- i. Requested substitution provides specified warranty.
- j. If requested substitution involves more than one contractor, requested substitution has been coordinated with other portions of the Work, is uniform and consistent, is compatible with other products, and is acceptable to all contractors involved.

### **PART 3 - EXECUTION (Not Used)**

**END OF SECTION**

## **SECTION 012600 - CONTRACT MODIFICATION PROCEDURES**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes administrative and procedural requirements for handling and processing Contract modifications.
- B. Related Requirements:
  - 1. Section 012500 "Substitution Procedures" for administrative procedures for handling requests for substitutions made after the Contract award.
- C. Contractor fees shall not exceed fees defined in Section 00700 General Conditions, Article 11.4 Contractor Fees.

#### **1.3 PROPOSAL REQUESTS**

- A. Owner-Initiated Proposal Requests: Owner's Representative will issue a detailed description of proposed changes in the Work that may require adjustment to the Contract Sum or the Contract Time. If necessary, the description will include supplemental or revised Drawings and Specifications.
  - 1. Work Change Proposal Requests issued, are not instructions either to stop work in progress or to execute the proposed change.
  - 2. Within time specified in Proposal Request or 10 days, when not otherwise specified, after receipt of Proposal Request, submit a quotation estimating cost adjustments to the Contract Sum and the Contract Time necessary to execute the change.
    - a. Include a list of quantities of products required or eliminated and unit costs, with total amount of purchases and credits to be made. If requested, furnish survey data to substantiate quantities.
    - b. Indicate applicable taxes, delivery charges, equipment rental, and amounts of trade discounts.
    - c. Include costs of labor and supervision directly attributable to the change.
    - d. Include an updated Contractor's construction schedule that indicates the effect of the change, including, but not limited to, changes in activity duration, start and finish times, and activity relationship. Use available total float before requesting an extension of the Contract Time.
    - e. Quotation Form: Use forms acceptable to Architect.
- B. Contractor-Initiated Proposals: If latent or changed conditions require modifications to the Contract, Contractor may initiate a claim by submitting a request for a change to Owner's Representative.

## **SECTION 012600 - CONTRACT MODIFICATION PROCEDURES**

1. Include a statement outlining reasons for the change and the effect of the change on the Work. Provide a complete description of the proposed change. Indicate the effect of the proposed change on the Contract Sum and the Contract Time.
2. Include a list of quantities of products required or eliminated and unit costs, with total amount of purchases and credits to be made. If requested, furnish survey data to substantiate quantities.
3. Indicate applicable taxes, delivery charges, equipment rental, and amounts of trade discounts.
4. Include costs of labor and supervision directly attributable to the change.
5. Include an updated Contractor's construction schedule that indicates the effect of the change, including, but not limited to, changes in activity duration, start and finish times, and activity relationship. Use available total float before requesting an extension of the Contract Time.
6. Comply with requirements in Section 012500 "Substitution Procedures" if the proposed change requires substitution of one product or system for product or system specified.
7. Proposal Request Form: Use form acceptable to Architect.

### **1.4 CHANGE ORDER PROCEDURES**

- A. On Owner's approval of a Work Changes Proposal Request, Owner's Representative will issue a Change Order for signatures of Owner and Contractor.
- B. Owner will group approved Work Changes into a formal Change Order every three months for formal inclusion into the Construction Agreement.

### **1.5 CONSTRUCTION CHANGE DIRECTIVE**

- A. Construction Change Directive: Owner's Representative may issue a Construction Change Directive on AIA Document G714 or a similar form. Construction Change Directive instructs Contractor to proceed with a change in the Work, for subsequent inclusion in a Change Order.
  1. Construction Change Directive contains a complete description of change in the Work. It also designates method to be followed to determine change in the Contract Sum or the Contract Time.
- B. Documentation: Maintain detailed records on a time and material basis of work required by the Construction Change Directive.
  1. After completion of change, submit an itemized account and supporting data necessary to substantiate cost and time adjustments to the Contract.

## **PART 2 - PRODUCTS (Not Used)**

## **PART 3 - EXECUTION (Not Used)**

## **END OF SECTION**

## **SECTION 012900 – PAYMENT PROCEDURES**

### **PART 1 - GENERAL**

#### **1.1 SCHEDULE OF VALUES**

- A. Coordination: Coordinate preparation of the schedule of values with preparation of Contractor's construction schedule.
  - 1. Coordinate line items in the schedule of values with other required administrative forms and schedules, including the following:
    - a. Application for Payment forms with continuation sheets.
    - b. Submittal schedule.
    - c. Items required to be indicated as separate activities in Contractor's construction schedule.
  - 2. Submit the schedule of values to Architect at earliest possible date, but no later than 14 days before the date scheduled for submittal of initial Applications for Payment.
- B. Format and Content: Use Project Manual table of contents as a guide to establish line items for the schedule of values. Provide at least one line item for each Specification Section.
  - 1. Identification: Include the following Project identification on the schedule of values:
    - a. Project name and location.
    - b. Name of Architect.
    - c. Architect's project number.
    - d. Contractor's name and address.
    - e. Date of submittal.
  - 2. Arrange the schedule of values in tabular form with separate columns to indicate the following for each item listed:
    - a. Related Specification Section or Division.
    - b. Description of the Work.
    - c. Name of subcontractor, manufacturer, fabricator, or supplier.
    - d. Change Orders (numbers) that affect value.
    - e. Dollar value of the following, as a percentage of the Contract Sum to nearest one-hundredth percent, adjusted to total 100 percent.
      - 1) Labor.
      - 2) Materials.
      - 3) Equipment.
  - 3. Provide a breakdown of the Contract Sum in enough detail to facilitate continued evaluation of Applications for Payment and progress reports. Coordinate with Project Manual table of contents. .
  - 4. Round amounts to nearest whole dollar; total shall equal the Contract Sum.

## **SECTION 012900 – PAYMENT PROCEDURES**

5. Provide a separate line item in the schedule of values for each part of the Work where Applications for Payment may include materials or equipment purchased or fabricated and stored, but not yet installed.
  - a. Differentiate between items stored on-site and items stored off-site. If required, include evidence of insurance.
6. Each item in the schedule of values and Applications for Payment shall be complete. Include total cost and proportionate share of general overhead and profit for each item.
  - a. Temporary facilities and other major cost items that are not direct cost of actual work-in-place may be shown either as separate line items in the schedule of values or distributed as general overhead expense, at Contractor's option.
7. Schedule Updating: Update and resubmit the schedule of values before the next Applications for Payment when Change Orders or Construction Change Directives result in a change in the Contract Sum.

### **PART 2 – PRODUCTS (Not Used)**

### **PART 3 – EXECUTION (Not Used)**

**END OF SECTION**

## SECTION 013100 - PROJECT MANAGEMENT AND COORDINATION

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

- A. Section includes administrative provisions for coordinating construction operations on Project including, but not limited to, the following:
  - 1. General coordination procedures.
  - 2. Coordination drawings.
  - 3. Requests for Information (RFIs).
  - 4. Design clarifications (DC's)
  - 5. Project meetings.
- B. Each contractor shall participate in coordination requirements. Certain areas of responsibility are assigned to a specific contractor.
- C. Related Requirements:
  - 1. Section 013200 "Construction Progress Documentation" for preparing and submitting Contractor's construction schedule.
  - 2. Section 017300 "Execution" for procedures for coordinating general installation and field-engineering services, including establishment of benchmarks and control points.
  - 3. Section 017700 "Closeout Procedures" for coordinating closeout of the Contract.

#### 1.3 DEFINITIONS

- A. RFI: Request from Owner, Architect, or Contractor seeking information required by or clarifications of the Contract Documents.
- B. DC: Document issued by Design team providing clarification of design intent or interpretation of the Contract Documents.

#### 1.4 INFORMATIONAL SUBMITTALS

- A. Subcontract List: Prepare a written summary identifying individuals or firms proposed for each portion of the Work, including those who are to furnish products or equipment fabricated to a special design. Include the following information in tabular form:
  - 1. Name, address, and telephone number of entity performing subcontract or supplying products.
  - 2. Number and title of related Specification Section(s) covered by subcontract.

## **SECTION 013100 - PROJECT MANAGEMENT AND COORDINATION**

- B. Key Personnel Names: Within 15 days of Notice To Proceed, submit a list of key personnel assignments, including superintendent and other personnel in attendance at Project site. Identify individuals and their duties and responsibilities; list addresses and telephone numbers, including office and cellular telephone numbers and e-mail addresses. Provide names, addresses, and telephone numbers of individuals assigned as alternates in the absence of individuals assigned to Project.
  - 1. Post copies of list in project meeting room, in temporary field office, and by each temporary telephone once on site work commences. Keep list current at all times.

### **1.5 GENERAL COORDINATION PROCEDURES**

- A. Coordination: Coordinate construction operations included in different Sections of the Specifications to ensure efficient and orderly installation of each part of the Work. Coordinate construction operations, included in different Sections that depend on each other for proper installation, connection, and operation.
  - 1. Schedule construction operations in sequence required to obtain the best results where installation of one part of the Work depends on installation of other components, before or after its own installation.
  - 2. Coordinate installation of different components to ensure maximum performance and accessibility for required maintenance, service, and repair.
  - 3. Make adequate provisions to accommodate items scheduled for later installation.
- B. Prepare memoranda for distribution to each party involved, outlining special procedures required for coordination. Include such items as required notices, reports, and list of attendees at meetings.
  - 1. Prepare similar memoranda for Owner and separate contractors if coordination of their Work is required.
- C. Administrative Procedures: Coordinate scheduling and timing of required administrative procedures with other construction activities to avoid conflicts and to ensure orderly progress of the Work. Such administrative activities include, but are not limited to, the following:
  - 1. Preparation of Contractor's construction schedule.
  - 2. Preparation of the schedule of values.
  - 3. Installation and removal of temporary facilities and controls.
  - 4. Delivery and processing of submittals.
  - 5. Progress meetings.
  - 6. Preinstallation conferences.
  - 7. Project closeout activities.
  - 8. Startup and adjustment of systems.
- D. Salvage materials and equipment involved in performance of, but not actually incorporated into, the Work. See other Sections for disposition of salvaged materials that are designated as Owner's property.

## **SECTION 013100 - PROJECT MANAGEMENT AND COORDINATION**

### **1.6 REQUESTS FOR INFORMATION (RFIs)**

- A. General: Immediately on discovery of the need for additional information or interpretation of the Contract Documents, Contractor shall prepare and submit an RFI in the form specified.
  - 1. Architect will return RFIs submitted to Architect by other entities controlled by Contractor with no response.
  - 2. Coordinate and submit RFIs in a prompt manner so as to avoid delays in Contractor's work or work of subcontractors.
- B. Content of the RFI: Include a detailed, legible description of item needing information or interpretation and the following:
  - 1. Project name.
  - 2. Project number.
  - 3. Date.
  - 4. Name of Contractor.
  - 5. Name of Architect.
  - 6. RFI number, numbered sequentially.
  - 7. RFI subject.
  - 8. Specification Section number and title and related paragraphs, as appropriate.
  - 9. Drawing number and detail references, as appropriate.
  - 10. Field dimensions and conditions, as appropriate.
  - 11. Contractor's suggested resolution. If Contractor's suggested resolution impacts the Contract Time or the Contract Sum, Contractor shall state impact in the RFI.
  - 12. Contractor's signature.
  - 13. Attachments: Include sketches, descriptions, measurements, photos, Product Data, Shop Drawings, coordination drawings, and other information necessary to fully describe items needing interpretation.
    - a. Include dimensions, thicknesses, structural grid references, and details of affected materials, assemblies, and attachments on attached sketches.
- C. RFI Forms: AIA Document G716 or other approved form.
  - 1. Form and Attachments shall be electronic files in Adobe Acrobat PDF format.
- D. Architect's Action: Architect will review each RFI, determine action required, and respond. Allow seven working days for Architect's response for each RFI.
  - 1. The following Contractor-generated RFIs will be returned without action:
    - a. Requests for approval of submittals.
    - b. Requests for approval of substitutions.
    - c. Requests for approval of Contractor's means and methods.
    - d. Requests for coordination information already indicated in the Contract Documents.
    - e. Requests for adjustments in the Contract Time or the Contract Sum.
    - f. Requests for interpretation of Architect's actions on submittals.
    - g. Incomplete RFIs or inaccurately prepared RFIs.

## **SECTION 013100 - PROJECT MANAGEMENT AND COORDINATION**

2. Architect's action may include a request for additional information, in which case Architect's time for response will date from time of receipt of additional information.
  3. Architect's action on RFIs that may result in a change to the Contract Time or the Contract Sum may be eligible for Contractor to submit Change Proposal according to Section 012600 "Contract Modification Procedures."
    - a. If Contractor believes the RFI response warrants change in the Contract Time or the Contract Sum, notify Architect in writing within 5 days of receipt of the RFI response.
- E. RFI Log: Prepare, maintain, and submit a tabular log of RFIs organized by the RFI number. Submit log weekly. Include the following:
1. Project name.
  2. RFI number including RFIs that were returned without action or withdrawn.
  3. RFI description.
  4. Date the RFI was submitted.
  5. Date Architect's response was received.
- F. On receipt of Architect's action, update the RFI log and immediately distribute the RFI response to affected parties. Review response and notify Architect within 5 days if Contractor disagrees with response.
- 1.7 DESIGN CLARIFICATIONS (DCs)
- A. On receipt of Design Clarification immediately distribute the DC to affected parties.
1. Architect's action on DCs that may result in a change to the Contract Time or the Contract Sum may be eligible for Contractor to submit Change Proposal according to Section 012600 "Contract Modification Procedures."
    - a. If Contractor believes the DC warrants change in the Contract Time or the Contract Sum, notify Architect in writing within 7 days of receipt of the DC.
- 1.8 PROJECT MEETINGS
- A. General: Owner's representative to schedule and conduct meetings and conferences at Project site unless otherwise indicated.
1. Attendees: Inform participants and others involved, and individuals whose presence is required, of date and time of each meeting.
  2. Agenda: Owner's representative to prepare the meeting agenda. Distribute the agenda to all invited attendees.
  3. Minutes: Owner's representative will conduct meeting and record significant discussions and agreements achieved. Representative will distribute the meeting minutes to everyone concerned, including Owner and Engineer, within three days of the meeting.

## **SECTION 013100 - PROJECT MANAGEMENT AND COORDINATION**

- B. Preconstruction Conference: Owner's Representative will schedule and conduct a preconstruction conference before starting construction, at a time convenient to Owner and Architect, but no later than 15 days after execution of the Agreement.
1. Conduct the conference to review responsibilities and personnel assignments.
  2. Attendees: Authorized representatives of Owner Architect, and their consultants; Contractor and its superintendent; major subcontractors; suppliers; and other concerned parties shall attend the conference. Participants at the conference shall be familiar with Project and authorized to conclude matters relating to the Work.
  3. Agenda: Discuss items of significance that could affect progress, including the following:
    - a. Tentative construction schedule.
    - b. Critical work sequencing and long-lead items.
    - c. Designation of key personnel and their duties.
    - d. Lines of communications.
    - e. Procedures for processing field decisions and Change Orders.
    - f. Procedures for RFIs & DC's.
    - g. Procedures for testing and inspecting.
    - h. Procedures for processing Applications for Payment.
    - i. Distribution of the Contract Documents.
    - j. Submittal procedures.
    - k. Use of the premises and existing building.
    - l. Work restrictions.
    - m. Working hours.
    - n. Owner's occupancy requirements.
    - o. Responsibility for temporary facilities and controls.
    - p. Procedures for disruptions and shutdowns.
    - q. Construction waste management and recycling.
    - r. Parking availability.
    - s. Office, work, and storage areas.
    - t. Equipment deliveries and priorities.
    - u. First aid.
    - v. Security.
    - w. Progress cleaning.
  4. Minutes: Entity responsible for conducting meeting will record and distribute meeting minutes.
- C. Pre-installation Conferences: Conduct a pre-installation conference at Project site before each construction activity that requires coordination with other construction.
1. Attendees: Installer and representatives of manufacturers and fabricators involved in or affected by the installation and its coordination or integration with other materials and installations that have preceded or will follow, shall attend the meeting. Advise Owner's Representative, Architect, and Owner's Commissioning Authority of scheduled meeting dates.
  2. Agenda: Review progress of other construction activities and preparations for the particular activity under consideration, including requirements for the following:
    - a. Contract Documents.

## SECTION 013100 - PROJECT MANAGEMENT AND COORDINATION

- b. Options.
  - c. Related RFIs & DC's.
  - d. Related Change Orders.
  - e. Submittals.
  - f. Possible conflicts.
  - g. Compatibility requirements.
  - h. Manufacturer's written instructions.
  - i. Warranty requirements.
  - j. Compatibility of materials.
  - k. Acceptability of substrates.
  - l. Temporary facilities and controls.
  - m. Space and access limitations.
  - n. Regulations of authorities having jurisdiction.
  - o. Installation procedures.
  - p. Coordination with other work.
  - q. Protection of adjacent work.
- 3. Record significant conference discussions, agreements, and disagreements, including required corrective measures and actions.
  - 4. Do not proceed with installation if the conference cannot be successfully concluded. Initiate whatever actions are necessary to resolve impediments to performance of the Work and reconvene the conference at earliest feasible date.
- D. Progress Meetings: Owner's representative to conduct progress meetings at weekly intervals.
- 1. Attendees: In addition to representatives of Owner and Architect, each contractor, subcontractor, supplier, and other entity concerned with current progress or involved in planning, coordination, or performance of future activities shall be represented at these meetings. All participants at the meeting shall be familiar with Project and authorized to conclude matters relating to the Work.
  - 2. Agenda: Review and correct or approve minutes of previous progress meeting. Review other items of significance that could affect progress. Include topics for discussion as appropriate to status of Project.
    - a. Contractor's Construction Schedule: Review progress since the last meeting. Determine whether each activity is on time, ahead of schedule, or behind schedule, in relation to Contractor's construction schedule. Determine how construction behind schedule will be expedited; secure commitments from parties involved to do so. Discuss whether schedule revisions are required to ensure that current and subsequent activities will be completed within the Contract Time.
      - 1) Review schedule for next period.
    - b. Review present and future needs of each entity present, including the following:
      - 1) Sequence of operations.
      - 2) Status of submittals.
      - 3) Status of correction of deficient items.
      - 4) Field observations.
      - 5) Status of RFIs & DC's.
      - 6) Status of proposal requests.

## **SECTION 013100 - PROJECT MANAGEMENT AND COORDINATION**

- 7) Pending changes.
  - 8) Status of Change Orders.
  - 9) Pending claims and disputes.
  - 10) Documentation of information for payment requests.
3. Minutes: Entity responsible for conducting the meeting will record and distribute the meeting minutes to each party present and to parties requiring information.
  - a. Schedule Updating: Contractor shall revise construction schedule after each progress meeting where revisions to the schedule have been made or recognized. Issue revised schedule prior to next meeting.

### **PART 2 - PRODUCTS (Not Used)**

### **PART 3 - EXECUTION (Not Used)**

**END OF SECTION**

## **SECTION 013200 - CONSTRUCTION PROGRESS DOCUMENTATION**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes administrative and procedural requirements for documenting the progress of construction during performance of the Work, including the following:
  - 1. Contractor's construction schedule.
  - 2. Construction schedule updating reports.
  - 3. Daily construction reports.
  - 4. Site condition reports.
  - 5. Special reports.
- B. Related Requirements:
  - 1. Section 013300 "Submittal Procedures" for submitting schedules and reports.
  - 2. Section 014000 "Quality Requirements" for submitting a schedule of tests and inspections.

#### **1.3 DEFINITIONS**

- A. Activity: A discrete part of a project that can be identified for planning, scheduling, monitoring, and controlling the construction project. Activities included in a construction schedule consume time and resources.
  - 1. Critical Activity: An activity on the critical path that must start and finish on the planned early start and finish times.
  - 2. Predecessor Activity: An activity that precedes another activity in the network.
  - 3. Successor Activity: An activity that follows another activity in the network.
- B. CPM: Critical path method, which is a method of planning and scheduling a construction project where activities are arranged based on activity relationships. Network calculations determine when activities can be performed and the critical path of Project.
- C. Critical Path: The longest connected chain of interdependent activities through the network schedule that establishes the minimum overall Project duration and contains no float.
- D. Event: The starting or ending point of an activity.
- E. Float: The measure of leeway in starting and completing an activity.

## **SECTION 013200 - CONSTRUCTION PROGRESS DOCUMENTATION**

1. Float time is not for the exclusive use or benefit of either Owner or Contractor, but is a jointly owned, expiring Project resource available to both parties as needed to meet schedule milestones and Contract completion date.
2. Free float is the amount of time an activity can be delayed without adversely affecting the early start of the successor activity.
3. Total float is the measure of leeway in starting or completing an activity without adversely affecting the planned Project completion date.

### **1.4 INFORMATIONAL SUBMITTALS**

- A. Format for Submittals: Submit required submittals in the following format:
  1. Working electronic copy of schedule file, where indicated.
  2. PDF electronic file.
- B. Contractor's Construction Schedule: Initial schedule, of size required to display entire schedule for entire construction period.
- C. Construction Schedule Updating Reports: Submit with Applications for Payment.
- D. Daily Construction Reports: Submit at daily or weekly intervals.
- E. Site Condition Reports: Submit at time of discovery of differing conditions.
- F. Special Reports: Submit at time of unusual event.

## **PART 2 - PRODUCTS**

### **2.1 CONTRACTOR'S CONSTRUCTION SCHEDULE, GENERAL**

- A. Time Frame: Extend schedule from date established for the Notice to Proceed to date of Substantial Completion and Final completion of project.
  1. Contract completion date shall not be changed by submission of a schedule that shows an early completion date, unless specifically authorized by Change Order.
- B. Activities: At a minimum, provide a separate numbered activity for each specification section and main element of the Work. Comply with the following:
  1. Activity Duration: Define activities so no activity is longer than 10 days, unless specifically allowed by Architect.
  2. Activity Grouping: Group activities by separate project areas to provide a standalone schedule for each project area. Coordinate activities between project areas.
  3. Procurement Activities: Include procurement process activities for the following long lead items and major items requiring a cycle of more than 60 days, as separate activities in schedule. Procurement cycle activities include, but are not limited to, submittals, approvals, purchasing, fabrication, and delivery.

## **SECTION 013200 - CONSTRUCTION PROGRESS DOCUMENTATION**

4. Substantial Completion: Indicate completion in advance of date established for Substantial Completion, and allow time for Architect's administrative procedures necessary for certification of Substantial Completion.
  5. Punch List and Final Completion: Include not more than 10 days for completion of punch list items and final completion.
- C. Constraints: Include constraints and work restrictions indicated in the Contract Documents and as follows in schedule, and show how the sequence of the Work is affected.
1. Construction Areas: Identify each major area of construction for each major portion of the Work. Indicate where each construction activity within a major area must be sequenced or integrated with other construction activities to provide for the following:
- D. Milestones: Include milestones indicated in the Contract Documents in schedule, including, but not limited to, the Notice to Proceed, Substantial Completion, and final completion for each project area and dates of building occupancy.
- E. Recovery Schedule: When periodic update indicates the Work is 7 or more calendar days behind the current approved schedule, submit a separate recovery schedule indicating means by which Contractor intends to regain compliance with the schedule. Indicate changes to working hours, working days, crew sizes, and equipment required to achieve compliance, and date by which recovery will be accomplished.
- F. Computer Scheduling Software: Prepare schedules using current version of a program that has been developed specifically to manage construction schedules.

### **2.2 CONTRACTOR'S CONSTRUCTION SCHEDULE (CPM SCHEDULE)**

- A. CPM Schedule: Prepare and submit Contractor's construction schedule no later than 28 days after date established for the Notice to Proceed.
1. Activities: Indicate the estimated time duration, sequence requirements, and relationship of each activity in relation to other activities.
  2. Critical Path Activities: Identify critical path activities; scheduled start and completion dates shall be consistent with Contract milestone dates.
- B. Contract Modifications: For each proposed contract modification and concurrent with its submission, prepare a time-impact analysis using a network fragment to demonstrate the effect of the proposed change on the overall project schedule.

### **2.3 REPORTS**

- A. Daily Construction Reports: Prepare a daily construction report recording the following information concerning events at Project site:
1. List of subcontractors at Project site.
  2. List of separate contractors at Project site.
  3. Approximate count of personnel at Project site.
  4. Equipment at Project site.

## **SECTION 013200 - CONSTRUCTION PROGRESS DOCUMENTATION**

5. Material deliveries.
  6. High and low temperatures and general weather conditions, including presence of rain or snow.
  7. Accidents.
  8. Stoppages, delays, shortages, and losses.
  9. Emergency procedures.
  10. Orders and requests of authorities having jurisdiction.
  11. Services connected and disconnected.
  12. Equipment or system tests and startups.
- B. Site Condition Reports: Immediately on discovery of a difference between site conditions and the Contract Documents, prepare and submit a detailed report. Submit with a Request for Information. Include a detailed description of the differing conditions, together with recommendations for changing the Contract Documents.

### **2.4 SPECIAL REPORTS**

- A. General: Submit special reports directly to Owner within one day of an occurrence. Distribute copies of report to parties affected by the occurrence.
- B. Reporting Unusual Events: When an event of an unusual and significant nature occurs at Project site, whether or not related directly to the Work, prepare and submit a special report.

## **PART 3 - EXECUTION**

### **3.1 CONTRACTOR'S CONSTRUCTION SCHEDULE**

- A. Contractor's Construction Schedule Updating: At weekly intervals, update schedule to reflect actual construction progress and activities. Issue schedule two days before each regularly scheduled weekly progress meeting.
- B. Distribution: Distribute copies of approved schedule to Architect, Owner, separate contractors, testing and inspecting agencies, and other parties identified by Contractor with a need-to-know schedule responsibility.

**END OF SECTION**

## **SECTION 013300 - SUBMITTAL PROCEDURES**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes requirements for the submittal schedule and administrative and procedural requirements for submitting Shop Drawings, Product Data, Samples, and other submittals.
- B. Related Requirements:
  - 1. Section 013200 "Construction Progress Documentation" for submitting schedules and reports, including Contractor's construction schedule.
  - 2. Section 017823 "Operation and Maintenance Data" for submitting operation and maintenance manuals.
  - 3. Section 017839 "Project Record Documents" for submitting record Drawings, record Specifications, and record Product Data.

#### **1.3 DEFINITIONS**

- A. Action Submittals: Written and graphic information and physical samples that require Architect's responsive action. Action submittals are those submittals indicated in individual Specification Sections as "action submittals."
- B. Informational Submittals: Written and graphic information and physical samples that do not require Architect's responsive action. Submittals may be rejected for not complying with requirements. Informational submittals are those submittals indicated in individual Specification Sections as "informational submittals."
- C. File Transfer Protocol (FTP): Communications protocol that enables transfer of files to and from another computer over a network and that serves as the basis for standard Internet protocols. An FTP site is a portion of a network located outside of network firewalls within which internal and external users are able to access files.
- D. Portable Document Format (PDF): An open standard file format licensed by Adobe Systems used for representing documents in a device-independent and display resolution-independent fixed-layout document format.

#### **1.4 SUBMITTAL ADMINISTRATIVE REQUIREMENTS**

- A. Architect's Digital Data Files: Electronic digital data files of the Contract Drawings will be provided by Owner for Contractor's use in preparing submittals.

## SECTION 013300 - SUBMITTAL PROCEDURES

1. Owner will furnish Contractor one set of digital data drawing files of the Contract Drawings for use in preparing Shop Drawings.
  - a. Architect makes no representations as to the accuracy or completeness of digital data drawing files as they relate to the Contract Drawings.
- B. Coordination: Coordinate preparation and processing of submittals with performance of construction activities. Architect reserves the right to withhold action on a submittal requiring coordination with other submittals until related submittals are received.
- C. Processing Time: Allow time for submittal review, including time for resubmittals, as follows: 15 days for each review. Time for review shall commence on Architect's receipt of submittal. No extension of the Contract Time will be authorized because of failure to transmit submittals enough in advance of the Work to permit processing, including resubmittals.
- D. Paper Submittals: Place a permanent label or title block on each submittal item for identification.
  1. Indicate name of firm or entity that prepared each submittal on label or title block.
  2. Provide a space approximately 6 by 8 inches (150 by 200 mm) on label or beside title block to record Contractor's review and approval markings and action taken by Architect.
  3. Include the following information for processing and recording action taken:
    - a. Project name.
    - b. Date.
    - c. Name of Contractor.
    - d. Name of subcontractor.
    - e. Name of supplier.
    - f. Name of manufacturer.
    - g. Submittal number or other unique identifier, including revision identifier.
      - 1) Submittal number shall use project number followed by Specification Section number followed by a decimal point and then a sequential number (e.g., 061000.01). Resubmittals shall include an alphabetic suffix after another decimal point (e.g., 061000.01.A).
    - h. Number and title of appropriate Specification Section.
    - i. Drawing number and detail references, as appropriate.
    - j. Location(s) where product is to be installed, as appropriate.
    - k. Other necessary identification.
  4. Additional Paper Copies: Unless additional copies are required for final submittal, and unless Architect observes noncompliance with provisions in the Contract Documents, initial submittal may serve as final submittal.
  5. Transmittal for Paper Submittals: Assemble each submittal individually and appropriately for transmittal and handling. Transmit each submittal using a transmittal form. Architect will discard submittals received from sources other than Contractor.
    - a. Transmittal Form for Paper Submittals: Use AIA Document G810 or a similar document.

## **SECTION 013300 - SUBMITTAL PROCEDURES**

- E. Electronic Submittals: Identify and incorporate information in each electronic submittal file as follows:
1. Provide a single Adobe Acrobat .PDF file for each specification section. Provide a transmittal form as first page of the submittal file. Provide bookmarks enabling navigation within the file to each submittal item. Incomplete submittals will be rejected.
  2. File name shall use Specification Section Number and Title. Resubmittals shall identify version of submittal by application of suffix "v" and the number of the resubmittal.
  3. Provide means for insertion to permanently record Contractor's review and approval markings and action taken by Architect.
  4. Transmittal Form for Electronic Submittals: Use electronic form acceptable to Owner, containing the following information:
    - a. Project name.
    - b. Date.
    - c. Name of Contractor.
    - d. Name of firm or entity that prepared submittal.
    - e. Names of subcontractor, manufacturer, and supplier.
    - f. Category and type of submittal.
    - g. Submittal purpose and description.
- F. Options: Identify options requiring selection by Architect.
- G. Deviations and Additional Information: On an attached separate sheet, prepared on Contractor's letterhead, record relevant information, requests for data, revisions other than those requested by Architect on previous submittals, and deviations from requirements in the Contract Documents, including minor variations and limitations. Include same identification information as related submittal.
- H. Resubmittals: Make resubmittals in same form and number of copies as initial submittal.
1. Note date and content of previous submittal.
  2. Note date and content of revision in label or title block and clearly indicate extent of revision.
  3. Resubmit submittals until they are marked with approval notation from Architect's action stamp.
  4. Resubmittals shall be complete and partial resubmittals of corrected or additional information will not be accepted. Resubmittals shall contain all submittal information required for the specification section.
- I. Distribution: Furnish copies of final submittals to manufacturers, subcontractors, suppliers, fabricators, installers, authorities having jurisdiction, and others as necessary for performance of construction activities. Show distribution on transmittal forms.
- J. Use for Construction: Retain complete copies of submittals on Project site. Use only final action submittals that are marked with approval notation from Architect's action stamp.

## **SECTION 013300 - SUBMITTAL PROCEDURES**

### **PART 2 - PRODUCTS**

#### **2.1 SUBMITTAL PROCEDURES**

- A. General Submittal Procedure Requirements: Prepare and submit submittals required by individual Specification Sections. Types of submittals are indicated in individual Specification Sections or Drawings.
  - 1. Post electronic submittals as PDF electronic files directly to designated site with automatic email notification to Architect or Submit electronic submittals via email as PDF electronic files.
    - a. Architect will return annotated file. Annotate and retain one copy of file as an electronic Project record document file.
  - 2. Action Submittals: Submit five paper copies of each submittal unless otherwise indicated. Architect will return two copies.
  - 3. Informational Submittals: Submit two paper copies of each submittal unless otherwise indicated. Architect will not return copies.
  - 4. Certificates and Certifications Submittals: Provide a statement that includes signature of entity responsible for preparing certification. Certificates and certifications shall be signed by an officer or other individual authorized to sign documents on behalf of that entity.
    - a. Provide a notarized statement on original paper copy certificates and certifications where indicated.
- B. Product Data: Provide product data for all specified products.
- C. Shop Drawings: Prepare Project-specific information, drawn accurately to scale for all custom fabrication work. Do not base Shop Drawings on reproductions of the Contract Documents or standard printed data.
  - 1. Preparation: Fully illustrate requirements in the Contract Documents. Include the following information, as applicable:
    - a. Identification of products.
    - b. Schedules.
    - c. Compliance with specified standards.
    - d. Notation of coordination requirements.
    - e. Notation of dimensions established by field measurement.
    - f. Relationship and attachment to adjoining construction clearly indicated.
    - g. Seal and signature of professional engineer if specified.
- D. Samples: Submit Samples for review of kind, color, pattern, and texture for a check of these characteristics with other elements and for a comparison of these characteristics between submittal and actual component as delivered and installed.
  - 1. Samples for Initial Selection: Submit manufacturer's color charts consisting of units or sections of units showing the full range of colors, textures, and patterns available.

## **SECTION 013300 - SUBMITTAL PROCEDURES**

- a. Number of Samples: Submit one full set of available choices where color, pattern, texture, or similar characteristics are required to be selected from manufacturer's product line. Architect will return submittal with options selected.
- 2. Samples for Verification: Submit full-size units or Samples of size indicated, prepared from same material to be used for the Work, cured and finished in manner specified, and physically identical with material or product proposed for use, and that show full range of color and texture variations expected.
  - a. Number of Samples: Submit three sets of Samples. Architect will retain one Sample sets; remainder will be returned. Mark up and retain one returned Sample set as a project record sample.
- E. Coordination Drawing Submittals: Comply with requirements specified in Section 013100 "Project Management and Coordination."
- F. Contractor's Construction Schedule: Comply with requirements specified in Section 013200 "Construction Progress Documentation."
- G. Test and Inspection Reports and Schedule of Tests and Inspections Submittals: Comply with requirements specified in Section 014000 "Quality Requirements."
- H. Closeout Submittals and Maintenance Material Submittals: Comply with requirements specified in Section 017700 "Closeout Procedures."
- I. Maintenance Data: Comply with requirements specified in Section 017823 "Operation and Maintenance Data."
- J. Qualification Data: Prepare written information that demonstrates capabilities and experience of firm or person. Include lists of completed projects with project names and addresses, contact information of architects and owners, and other information specified.
- K. Welding Certificates: Prepare written certification that welding procedures and personnel comply with requirements in the Contract Documents. Submit record of Welding Procedure Specification and Procedure Qualification Record on AWS forms. Include names of firms and personnel certified.
- L. Installer Certificates: Submit written statements on manufacturer's letterhead certifying that Installer complies with requirements in the Contract Documents and, where required, is authorized by manufacturer for this specific Project.
- M. Manufacturer Certificates: Submit written statements on manufacturer's letterhead certifying that manufacturer complies with requirements in the Contract Documents. Include evidence of manufacturing experience where required.
- N. Product Certificates: Submit written statements on manufacturer's letterhead certifying that product complies with requirements in the Contract Documents.
- O. Material Certificates: Submit written statements on manufacturer's letterhead certifying that material complies with requirements in the Contract Documents.

## **SECTION 013300 - SUBMITTAL PROCEDURES**

- P. Material Test Reports: Submit reports written by a qualified testing agency, on testing agency's standard form, indicating and interpreting test results of material for compliance with requirements in the Contract Documents.
- Q. Product Test Reports: Submit written reports indicating that current product produced by manufacturer complies with requirements in the Contract Documents. Base reports on evaluation of tests performed by manufacturer and witnessed by a qualified testing agency, or on comprehensive tests performed by a qualified testing agency.
- R. Research Reports: Submit written evidence, from a model code organization acceptable to authorities having jurisdiction, that product complies with building code in effect for Project.
- S. Preconstruction Test Reports: Submit reports written by a qualified testing agency, on testing agency's standard form, indicating and interpreting results of tests performed before installation of product, for compliance with performance requirements in the Contract Documents.
- T. Compatibility Test Reports: Submit reports written by a qualified testing agency, on testing agency's standard form, indicating and interpreting results of compatibility tests performed before installation of product. Include written recommendations for primers and substrate preparation needed for adhesion.
- U. Field Test Reports: Submit written reports indicating and interpreting results of field tests performed either during installation of product or after product is installed in its final location, for compliance with requirements in the Contract Documents.
- V. Design Data: Prepare and submit written and graphic information, including, but not limited to, performance and design criteria, list of applicable codes and regulations, and calculations. Include list of assumptions and other performance and design criteria and a summary of loads. Include load diagrams if applicable. Provide name and version of software, if any, used for calculations. Include page numbers.

### **2.2 DELEGATED-DESIGN SERVICES**

- A. Performance and Design Criteria: Where professional design services or certifications by a design professional are specifically required of Contractor by the Contract Documents, provide products and systems complying with specific performance and design criteria indicated.
  - 1. If criteria indicated are not sufficient to perform services or certification required, submit a written request for additional information to Architect.
- B. Delegated-Design Services Certification: In addition to Shop Drawings, Product Data, and other required submittals, submit digitally signed PDF electronic file copies of certificate, signed and sealed by the responsible design professional, for each product and system specifically assigned to Contractor to be designed or certified by a design professional.
  - 1. Indicate that products and systems comply with performance and design criteria in the Contract Documents. Include list of codes, loads, and other factors used in performing these services.

## **SECTION 013300 - SUBMITTAL PROCEDURES**

### **PART 3 - EXECUTION**

#### **3.1 GENERAL**

- A. The contractor is responsible to assure submittals are correct and complete prior to submission for review. A maximum of two reviews by the design team is expected to be adequate to obtain approval. At the owner's discretion, costs for additional submittal review (in excess of two reviews) may be charged to the contractor. Charges will be withheld from contractor payments.

#### **3.2 CONTRACTOR'S REVIEW**

- A. Action and Informational Submittals: Review each submittal and check for coordination with other Work of the Contract and for compliance with the Contract Documents. Note corrections and field dimensions. Mark with approval stamp before submitting to Architect.
- B. Project Closeout and Maintenance Material Submittals: See requirements in Section 017700 "Closeout Procedures."
- C. Approval Stamp: Stamp each submittal with a uniform, approval stamp. Include Project name and location, submittal number, Specification Section title and number, name of reviewer, date of Contractor's approval, and statement certifying that submittal has been reviewed, checked, and approved for compliance with the Contract Documents.

#### **3.3 ARCHITECT'S ACTION**

- A. Action Submittals: Architect will review each submittal, make marks to indicate corrections or revisions required, and return it. Architect will stamp each submittal with an action stamp and will mark stamp appropriately to indicate action.
- B. Informational Submittals: Architect will review each submittal and will not return it, or will return it if it does not comply with requirements. Architect will forward each submittal to appropriate party.
- C. Partial submittals prepared for a portion of the Work will only be reviewed when use of partial submittals has received prior approval from Architect.
- D. Incomplete submittals are unacceptable, will be considered nonresponsive, and will be returned for resubmittal without review.
- E. Submittals not required by the Contract Documents may be returned by the Architect without action.

**END OF SECTION**

## **SECTION 014000 - QUALITY REQUIREMENTS**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes administrative and procedural requirements for quality assurance and quality control.
- B. Testing and inspecting services are required to verify compliance with requirements specified or indicated. These services do not relieve Contractor of responsibility for compliance with the Contract Document requirements.
  - 1. Specific quality-assurance and -control requirements for individual construction activities are specified in the Sections that specify those activities. Requirements in those Sections may also cover production of standard products.
  - 2. Specified tests, inspections, and related actions do not limit Contractor's other quality-assurance and -control procedures that facilitate compliance with the Contract Document requirements.
  - 3. Requirements for Contractor to provide quality-assurance and -control services required by Architect, Owner, Commissioning Authority, or authorities having jurisdiction are not limited by provisions of this Section.
  - 4. Specific test and inspection requirements are not specified in this Section.

#### **1.3 DEFINITIONS**

- A. Quality-Assurance Services: Activities, actions, and procedures performed before and during execution of the Work to guard against defects and deficiencies and substantiate that proposed construction will comply with requirements.
- B. Quality-Control Services: Tests, inspections, procedures, and related actions during and after execution of the Work to evaluate that actual products incorporated into the Work and completed construction comply with requirements. Services do not include contract enforcement activities performed by Architect or Owner's Representative.
- C. Preconstruction Testing: Tests and inspections performed specifically for Project before products and materials are incorporated into the Work, to verify performance or compliance with specified criteria.
- D. Product Testing: Tests and inspections that are performed by an NRTL, an NVLAP, or a testing agency qualified to conduct product testing and acceptable to authorities having jurisdiction, to establish product performance and compliance with specified requirements.

## **SECTION 014000 - QUALITY REQUIREMENTS**

- E. Source Quality-Control Testing: Tests and inspections that are performed at the source, e.g., plant, mill, factory, or shop.
- F. Field Quality-Control Testing: Tests and inspections that are performed on-site for installation of the Work and for completed Work.
- G. Testing Agency: An entity engaged to perform specific tests, inspections, or both. Testing laboratory shall mean the same as testing agency.
- H. Installer/Applicator/Erector: Contractor or another entity engaged by Contractor as an employee, Subcontractor, or Sub-subcontractor, to perform a particular construction operation, including installation, erection, application, and similar operations.
  - 1. Use of trade-specific terminology in referring to a trade or entity does not require that certain construction activities be performed by accredited or unionized individuals, or that requirements specified apply exclusively to specific trade(s).
- I. Experienced: When used with an entity or individual, "experienced" means having successfully completed a minimum of five previous projects similar in nature, size, and extent to this Project; being familiar with special requirements indicated; and having complied with requirements of authorities having jurisdiction.

### **1.4 CONFLICTING REQUIREMENTS**

- A. Referenced Standards: If compliance with two or more standards is specified and the standards establish different or conflicting requirements for minimum quantities or quality levels, comply with the most stringent requirement. Refer conflicting requirements that are different, but apparently equal, to Architect for a decision before proceeding.
- B. Minimum Quantity or Quality Levels: The quantity or quality level shown or specified shall be the minimum provided or performed. The actual installation may comply exactly with the minimum quantity or quality specified, or it may exceed the minimum within reasonable limits. To comply with these requirements, indicated numeric values are minimum or maximum, as appropriate, for the context of requirements. Refer uncertainties to Architect for a decision before proceeding.

### **1.5 REPORTS AND DOCUMENTS**

- A. Test and Inspection Reports: Prepare and submit certified written reports specified in other Sections. Include the following:
  - 1. Date of issue.
  - 2. Project title and number.
  - 3. Name, address, and telephone number of testing agency.
  - 4. Dates and locations of samples and tests or inspections.
  - 5. Names of individuals making tests and inspections.
  - 6. Description of the Work and test and inspection method.
  - 7. Identification of product and Specification Section.
  - 8. Complete test or inspection data.

## SECTION 014000 - QUALITY REQUIREMENTS

9. Test and inspection results and an interpretation of test results.
10. Record of temperature and weather conditions at time of sample taking and testing and inspecting.
11. Comments or professional opinion on whether tested or inspected Work complies with the Contract Document requirements.
12. Name and signature of laboratory inspector.
13. Recommendations on retesting and reinspecting.

- B. Permits, Licenses, and Certificates: For Owner's records, submit copies of permits, licenses, certifications, inspection reports, releases, jurisdictional settlements, notices, receipts for fee payments, judgments, correspondence, records, and similar documents, established for compliance with standards and regulations bearing on performance of the Work.

### 1.6 QUALITY ASSURANCE

- A. General: Qualifications paragraphs in this article establish the minimum qualification levels required; individual Specification Sections specify additional requirements.
- B. Manufacturer Qualifications: A firm experienced in manufacturing products or systems similar to those indicated for this Project and with a record of successful in-service performance, as well as sufficient production capacity to produce required units.
- C. Fabricator Qualifications: A firm experienced in producing products similar to those indicated for this Project and with a record of successful in-service performance, as well as sufficient production capacity to produce required units.
- D. Installer Qualifications: A firm or individual experienced in installing, erecting, or assembling work similar in material, design, and extent to that indicated for this Project, whose work has resulted in construction with a record of successful in-service performance.
- E. Specialists: Certain Specification Sections require that specific construction activities shall be performed by entities who are recognized experts in those operations. Specialists shall satisfy qualification requirements indicated and shall be engaged for the activities indicated.
1. Requirements of authorities having jurisdiction shall supersede requirements for specialists.
- F. Manufacturer's Technical Representative Qualifications: An authorized representative of manufacturer who is trained and approved by manufacturer to observe and inspect installation of manufacturer's products that are similar in material, design, and extent to those indicated for this Project.
- G. Factory-Authorized Service Representative Qualifications: An authorized representative of manufacturer who is trained and approved by manufacturer to inspect installation of manufacturer's products that are similar in material, design, and extent to those indicated for this Project.
- H. Preconstruction Testing: Where testing agency is indicated to perform preconstruction testing for compliance with specified requirements for performance and test methods, comply with the following:

## SECTION 014000 - QUALITY REQUIREMENTS

1. Contractor responsibilities include the following:
  - a. Provide test specimens representative of proposed products and construction.
  - b. Submit specimens in a timely manner with sufficient time for testing and analyzing results to prevent delaying the Work.
  - c. Provide sizes and configurations of test assemblies, mockups, and laboratory mockups to adequately demonstrate capability of products to comply with performance requirements.
  - d. Build laboratory mockups at testing facility using personnel, products, and methods of construction indicated for the completed Work.
  - e. When testing is complete, remove test specimens, assemblies, and mockups; do not reuse products on Project.
2. Testing Agency Responsibilities: Submit a certified written report of each test, inspection, and similar quality-assurance service to Architect and Commissioning Authority, through Owner's Representative, with copy to Contractor. Interpret tests and inspections and state in each report whether tested and inspected work complies with or deviates from the Contract Documents.

### 1.7 QUALITY CONTROL

- A. Owner Responsibilities: Where quality-control services are indicated as Owner's responsibility, Owner will engage a qualified testing agency to perform these services.
  1. Owner will furnish Contractor with names, addresses, and telephone numbers of testing agencies engaged and a description of types of testing and inspecting they are engaged to perform.
  2. Costs for retesting and reinspecting construction that replaces or is necessitated by work that failed to comply with the Contract Documents will be charged to Contractor, and the Contract Sum will be adjusted by Change Order.
- B. Contractor Responsibilities: Tests and inspections not explicitly assigned to Owner are Contractor's responsibility. Perform additional quality-control activities required to verify that the Work complies with requirements, whether specified or not.
  1. Unless otherwise indicated, provide quality-control services specified and those required by authorities having jurisdiction. Perform quality-control services required of Contractor by authorities having jurisdiction, whether specified or not.
  2. Where services are indicated as Contractor's responsibility, engage a qualified testing agency to perform these quality-control services.
  3. Notify testing agencies at least 24 hours in advance of time when Work that requires testing or inspecting will be performed.
  4. Where quality-control services are indicated as Contractor's responsibility, submit a certified written report, in duplicate, of each quality-control service.
  5. Testing and inspecting requested by Contractor and not required by the Contract Documents are Contractor's responsibility.
  6. Submit additional copies of each written report directly to authorities having jurisdiction, when they so direct.

## **SECTION 014000 - QUALITY REQUIREMENTS**

- C. Retesting/Reinspecting: Regardless of whether original tests or inspections were Contractor's responsibility, provide quality-control services, including retesting and reinspecting, for construction that replaced Work that failed to comply with the Contract Documents.
- D. Schedule of Tests and Inspections: Prepare a schedule of tests, inspections, and similar quality-control services required by the Contract Documents. Coordinate and submit concurrently with Contractor's construction schedule. Update as the Work progresses.
  - 1. Distribution: Distribute schedule to Owner, Architect, Commissioning Authority, testing agencies, and each party involved in performance of portions of the Work where tests and inspections are required.

### **1.8 SPECIAL TESTS AND INSPECTIONS**

- A. Special Tests and Inspections: Unless otherwise noted, the Owner will engage a qualified special inspector to conduct special tests and inspections required by authorities having jurisdiction as follows:
  - 1. Notifying Architect and Contractor through Owner's Representative promptly of irregularities and deficiencies observed in the Work during performance of its services.
  - 2. Submitting a certified written report of each test, inspection, and similar quality-control service to Architect through Owner's Representative with copy to Contractor and to authorities having jurisdiction.
  - 3. Submitting a final report of special tests and inspections at Substantial Completion, which includes a list of unresolved deficiencies.
  - 4. Interpreting tests and inspections and stating in each report whether tested and inspected work complies with or deviates from the Contract Documents.
  - 5. Retesting and reinspecting corrected work.

## **PART 2 - PRODUCTS (Not Used)**

## **PART 3 - EXECUTION**

### **3.1 TEST AND INSPECTION LOG**

- A. Test and Inspection Log: Prepare a record of tests and inspections. Include the following:
  - 1. Date test or inspection was conducted.
  - 2. Description of the Work tested or inspected.
  - 3. Date test or inspection results were transmitted to Architect.
  - 4. Identification of testing agency or special inspector conducting test or inspection.
- B. Maintain log at Project site. Post changes and revisions as they occur. Provide access to test and inspection log for Architect's reference during normal working hours.

## **SECTION 014000 - QUALITY REQUIREMENTS**

### **3.2 REPAIR AND PROTECTION**

- A. General: On completion of testing, inspecting, sample taking, and similar services, repair damaged construction and restore substrates and finishes.
  - 1. Provide materials and comply with installation requirements specified in other Specification Sections or matching existing substrates and finishes. Restore patched areas and extend restoration into adjoining areas with durable seams that are as invisible as possible. Comply with the Contract Document requirements for cutting and patching in Section 017300 "Execution."
- B. Protect construction exposed by or for quality-control service activities.
- C. Repair and protection are Contractor's responsibility, regardless of the assignment of responsibility for quality-control services.

**END OF SECTION**

## SECTION 014200 - REFERENCES

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### 1.2 DEFINITIONS

- A. General: Basic Contract definitions are included in the Conditions of the Contract.
- B. "Approved": When used to convey Architect's action on Contractor's submittals, applications, and requests, "approved" is limited to Architect's duties and responsibilities as stated in the Conditions of the Contract.
- C. "Conforms to Design": When used to convey Architect's action on Contractor's submittals, applications, and requests, "conforms to design" is limited to Architect's duties and responsibilities as stated in the Conditions of the Contract.
- D. "Directed": A command or instruction by Architect. Other terms including "requested," "authorized," "selected," "required," and "permitted" have the same meaning as "directed."
- E. "Indicated": Requirements expressed by graphic representations or in written form on Drawings, in Specifications, and in other Contract Documents. Other terms including "shown," "noted," "scheduled," and "specified" have the same meaning as "indicated."
- F. "Regulations": Laws, ordinances, statutes, and lawful orders issued by authorities having jurisdiction, and rules, conventions, and agreements within the construction industry that control performance of the Work.
- G. "Furnish": Supply and deliver to Project site, ready for unloading, unpacking, assembly, installation, and similar operations.
- H. "Install": Operations at Project site including unloading, temporarily storing, unpacking, assembling, erecting, placing, anchoring, applying, working to dimension, finishing, curing, protecting, cleaning, and similar operations.
- I. "Provide": Furnish and install, complete and ready for the intended use.
- J. "Project Site": Space available for performing construction activities. The extent of Project site is shown on Drawings and may or may not be identical with the description of the land on which Project is to be built.

#### 1.3 INDUSTRY STANDARDS

- A. Applicability of Standards: Unless the Contract Documents include more stringent requirements, applicable construction industry standards have the same force and effect as if

## SECTION 014200 - REFERENCES

bound or copied directly into the Contract Documents to the extent referenced. Such standards are made a part of the Contract Documents by reference.

- B. Publication Dates: Comply with standards in effect as of date of the Contract Documents unless otherwise indicated.
- C. Copies of Standards: Each entity engaged in construction on Project should be familiar with industry standards applicable to its construction activity. Copies of applicable standards are not bound with the Contract Documents.
  - 1. Where copies of standards are needed to perform a required construction activity, obtain copies directly from publication source.

### 1.4 ABBREVIATIONS AND ACRONYMS

- A. Industry Organizations: Where abbreviations and acronyms are used in Specifications or other Contract Documents, they shall mean the recognized name of the entities indicated in Thomson Gale's "Encyclopedia of Associations" or in Columbia Books' "National Trade & Professional Associations of the U.S."
- B. Code Agencies: Where abbreviations and acronyms are used in Specifications or other Contract Documents, they shall mean the recognized name of the entities in the following list. Names, telephone numbers, and Web sites are subject to change and are believed to be accurate and up-to-date as of the date of the Contract Documents.
- C. Federal Government Agencies: Where abbreviations and acronyms are used in Specifications or other Contract Documents, they shall mean the recognized name of the entities in the following list. Names, telephone numbers, and Web sites are subject to change and are believed to be accurate and up-to-date as of the date of the Contract Documents.
- D. Standards and Regulations: Where abbreviations and acronyms are used in Specifications or other Contract Documents, they shall mean the recognized name of the standards and regulations in the following list. Names, telephone numbers, and Web sites are subject to change and are believed to be accurate and up-to-date as of the date of the Contract Documents.
- E. State Government Agencies: Where abbreviations and acronyms are used in Specifications or other Contract Documents, they shall mean the recognized name of the entities in the following list. Names, telephone numbers, and Web sites are subject to change and are believed to be accurate and up-to-date as of the date of the Contract Documents.

### PART 2 - PRODUCTS (Not Used)

### PART 3 - EXECUTION (Not Used)

END OF SECTION

## **SECTION 015000 - TEMPORARY FACILITIES AND CONTROLS**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes requirements for temporary utilities, support facilities, and security and protection facilities.
- B. Related Requirements:
  - 1. Section 011000 "Summary" for work restrictions and limitations on utility interruptions.

#### **1.3 USE CHARGES**

- A. General: Installation and removal of and use charges for temporary facilities shall be included in the Contract Sum unless otherwise indicated. Allow other entities to use temporary services and facilities without cost, including, but not limited to, Architect, occupants of Project, testing agencies, and authorities having jurisdiction.
- B. Electric Power Service: Contractor shall provide power for construction operations and temporary facilities. Contractor responsible for cost of power until final completion of Project.
- C. Water and Sewer Service: Contractor shall provide water and sewer service for construction operations and temporary facilities. Contractor responsible for cost of water and sewer service until final completion of Project.
- D. Fuel: Contractor shall provide temporary heat as required for construction operations and temporary facilities. Contractor responsible for fuel cost associated all construction operations and use of temporary facilities.

#### **1.4 SUBMITTALS**

- A. Site Plan: Provide a site plan that shows locations of temporary facilities, utility connections, staging areas, and parking areas for construction personnel. Should construction sequencing or phasing alter the locations of the above, then secondary plans showing revised locations are required. Coordinate this site plan with the Contract Drawings.

#### **1.5 QUALITY ASSURANCE**

- A. Electric Service: Comply with NECA, NEMA, and UL standards and regulations for temporary electric service. Install service to comply with NFPA 70.

## **SECTION 015000 - TEMPORARY FACILITIES AND CONTROLS**

- B. Tests, Permits, & Inspections: Obtain required permits, tests, and inspections from authorities having jurisdiction for each temporary utility prior to use.

### **1.6 PROJECT CONDITIONS**

- A. Temporary Use of Permanent Facilities: Installer of each permanent service shall assume responsibility for operation, maintenance, and protection of each permanent service during its use as a construction facility before Owner's acceptance, regardless of previously assigned responsibilities.

## **PART 2 - PRODUCTS**

### **2.1 MATERIALS**

- A. Portable Chain-Link Fencing: Minimum 2-inch, 0.148-inch- thick, galvanized-steel, chain-link fabric fencing; minimum 6 feet high with galvanized-steel pipe posts; minimum 2-3/8-inch- OD line posts and 2-7/8-inch- OD corner and pull posts, with 1-5/8-inch- OD top and bottom rails. Provide galvanized-steel bases for supporting posts.

### **2.2 EQUIPMENT**

- A. Fire Extinguishers: Portable, UL rated; with class and extinguishing agent as required by locations and classes of fire exposures.
- B. HVAC Equipment: Unless Owner authorizes use of permanent HVAC system, provide vented, self-contained, liquid-propane-gas or fuel-oil heaters with individual space thermostatic control.
  - 1. Use of gasoline-burning space heaters, open-flame heaters, or salamander-type heating units is prohibited.
  - 2. Heating Units: Listed and labeled for type of fuel being consumed, by a qualified testing agency acceptable to authorities having jurisdiction, and marked for intended location and application.
  - 3. Permanent HVAC System: Use of permanent HVAC systems during construction is prohibited. Isolated short term use can occur if approved in writing by the Owners representative. If Owner authorizes use of permanent HVAC system for temporary use during construction, provide filter with MERV of 8 at each return-air grille in system and remove at end of construction and clean HVAC system as required in Section 017700 "Closeout Procedures".
- C. Air-Filtration Units: Primary and secondary HEPA-filter-equipped portable units with four-stage filtration. Provide single switch for emergency shutoff. Configure to run continuously.

## **SECTION 015000 - TEMPORARY FACILITIES AND CONTROLS**

### **PART 3 - EXECUTION**

#### **3.1 INSTALLATION, GENERAL**

- A. Locate facilities where they will serve Project adequately and result in minimum interference with performance of the Work. Relocate and modify facilities as required by progress of the Work.

#### **3.2 TEMPORARY UTILITY INSTALLATION**

- A. General: Install temporary service or connect to existing service.
  - 1. Arrange with utility company, Owner, and existing users for time when service can be interrupted, if necessary, to make connections for temporary services.
- B. Sewers and Drainage: Provide temporary utilities to remove effluent lawfully.
  - 1. Connect temporary sewers to municipal system as directed by authorities having jurisdiction.
- C. Water Service: Install water service and distribution piping in sizes and pressures adequate for construction.
- D. Sanitary Facilities: Provide temporary toilets, wash facilities, and drinking water for use of construction personnel. Comply with authorities having jurisdiction for type, number, location, operation, and maintenance of fixtures and facilities. Provide hot and cold water to all sanitary facilities.
- E. Electric Power Service: Provide electric power service and distribution system of sufficient size, capacity, and power characteristics required for construction operations.
- F. Lighting: Provide temporary lighting with local switching that provides adequate illumination for construction operations, observations, inspections, and traffic conditions.
  - 1. Install and operate temporary lighting that fulfills security and protection requirements without operating entire system.

#### **3.3 SUPPORT FACILITIES INSTALLATION**

- A. General: Comply with the following:
  - 1. Maintain support facilities until Architect schedules Substantial Completion inspection. Remove before Substantial Completion. Personnel remaining after Substantial Completion will be permitted to use permanent facilities, under conditions acceptable to Owner.
- B. Traffic Controls: Comply with requirements of authorities having jurisdiction.

## **SECTION 015000 - TEMPORARY FACILITIES AND CONTROLS**

1. Maintain access for fire-fighting equipment and access to fire hydrants.
- C. Parking: Limit parking to areas designated as contractor staging areas.
- D. Waste Disposal Facilities: Provide waste-collection containers in sizes adequate to handle waste from construction operations. Provide temporary enclosures as required to prevent the spread of dust and construction debris from the site. Comply with requirements of authorities having jurisdiction. Comply with progress cleaning requirements in Section 017300 "Execution."

### **3.4 SECURITY AND PROTECTION FACILITIES INSTALLATION**

- A. Environmental Protection: Comply with requirements specified in Division 31 Section "Temporary Environmental Controls."
  1. Comply with work restrictions specified in Division 1 Section "Summary."
- B. Temporary Erosion and Sedimentation Control: Comply with requirements specified in Division 31 Section "Erosion Control."
- C. Stormwater Control: Comply with authorities having jurisdiction. Provide barriers in and around excavations and subgrade construction to prevent flooding by runoff of stormwater from heavy rains.
- D. Site Enclosure Fence: Before construction operations begin, furnish and install site enclosure fence in a manner that will prevent people and animals from easily entering site except by entrance gates.
  1. Extent of Fence: As shown on construction drawings and/or surrounding Contractor staging areas to provide separation from those areas and public spaces.
- E. Security Enclosure and Lockup: Install substantial temporary enclosure around partially completed areas of construction. Provide lockable entrances to prevent unauthorized entrance, vandalism, theft, and similar violations of security.
- F. Barricades, Warning Signs, and Lights: Comply with requirements of authorities having jurisdiction for erecting structurally adequate barricades, including warning signs and lighting.
- G. Temporary Enclosures: Provide temporary enclosures for protection of construction, in progress and completed, from exposure, foul weather, other construction operations, and similar activities. Provide temporary weathertight enclosure for building exterior.
  1. Where heating or cooling is needed and permanent enclosure is not complete, insulate temporary enclosures.
- H. Temporary Fire Protection: Install and maintain temporary fire-protection facilities of types needed to protect against reasonably predictable and controllable fire losses. Comply with NFPA 241.
  1. Prohibit smoking in construction areas.

## **SECTION 015000 - TEMPORARY FACILITIES AND CONTROLS**

2. Supervise welding operations, combustion-type temporary heating units, and similar sources of fire ignition according to requirements of authorities having jurisdiction.
  3. Develop and supervise an overall fire-prevention and -protection program for personnel at Project site. Review needs with local fire department and establish procedures to be followed. Instruct personnel in methods and procedures. Post warnings and information.
  4. Provide temporary standpipes and hoses for fire protection. Hang hoses with a warning sign stating that hoses are for fire-protection purposes only and are not to be removed. Match hose size with outlet size and equip with suitable nozzles.
- I. Protection of Existing Facilities: Protect existing, equipment, structures, utilities, and other improvements at Project site and on adjacent properties, except those indicated to be removed or altered. Repair damage to existing facilities.

### **3.5 OPERATION, TERMINATION, AND REMOVAL**

- A. Supervision: Enforce strict discipline in use of temporary facilities. To minimize waste and abuse, limit availability of temporary facilities to essential and intended uses.
- B. Maintenance: Maintain facilities in good operating condition until removal.
1. Maintain operation of temporary enclosures, heating, cooling, humidity control, ventilation, and similar facilities on a 24-hour basis where required to achieve indicated results and to avoid possibility of damage.
  2. Maintain Owner's onsite field office as required to allow full use of the facility for the duration of the project.
- C. Temporary Facility Changeover: Do not change over from using temporary security and protection facilities to permanent facilities until Substantial Completion.
- D. Termination and Removal: Remove each temporary facility when need for its service has ended, when it has been replaced by authorized use of a permanent facility, or no later than Substantial Completion. Complete or, if necessary, restore permanent construction that may have been delayed because of interference with temporary facility. Repair damaged Work, clean exposed surfaces, and replace construction that cannot be satisfactorily repaired.
1. Materials and facilities that constitute temporary facilities are property of Contractor. Owner reserves right to take possession of Project identification signs.
  2. At Substantial Completion, repair, renovate, and clean permanent facilities used during construction period. Comply with final cleaning requirements specified in Section 017700 "Closeout Procedures."

**END OF SECTION**

## **SECTION 016000 - PRODUCT REQUIREMENTS**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes administrative and procedural requirements for selection of products for use in Project; product delivery, storage, and handling; manufacturers' standard warranties on products; special warranties; and comparable products.
- B. Related Requirements:
  - 1. Section 012500 "Substitution Procedures" for requests for substitutions.

#### **1.3 DEFINITIONS**

- A. Products: Items obtained for incorporating into the Work, whether purchased for Project or taken from previously purchased stock. The term "product" includes the terms "material," "equipment," "system," and terms of similar intent.
  - 1. Named Products: Items identified by manufacturer's product name, including make or model number or other designation shown or listed in manufacturer's published product literature, that is current as of date of the Contract Documents.
  - 2. New Products: Items that have not previously been incorporated into another project or facility. Products salvaged or recycled from other projects are not considered new products.
  - 3. Comparable Product: Product that is demonstrated and approved through submittal process to have the indicated qualities related to type, function, dimension, in-service performance, physical properties, appearance, and other characteristics that equal or exceed those of specified product.
- B. Basis-of-Design Product Specification: A specification in which a specific manufacturer's product is named and accompanied by the words "basis-of-design product," including make or model number or other designation, to establish the significant qualities related to type, function, dimension, in-service performance, physical properties, appearance, and other characteristics for purposes of evaluating comparable products of additional manufacturers named in the specification.

#### **1.4 ACTION SUBMITTALS**

- A. Comparable Product Requests: Submit request for consideration of each comparable product. Identify product or fabrication or installation method to be replaced. Include Specification Section number and title and Drawing numbers and titles.

## **SECTION 016000 - PRODUCT REQUIREMENTS**

1. Include data to indicate compliance with the requirements specified in "Comparable Products" Article.
  2. Architect's Action: If necessary, Architect will request additional information or documentation for evaluation within one week of receipt of a comparable product request. Architect will notify Contractor through Owner's Representative of approval or rejection of proposed comparable product request within 15 days of receipt of request, or seven days of receipt of additional information or documentation, whichever is later.
    - a. Form of Approval: As specified in Section 013300 "Submittal Procedures."
    - b. Use product specified if Architect does not issue a decision on use of a comparable product request within time allocated.
- B. Basis-of-Design Product Specification Submittal: Comply with requirements in Section 013300 "Submittal Procedures." Show compliance with requirements.

### **1.5 PRODUCT DELIVERY, STORAGE, AND HANDLING**

- A. Deliver, store, and handle products using means and methods that will prevent damage, deterioration, and loss, including theft and vandalism. Comply with manufacturer's written instructions.
- B. Delivery and Handling:
1. Schedule delivery to minimize long-term storage at Project site and to prevent overcrowding of construction spaces.
  2. Coordinate delivery with installation time to ensure minimum holding time for items that are flammable, hazardous, easily damaged, or sensitive to deterioration, theft, and other losses.
  3. Deliver products to Project site in an undamaged condition in manufacturer's original sealed container or other packaging system, complete with labels and instructions for handling, storing, unpacking, protecting, and installing.
  4. Inspect products on delivery to determine compliance with the Contract Documents and to determine that products are undamaged and properly protected.
- C. Storage:
1. Store products to allow for inspection and measurement of quantity or counting of units.
  2. Store materials in a manner that will not endanger Project structure.
  3. Store products that are subject to damage by the elements, under cover in a weather tight enclosure above ground, with ventilation adequate to prevent condensation.
  4. Protect foam plastic from exposure to sunlight, except to extent necessary for period of installation and concealment.
  5. Comply with product manufacturer's written instructions for temperature, humidity, ventilation, and weather-protection requirements for storage.
  6. Protect stored products from damage and liquids from freezing.

## **SECTION 016000 - PRODUCT REQUIREMENTS**

### **1.6 PRODUCT WARRANTIES**

- A. Warranties specified in other Sections shall be in addition to, and run concurrent with, other warranties required by the Contract Documents. Manufacturer's disclaimers and limitations on product warranties do not relieve Contractor of obligations under requirements of the Contract Documents.
  - 1. Manufacturer's Warranty: Written warranty furnished by individual manufacturer for a particular product and specifically endorsed by manufacturer to Owner.
  - 2. Special Warranty: Written warranty required by the Contract Documents to provide specific rights for Owner.
- B. Special Warranties: Prepare a written document that contains appropriate terms and identification, ready for execution.
  - 1. Manufacturer's Standard Form: Modified to include Project-specific information and properly executed.
  - 2. Specified Form: When specified forms are included with the Specifications, prepare a written document using indicated form properly executed.
  - 3. See other Sections for specific content requirements and particular requirements for submitting special warranties.
- C. Submittal Time: Comply with requirements in Section 017700 "Closeout Procedures."

## **PART 2 - PRODUCTS**

### **2.1 PRODUCT SELECTION PROCEDURES**

- A. General Product Requirements: Provide products that comply with the Contract Documents, are undamaged and, unless otherwise indicated, are new at time of installation.
  - 1. Provide products complete with accessories, trim, finish, fasteners, and other items needed for a complete installation and indicated use and effect.
  - 2. Standard Products: If available, and unless custom products or nonstandard options are specified, provide standard products of types that have been produced and used successfully in similar situations on other projects.
  - 3. Owner reserves the right to limit selection to products with warranties not in conflict with requirements of the Contract Documents.
  - 4. Where products are accompanied by the term "as selected," Architect will make selection.
  - 5. Descriptive, performance, and reference standard requirements in the Specifications establish salient characteristics of products.
  - 6. Or Equal: For products specified by name and accompanied by the term "or equal," or "or approved equal," or "or approved," comply with requirements in "Comparable Products" Article to obtain approval for use of an unnamed product.
- B. Product Selection Procedures:

## **SECTION 016000 - PRODUCT REQUIREMENTS**

1. **Product:** Where Specifications name a single manufacturer and product, provide the named product that complies with requirements. Comparable products or substitutions for Contractor's convenience will not be considered.
  2. **Manufacturer/Source:** Where Specifications name a single manufacturer or source, provide a product by the named manufacturer or source that complies with requirements. Comparable products or substitutions for Contractor's convenience will not be considered.
  3. **Products:**
    - a. **Restricted List:** Where Specifications include a list of names of both manufacturers and products, provide one of the products listed that complies with requirements. Comparable products or substitutions for Contractor's convenience will not be considered unless otherwise indicated.
    - b. **Nonrestricted List:** Where Specifications include a list of names of both available manufacturers and products, provide one of the products listed, or an unnamed product, that complies with requirements. Comply with requirements in "Comparable Products" Article for consideration of an unnamed product.
  4. **Manufacturers:**
    - a. **Restricted List:** Where Specifications include a list of manufacturers' names, provide a product by one of the manufacturers listed that complies with requirements. Comparable products or substitutions for Contractor's convenience will not be considered unless otherwise indicated.
    - b. **Nonrestricted List:** Where Specifications include a list of available manufacturers, provide a product by one of the manufacturers listed, or a product by an unnamed manufacturer, that complies with requirements. Comply with requirements in "Comparable Products" Article for consideration of an unnamed manufacturer's product.
  5. **Basis-of-Design Product:** Where Specifications name a product, or refer to a product indicated on Drawings, and include a list of manufacturers, provide the specified or indicated product or a comparable product by one of the other named manufacturers. Drawings and Specifications indicate sizes, profiles, dimensions, and other characteristics that are based on the product named. Comply with requirements in "Comparable Products" Article for consideration of an unnamed product by one of the other named manufacturers.
- C. **Visual Matching Specification:** Where Specifications require "match Architect's sample", provide a product that complies with requirements and matches Architect's sample. Architect's decision will be final on whether a proposed product matches.
1. If no product available within specified category matches and complies with other specified requirements, comply with requirements in Section 012500 "Substitution Procedures" for proposal of product.
- D. **Visual Selection Specification:** Where Specifications include the phrase "as selected by Architect from manufacturer's full range" or similar phrase, select a product that complies with requirements. Architect will select color, gloss, pattern, density, or texture from manufacturer's product line that includes both standard and premium items.

## **SECTION 016000 - PRODUCT REQUIREMENTS**

### **2.2 COMPARABLE PRODUCTS**

- A. Conditions for Consideration: Architect will consider Contractor's request for comparable product when the following conditions are satisfied. If the following conditions are not satisfied, Architect may return requests without action, except to record noncompliance with these requirements:
1. Evidence that the proposed product does not require revisions to the Contract Documents, that it is consistent with the Contract Documents and will produce the indicated results, and that it is compatible with other portions of the Work.
  2. Detailed comparison of significant qualities of proposed product with those named in the Specifications. Significant qualities include attributes such as performance, weight, size, durability, visual effect, and specific features and requirements indicated.
  3. Evidence that proposed product provides specified warranty.
  4. List of similar installations for completed projects with project names and addresses and names and addresses of architects and owners, if requested.
  5. Samples, if requested.

### **PART 3 - EXECUTION (Not Used)**

**END OF SECTION**

## **SECTION 017300 - EXECUTION**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes general administrative and procedural requirements governing execution of the Work including, but not limited to, the following:
  - 1. Installation of the Work.
  - 2. Cutting and patching.
  - 3. Progress cleaning.
  - 4. Starting and adjusting.
  - 5. Protection of installed construction.
  - 6. Correction of the Work.
- B. Related Requirements:
  - 1. Section 011000 "Summary" for limits on use of Project site.

#### **1.3 DEFINITIONS**

- A. Cutting: Removal of in-place construction necessary to permit installation or performance of other work.
- B. Patching: Fitting and repair work required to restore construction to original conditions after installation of other work.

### **PART 2 - PRODUCTS**

#### **2.1 MATERIALS**

- A. In-Place Materials: Use materials for patching identical to in-place materials. For exposed surfaces, use materials that visually match in-place adjacent surfaces to the fullest extent possible.
  - 1. If identical materials are unavailable or cannot be used, use materials that, when installed, will provide a match acceptable to Architect for the visual and functional performance of in-place materials.

## **SECTION 017300 - EXECUTION**

### **PART 3 - EXECUTION**

#### **3.1 EXAMINATION**

- A. Existing Conditions: The existence and location of underground and other utilities and construction indicated as existing are not guaranteed. Before beginning work, investigate and verify the existence and location of mechanical and electrical systems, and other construction affecting the Work.
  - 1. Before construction, verify the location and invert elevation at points of connection of sanitary sewer and water-service piping and other utilities.
- B. Examination and Acceptance of Conditions: Before proceeding with each component of the Work, examine substrates, areas, and conditions, with Installer or Applicator present where indicated, for compliance with requirements for installation tolerances and other conditions affecting performance. Record observations.
  - 1. Examine roughing-in for mechanical and electrical systems to verify actual locations of connections before equipment and fixture installation.
  - 2. Examine walls, floors, and roofs for suitable conditions where products and systems are to be installed.
  - 3. Verify compatibility with and suitability of substrates, including compatibility with existing finishes or primers.
- C. Proceed with installation only after unsatisfactory conditions have been corrected. Proceeding with the Work indicates acceptance of surfaces and conditions.

#### **3.2 PREPARATION**

- A. Field Measurements: Take field measurements as required to fit the Work properly. Recheck measurements before installing each product. Where portions of the Work are indicated to fit to other construction, verify dimensions of other construction by field measurements before fabrication. Coordinate fabrication schedule with construction progress to avoid delaying the Work. Where construction schedule does not allow field measurement prior to fabrication layout work according to coordination drawings allowing tolerances needed to assure proper fit of Work.
- B. Space Requirements: Verify space requirements and dimensions of items shown diagrammatically on Drawings.
- C. Review of Contract Documents and Field Conditions: Immediately on discovery of the need for clarification of the Contract Documents caused by differing field conditions outside the control of Contractor, submit a request for information to Architect according to requirements in Section 013100 "Project Management and Coordination."

## SECTION 017300 - EXECUTION

### 3.3 INSTALLATION

- A. General: Locate the Work and components of the Work accurately, in correct alignment and elevation, as indicated.
  - 1. Make vertical work plumb and make horizontal work level.
  - 2. Where space is limited, install components to maximize space available for maintenance and ease of removal for replacement.
  - 3. Conceal pipes, ducts, conduit and wiring in finished areas unless otherwise indicated.
- B. Comply with manufacturer's written instructions and recommendations for installing products in applications indicated.
- C. Install products at the time and under conditions that will ensure the best possible results. Maintain conditions required for product performance until Substantial Completion.
- D. Conduct construction operations so no part of the Work is subjected to damaging operations or loading in excess of that expected during normal conditions of occupancy.
- E. Sequence the Work and allow adequate clearances to accommodate movement of construction items on site and placement in permanent locations.
- F. Tools and Equipment: Do not use tools or equipment that produce harmful noise levels.
- G. Templates: Obtain and distribute to the parties involved templates for work specified to be factory prepared and field installed. Check Shop Drawings of other work to confirm that adequate provisions are made for locating and installing products to comply with indicated requirements.
- H. Attachment: Provide blocking and attachment plates and anchors and fasteners of adequate size and number to securely anchor each component in place, accurately located and aligned with other portions of the Work. Where size and type of attachments are not indicated, verify size and type required for load conditions.
  - 1. Mounting Heights: Where mounting heights are not indicated, mount components at heights directed by Architect.
  - 2. Allow for building movement, including thermal expansion and contraction.
  - 3. Coordinate installation of anchorages. Furnish setting drawings, templates, and directions for installing anchorages, including sleeves, concrete inserts, anchor bolts, and items with integral anchors, that are to be embedded in concrete or masonry. Deliver such items to Project site in time for installation.
- I. Joints: Make joints of uniform width. Where joint locations in exposed work are not indicated, arrange joints for the best visual effect. Fit exposed connections together to form hairline joints.
- J. Hazardous Materials: Use products, cleaners, and installation materials that are not considered hazardous.

## SECTION 017300 - EXECUTION

### 3.4 CUTTING AND PATCHING

- A. Cutting and Patching, General: Employ skilled workers to perform cutting and patching. Proceed with cutting and patching at the earliest feasible time, and complete without delay.
  - 1. Cut in-place construction to provide for installation of other components or performance of other construction, and subsequently patch as required to restore surfaces to their original condition.
- B. Temporary Support: Provide temporary support of work to be cut.
- C. Protection: Protect in-place construction during cutting and patching to prevent damage. Provide protection from adverse weather conditions for portions of Project that might be exposed during cutting and patching operations.
- D. Adjacent Occupied Areas: Where interference with use of adjoining areas or interruption of free passage to adjoining areas is unavoidable, coordinate cutting and patching according to requirements in Section 011000 "Summary."
- E. Existing Utility Services and Mechanical/Electrical Systems: Where existing services/systems are required to be removed, relocated, or abandoned, bypass such services/systems before cutting to minimize interruption to occupied areas.
- F. Cutting: Cut in-place construction by sawing, drilling, breaking, chipping, grinding, and similar operations, including excavation, using methods least likely to damage elements retained or adjoining construction. If possible, review proposed procedures with original Installer; comply with original Installer's written recommendations.
  - 1. In general, use hand or small power tools designed for sawing and grinding, not hammering and chopping. Cut holes and slots neatly to minimum size required, and with minimum disturbance of adjacent surfaces. Temporarily cover openings when not in use.
  - 2. Finished Surfaces: Cut or drill from the exposed or finished side into concealed surfaces.
  - 3. Concrete: Cut using a cutting machine, such as an abrasive saw or a diamond-core drill.
  - 4. Excavating and Backfilling: Comply with requirements in applicable Sections where required by cutting and patching operations.
  - 5. Mechanical and Electrical Services: Cut off pipe or conduit in walls or partitions to be removed. Cap, valve, or plug and seal remaining portion of pipe or conduit to prevent entrance of moisture or other foreign matter after cutting.
  - 6. Proceed with patching after construction operations requiring cutting are complete.
- G. Patching: Patch construction by filling, repairing, refinishing, closing up, and similar operations following performance of other work. Patch with durable seams that are as invisible as practicable. Provide materials and comply with installation requirements specified in other Sections, where applicable.
  - 1. Inspection: Where feasible, test and inspect patched areas after completion to demonstrate physical integrity of installation.
  - 2. Exposed Finishes: Restore exposed finishes of patched areas and extend finish restoration into retained adjoining construction in a manner that will minimize evidence of patching and refinishing.

## SECTION 017300 - EXECUTION

- a. Clean piping, conduit, and similar features before applying paint or other finishing materials.
  - b. Restore damaged pipe covering to its original condition.
3. Floors and Walls: Where walls or partitions that are removed extend one finished area into another, patch and repair floor and wall surfaces in the new space. Provide an even surface of uniform finish, color, texture, and appearance. Remove in-place floor and wall coverings and replace with new materials, if necessary, to achieve uniform color and appearance.
- a. Where patching occurs in a painted surface, prepare substrate and apply primer and intermediate paint coats appropriate for substrate over the patch, and apply final paint coat over entire unbroken surface containing the patch. Provide additional coats until patch blends with adjacent surfaces.
4. Ceilings: Patch, repair, or rehang in-place ceilings as necessary to provide an even-plane surface of uniform appearance.
5. Exterior Building Enclosure: Patch components in a manner that restores enclosure to a weather tight condition and ensures thermal and moisture integrity of building enclosure.
- H. Cleaning: Clean areas and spaces where cutting and patching are performed. Remove paint, mortar, oils, putty, and similar materials from adjacent finished surfaces.

### 3.5 PROGRESS CLEANING

- A. General: Clean Project site and work areas daily, including common areas. Enforce requirements strictly. Dispose of materials lawfully.
1. Comply with requirements in NFPA 241 for removal of combustible waste materials and debris.
  2. Do not hold waste materials more than seven days during normal weather or three days if the temperature is expected to rise above 80 deg F (27 deg C).
  3. Containerize hazardous and unsanitary waste materials separately from other waste. Mark containers appropriately and dispose of legally, according to regulations.
    - a. Use containers intended for holding waste materials of type to be stored.
  4. Coordinate progress cleaning for joint-use areas where Contractor and other contractors are working concurrently.
- B. Site: Maintain Project site free of waste materials and debris.
- C. Work Areas: Clean areas where work is in progress to the level of cleanliness necessary for proper execution of the Work.
1. Remove liquid spills promptly.
  2. Where dust would impair proper execution of the Work, broom-clean or vacuum the entire work area, as appropriate.

## **SECTION 017300 - EXECUTION**

- D. **Installed Work:** Keep installed work clean. Clean installed surfaces according to written instructions of manufacturer or fabricator of product installed, using only cleaning materials specifically recommended. If specific cleaning materials are not recommended, use cleaning materials that are not hazardous to health or property and that will not damage exposed surfaces.
- E. **Concealed Spaces:** Remove debris from concealed spaces before enclosing the space.
- F. **Exposed Surfaces in Finished Areas:** Clean exposed surfaces and protect as necessary to ensure freedom from damage and deterioration at time of Substantial Completion.
- G. **Waste Disposal:** Do not bury or burn waste materials on-site. Do not wash waste materials down sewers or into waterways. Comply with waste disposal requirements in Section 015000 "Temporary Facilities and Controls."
- H. **During handling and installation,** clean and protect construction in progress and adjoining materials already in place. Apply protective covering where required to ensure protection from damage or deterioration at Substantial Completion.
- I. **Clean and provide maintenance on completed construction** as frequently as necessary through the remainder of the construction period. Adjust and lubricate operable components to ensure operability without damaging effects.
- J. **Limiting Exposures:** Supervise construction operations to assure that no part of the construction, completed or in progress, is subject to harmful, dangerous, damaging, or otherwise deleterious exposure during the construction period.

### **3.6 PROTECTION OF INSTALLED CONSTRUCTION**

- A. **Provide final protection and maintain conditions** that ensure installed Work is without damage or deterioration at time of Substantial Completion.
- B. **Provide protection and maintain conditions** that ensure existing finishes are without damage or deterioration at time of Substantial Completion.
- C. **Comply with manufacturer's written instructions** for temperature and relative humidity.

## **END OF SECTION**

## **SECTION 017700 - CLOSEOUT PROCEDURES**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section includes administrative and procedural requirements for contract closeout, including, but not limited to, the following:
  - 1. Substantial Completion procedures.
  - 2. Final completion procedures.
  - 3. Warranties.
  - 4. Final cleaning.
  - 5. Repair of the Work.
- B. Related Requirements:
  - 1. Section 017300 "Execution" for progress cleaning of Project site.
  - 2. Section 017823 "Operation and Maintenance Data" for operation and maintenance manual requirements.

#### **1.3 ACTION SUBMITTALS**

- A. Contractor's List of Incomplete Items: Initial submittal at Substantial Completion.
- B. Certified List of Incomplete Items: Final submittal at Final Completion.
- C. Record Drawings: Initial submittal at Substantial Completion showing locations of all site improvements and termination locations of site utilities.

#### **1.4 FINAL ACCEPTANCE**

- A. Before requesting inspection for certification of final acceptance and final payment, complete and submit the following:
  - 1. Submit final payment request.
  - 2. Submit a final Change Order request.
  - 3. Submit a copy of the final inspection list stating that each item has been completed or otherwise resolved for acceptance.
  - 4. Submit final meter readings for utilities, a record of stored fuel, and similar data as of Substantial Completion.
  - 5. Submit consent of surety to final payment.

## **SECTION 017700 - CLOSEOUT PROCEDURES**

6. Submit evidence of continuing insurance coverage complying with insurance requirements.
7. Written guarantees where required.
8. Maintenance stock items; spare parts; special tools, where required.
9. Certificates of final inspection and acceptance by local governing agencies having jurisdiction.
10. Completed CBJ Certificate of Compliance and Release form attached with this section.
11. Final Subcontractor list complete with final subcontract amounts and include all equipment rentals (with operators).
12. Before final payment can be made, the CONTRACTOR shall supply a copy of the "Notice of Completion of Public Works" form approved by Wage and Hour Administration of the Labor Standards and Safety Division of the Alaska Department of Labor and Workforce Development.
13. Alaska Department of Labor Employment Security Tax Clearance letter for the CONTRACTOR and all Subcontractors, a copy of which is located at the end of Section 00800 – Supplementary General Conditions.
14. Submit original items 11, 12, 13 and 14 to Contracts Administrator, CBJ Engineering.

### **1.5 SUBSTANTIAL COMPLETION PROCEDURES**

- A. Contractor's List of Incomplete Items: Prepare and submit a list of items to be completed and corrected (Contractor's punch list), indicating all Work that is incomplete.
- B. Submittals Prior to Substantial Completion: Complete the following a minimum of 5 days prior to requesting inspection for determining date of Substantial Completion. List items below that are incomplete at time of request.
  1. Certificates of Release: Obtain and submit releases from authorities having jurisdiction permitting Owner unrestricted use of the Work and access to services and utilities. Include occupancy permits, operating certificates, and similar releases.
  2. Submit closeout submittals specified in other Division 01 Sections, including project record documents, operation and maintenance manuals, final completion construction photographic documentation, damage or settlement surveys, property surveys, and similar final record information for each phase.
  3. Submit closeout submittals specified in individual Sections, including specific warranties, workmanship bonds, maintenance service agreements, final certifications, and similar documents.
  4. Submit record drawings.
  5. Submit changeover information related to Owner's occupancy, use, operation, and maintenance.
- C. Procedures Prior to Substantial Completion: Complete the following a minimum of 5 days prior to requesting inspection for determining date of Substantial Completion. List items below that are incomplete at time of request.
  1. Advise Owner of pending insurance changeover requirements.
  2. Make final changeover of permanent locks and deliver keys to Owner. Advise Owner's personnel of changeover in security provisions.
  3. Complete startup and testing of systems and equipment.
  4. Perform preventive maintenance on equipment used prior to Substantial Completion.

## **SECTION 017700 - CLOSEOUT PROCEDURES**

5. Terminate and remove temporary facilities from Project site, along with mockups, construction tools, and similar elements.
  6. Complete final cleaning requirements, including touchup painting.
  7. Touch up and otherwise repair and restore marred exposed finishes to eliminate visual defects.
- D. Inspection: Submit a written request for inspection to determine Substantial Completion a minimum of 5 days prior to date the work will be completed and ready for final inspection and tests. On receipt of request, Architect and Owner's Representative will either proceed with inspection or notify Contractor of unfulfilled requirements. Architect will prepare the Certificate of Substantial Completion after inspection or will notify Contractor of items, either on Contractor's list or additional items identified by Architect, that must be completed or corrected before certificate will be issued.
1. Reinspection: Request reinspection when the Work identified in previous inspections as incomplete is completed or corrected.
  2. Results of completed inspection will form the basis of requirements for final completion.

### **1.6 FINAL COMPLETION PROCEDURES**

- A. Submittals Prior to Final Completion: Before requesting final inspection for determining final completion, complete the following:
1. Submit a final Application for Payment according to Section 012900 "Payment Procedures."
  2. Certified List of Incomplete Items: Submit certified copy of Architect's Substantial Completion inspection list of items to be completed or corrected (punch list), endorsed and dated by Architect. Certified copy of the list shall state that each item has been completed or otherwise resolved for acceptance.
  3. Certificate of Insurance: Submit evidence of final, continuing insurance coverage complying with insurance requirements.
- B. Inspection: Submit a written request for final inspection to determine acceptance a minimum of 10 days prior to date the work will be completed and ready for final inspection and tests. On receipt of request, Architect and Owner's Representative will either proceed with inspection or notify Contractor of unfulfilled requirements. Architect will prepare a final Certificate for Payment after inspection or will notify Contractor of construction that must be completed or corrected before certificate will be issued.
1. Reinspection: Request reinspection when the Work identified in previous inspections as incomplete is completed or corrected.

### **1.7 LIST OF INCOMPLETE ITEMS (PUNCH LIST)**

- A. Organization of List: Include name and identification of each space and area affected by construction operations for incomplete items and items needing correction including, if necessary, areas disturbed by Contractor that are outside the limits of construction.

## **SECTION 017700 - CLOSEOUT PROCEDURES**

1. Organize list of spaces in sequential order, starting with exterior areas first and proceeding from lowest floor to highest floor.
2. Organize items applying to each space by major element, including categories for ceiling, individual walls, floors, equipment, and building systems.
3. Include the following information at the top of each page:
  - a. Project name.
  - b. Date.
  - c. Name of Architect.
  - d. Name of Contractor.
  - e. Page number.
4. Submit list of incomplete items in the following format:
  - a. PDF electronic file. Architect through Owner's Representative will return annotated file.

## **PART 2 - PRODUCTS**

### **2.1 MATERIALS**

- A. Cleaning Agents: Use cleaning materials and agents recommended by manufacturer or fabricator of the surface to be cleaned. Do not use cleaning agents that are potentially hazardous to health or property or that might damage finished surfaces.
  1. Use cleaning products that comply with Green Seal's GS-37, or if GS-37 is not applicable, use products that comply with the California Code of Regulations maximum allowable VOC levels.

## **PART 3 - EXECUTION**

### **3.1 FINAL CLEANING**

- A. General: Perform final cleaning. Conduct cleaning and waste-removal operations to comply with local laws and ordinances and Federal and local environmental and antipollution regulations.
- B. Cleaning: Employ experienced workers or professional cleaners for final cleaning. Clean each surface or unit to condition expected in an average commercial building cleaning and maintenance program. Comply with manufacturer's written instructions.
  1. Complete the following cleaning operations before requesting inspection for certification of Substantial Completion for entire Project or for a designated portion of Project:
    - a. Clean Project site, yard, and grounds, in areas disturbed by construction activities, including landscape development areas, of rubbish, waste material, litter, and other foreign substances.

## **SECTION 017700 - CLOSEOUT PROCEDURES**

- b. Sweep paved areas broom clean. Remove petrochemical spills, stains, and other foreign deposits.
  - c. Rake grounds that are neither planted nor paved to a smooth, even-textured surface.
  - d. Remove tools, construction equipment, machinery, and surplus material from Project site.
  - e. Remove labels that are not permanent.
- C. Construction Waste Disposal: Comply with waste disposal requirements in Section 015000 "Temporary Facilities and Controls."

### **3.2 REPAIR OF THE WORK**

- A. Complete repair and restoration operations before requesting inspection for determination of Substantial Completion.
- B. Repair or remove and replace defective construction. Repairing includes replacing defective parts, refinishing damaged surfaces, touching up with matching materials, and properly adjusting operating equipment. Where damaged or worn items cannot be repaired or restored, provide replacements. Remove and replace operating components that cannot be repaired. Restore damaged construction and permanent facilities used during construction to specified condition.
  - 1. Remove and replace chipped, scratched, and broken glass, reflective surfaces, and other damaged transparent materials.
  - 2. Touch up and otherwise repair and restore marred or exposed finishes and surfaces. Replace finishes and surfaces that already show evidence of repair or restoration.

## SECTION 017700 - CLOSEOUT PROCEDURES

### COMPLIANCE CERTIFICATE AND RELEASE FORM

**PROJECT: PUBLIC SAFETY BUILDING BUILDING DEMOLITION**  
**CONTRACT NO: BE 19-117**

The CONTRACTOR must complete and submit this to the Contract Administrator. The CONTRACTOR shall complete this form with respect to the entire contract.

Completed forms must be submitted upon completion of the Project. All requirements and submittals must be met before final payment will be made to the CONTRACTOR.

I certify that the following and any referenced attachments are true:

- All WORK has been performed, materials supplied, and requirements met in accordance with the applicable plans, specifications, and Contract Documents.
- All suppliers and Subcontractors have been paid in full with no claims for labor, materials, or other services outstanding. If all Subcontractors and suppliers are not paid in full, please explain on a separate sheet.
- All employees have been paid not less than the current prevailing wage rates set by the State of Alaska (or U.S. Department of Labor, as applicable).
- All equal employment opportunity, certified payroll and other reports have been filed in accordance with the prime contract.
- The Contract Administrator was advised and approved of all Subcontractors before WORK was performed and has approved any substitutions, additions or deletions of Subcontractors.
- All DBE firms listed as a precondition of the prime contract award must have performed a commercially useful function in order for the work to count to a DBE goal. All DBE firms performed the WORK stated and have received at least the amount claimed for credit in the Contract Documents.
- All DBE Subcontractors must attach a signed statement of the payment amount received, the nature of WORK performed, whether any balance is outstanding, and indicate that no rebates are involved.
- If the amount paid is less than the amount originally claimed for DBE credit, the CONTRACTOR has attached approval from the Contract Administrator for underutilization.

I understand it is unlawful to misrepresent information in order to receive a payment which would otherwise be withheld if these conditions were not met. I am an authorized agent of this firm and sign this freely and voluntarily. The foregoing statements are true and apply to the following project contractor.

\_\_\_\_\_  
Firm Name Capacity: CONTRACTOR

\_\_\_\_\_  
Signed Printed Name and Title Date

Return completed form to: Contract Administrator, City and Borough of Juneau, 155 South Seward Street, Juneau, AK 99801. Call (907) 586-0873 if we can be of further assistance or if you have any questions.

**END OF SECTION**

## SECTION 024116 - STRUCTURE DEMOLITION

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

- A. Section Includes:

1. Demolition and removal of buildings and site improvements.
2. Removing below-grade construction.
3. Disconnecting, capping or sealing, and removing site utilities.
4. Salvaging items for reuse by Owner.

- B. Related Requirements:

1. Section 011000 "Summary" for use of the premises and phasing requirements.

#### 1.3 DEFINITIONS

- A. Remove: Detach items from existing construction and dispose of them off-site unless indicated to be salvaged.
- B. Remove and Salvage: Detach items from existing construction, in a manner to prevent damage, and store where directed by owner on a separate property. Include fasteners or brackets needed for reattachment elsewhere.

#### 1.4 MATERIALS OWNERSHIP

- A. Unless otherwise indicated, demolition waste becomes property of Contractor.

#### 1.5 PREINSTALLATION MEETINGS

- A. Predemolition Conference: Conduct conference at Project site.

1. Inspect and discuss condition of construction to be demolished.
2. Review structural load limitations of existing structures.
3. Review and finalize building demolition schedule and verify availability of demolition personnel, equipment, and facilities needed to make progress and avoid delays.
4. Review and finalize protection requirements.
5. Review procedures for noise control and dust control.

6. Review procedures for protection of adjacent buildings.
7. Review items to be salvaged and returned to Owner.
8. Review pedestrian and traffic protection and control plan.
9. Review AST and hazardous material removal.

#### 1.6 INFORMATIONAL SUBMITTALS

- A. Proposed Protection Measures: Submit report, including Drawings, that indicates the measures proposed for protecting individuals and property, for environmental protection, for dust control and, for noise control. Indicate proposed locations and construction of barriers.
  1. Detail special measures proposed to protect adjacent buildings to remain.
  2. Illustrate measures proposed for pedestrian and street traffic controls.
- B. Schedule of Building Demolition Activities: Indicate the following:
  1. Detailed sequence of demolition work, with starting and ending dates for each activity.
  2. Temporary interruption of utility services.
  3. Shutoff and capping of utility services.

#### 1.7 CLOSEOUT SUBMITTALS

- A. Inventory: Submit a list of items that have been removed and salvaged.

#### 1.8 FIELD CONDITIONS

- A. Buildings to be demolished will be vacated and their use discontinued before start of the Work.
- B. Buildings immediately adjacent to demolition area will be occupied. Conduct building demolition so operations of occupied buildings will not be disrupted.
  1. Provide not less than 72 hours' notice of activities that will affect operations of adjacent occupied buildings.
  2. Maintain access to existing walkways, exits, and other facilities used by occupants of adjacent buildings.
    - a. Do not close or obstruct walkways, exits, or other facilities used by occupants of adjacent buildings without written permission from authorities having jurisdiction.
    - b. Apply for and obtain CBJ street closure permit for partial street closure as shown or required to accomplish the work.
- C. Conditions existing at time of inspection for bidding purpose will be maintained by Owner as far as practical.
- D. Hazardous Materials: Present in buildings and structures to be demolished. A report on the presence of hazardous materials is on file for review and use. Examine report to become aware of locations where hazardous materials are present.

1. Hazardous material remediation is specified elsewhere in the Contract Documents.
  2. Do not disturb hazardous materials or items suspected of containing hazardous materials except under procedures specified elsewhere in the Contract Documents.
  3. Owner will provide material safety data sheets for materials that are known to be present in buildings and structures to be demolished because of building operations or processes performed there.
- E. On-site storage or sale of removed items or materials is not permitted.

## 1.9 COORDINATION

- A. Arrange demolition schedule so as not to interfere with operations of adjacent occupied buildings.

## PART 2 - PRODUCTS

### 2.1 PERFORMANCE REQUIREMENTS

- A. Regulatory Requirements: Comply with governing EPA notification regulations before beginning demolition. Comply with hauling and disposal regulations of authorities having jurisdiction.
- B. Standards: Comply with ANSI/ASSE A10.6 and NFPA 241.

## PART 3 - EXECUTION

### 3.1 EXAMINATION

- A. Verify that utilities have been disconnected and capped before starting building demolition operations.
- B. Review Project Record Documents of existing construction or other existing condition and hazardous material information provided by Owner. Owner does not guarantee that existing conditions are same as those indicated in Project Record Documents.
- C. Steel Tendons: Locate tensioned steel tendons and include recommendations for de-tensioning.
- D. Verify that hazardous materials have been remediated before proceeding with building demolition operations.
- E. Inventory and record the condition of items to be removed and salvaged.

### 3.2 PREPARATION

- A. Refrigerant: Before starting demolition, remove refrigerant from mechanical equipment, including window air conditioning units, according to 40 CFR 82 and regulations of authorities having jurisdiction.
- B. Salvaged Items: Comply with the following:
  - 1. Clean salvaged items of dirt and demolition debris.
  - 2. Pack or crate items after cleaning. Identify contents of containers.
  - 3. Store items in a secure area until delivery to Owner.
  - 4. Transport items to storage area designated by Owner.
  - 5. Protect items from damage during transport and storage.

### 3.3 UTILITY SERVICES AND MECHANICAL/ELECTRICAL SYSTEMS

- A. Existing Utilities to be Disconnected: Locate, identify, disconnect, and seal or cap off utilities serving buildings and structures to be demolished.
  - 1. Arrange to shut off utilities with utility companies.
  - 2. Cut off pipe or conduit a minimum of 24 inches (610 mm) below grade. Cap, valve, or plug and seal remaining portion of pipe or conduit after bypassing according to requirements of authorities having jurisdiction.
  - 3. Do not start demolition work until utility disconnecting and sealing have been completed and verified in writing.

### 3.4 PROTECTION

- A. Existing Facilities: Protect adjacent walkways, loading docks, building entries, and other building facilities during demolition operations. Maintain exits from existing buildings.
- B. Temporary Shoring: Provide and maintain interior bracing, or structural support to preserve stability and prevent unexpected movement or collapse of construction being demolished.
  - 1. Strengthen or add new supports when required during progress of demolition.
- C. Existing Utilities to Remain: Maintain utility services to remain and protect from damage during demolition operations.
  - 1. Do not interrupt existing utilities serving adjacent occupied or operating facilities unless authorized in writing by Owner and authorities having jurisdiction.
  - 2. Provide temporary services during interruptions to existing utilities, as acceptable to Owner and authorities having jurisdiction.
    - a. Provide at least 72 hours' notice to occupants of affected buildings if shutdown of service is required during changeover.
- D. Temporary Protection: Erect temporary protection, such as walks, fences, railings, canopies, and covered passageways, where required by authorities having jurisdiction and as indicated. Comply with requirements in Section 015000 "Temporary Facilities and Controls."

1. Protect adjacent buildings and facilities from damage due to demolition activities.
  2. Protect existing site improvements, appurtenances, and features to remain.
  3. Provide temporary barricades and other protection required to prevent injury to people and damage to adjacent buildings and facilities to remain.
  4. Provide protection to ensure safe passage of people around building demolition area and to and from occupied portions of adjacent buildings and structures.
  5. Protect walls, windows, roofs, and other adjacent exterior construction that are to remain and that are exposed to building demolition operations.
  6. Erect and maintain dustproof partitions and temporary enclosures to limit dust, noise, and dirt migration to occupied portions of adjacent buildings.
  7. Secure required permits for occupation and construction of temporary protection in the public right-of-way.
- E. Remove temporary barriers and protections where hazards no longer exist. Where open excavations or other hazardous conditions remain, leave temporary barriers and protections in place.

### 3.5 DEMOLITION, GENERAL

- A. General: Demolish indicated buildings and site improvements completely. Use methods required to complete the Work within limitations of governing regulations and as follows:
1. Do not use cutting torches until work area is cleared of flammable materials. Maintain portable fire-suppression devices during flame-cutting operations.
  2. Maintain fire watch during and for at least 1 hour after flame-cutting operations.
  3. Maintain adequate ventilation when using cutting torches.
  4. Locate building demolition equipment and remove debris and materials so as not to impose excessive loads on supporting walls, floors, or framing.
- B. Site Access and Temporary Controls: Conduct building demolition and debris-removal operations to ensure minimum interference with roads, streets, walks, walkways, and other adjacent occupied and used facilities.
1. Do not close or obstruct streets, walks, walkways, or other adjacent occupied or used facilities without permission from Owner and authorities having jurisdiction. Provide alternate routes around closed or obstructed trafficways if required by authorities having jurisdiction.
  2. Use water mist and other suitable methods to limit spread of dust and dirt. Comply with governing environmental-protection regulations. Do not use water when it may damage adjacent construction or create hazardous or objectionable conditions, such as ice, flooding, and pollution.
- C. Explosives: Use of explosives is not permitted.

### 3.6 DEMOLITION BY MECHANICAL MEANS

- A. Proceed with demolition of structural framing members systematically, from higher to lower level. Complete building demolition operations above each floor or tier before disturbing supporting members on the next lower level.

- B. Remove debris from elevated portions of the building by chute, hoist, or other device that will convey debris to grade level in a controlled descent.
  - 1. Remove structural framing members and lower to ground by method suitable to minimize ground impact and dust generation.
- C. Salvage: Items to be removed and salvaged are indicated on Drawings.
- D. At Grade Construction: saw cut existing paving where removal is indicated or required to accomplish building and site improvement demolition.
- E. Below-Grade Construction: Demolish foundation walls and other below-grade construction.
- F. Below-Grade Construction: Demolish foundation walls and footings, pad and pier foundations, and other below-grade construction.
- G. Existing Utilities: Demolish existing utilities and below-grade utility structures that are within 5 feet (1.5 m) outside footprint indicated for new construction. Abandon utilities outside this area.
  - 1. Fill abandoned utility structures with satisfactory soil materials according to backfill requirements in Section 312000 "Earth Moving."
- H. Hydraulic Elevator Systems: Demolish and remove elevator system, including cylinder, plunger, well assembly, steel well casing and liner, oil supply lines, and tanks.

### 3.7 SITE RESTORATION

- A. Below-Grade Areas: Completely fill below-grade areas and voids resulting from building demolition operations with satisfactory soil materials according to backfill requirements in Section 312000 "Earth Moving."
- B. Site Grading: Uniformly rough grade area of demolished construction to a smooth surface, free from irregular surface changes. Compact as shown and finish with 2" of D-1 paving, compacted and sloped as indicated. Provide a smooth transition between D-1 paving and existing sawcut asphalt paving and existing concrete walks to remain.

### 3.8 REPAIRS

- A. Promptly repair damage to adjacent buildings caused by demolition operations.

### 3.9 DISPOSAL OF DEMOLISHED MATERIALS

- A. Remove demolition waste materials from Project site and dispose of them in an EPA-approved construction and demolition waste landfill acceptable to authorities having jurisdiction.
  - 1. Do not allow demolished materials to accumulate on-site.
  - 2. Remove and transport debris in a manner that will prevent spillage on adjacent surfaces and areas.

- B. Do not burn demolished materials.
- C. At Contractor option, recycle selected demolition materials at an EPA approved recycle facility.

3.10 CLEANING

- A. Clean adjacent structures and improvements of dust, dirt, and debris caused by building demolition operations. Return adjacent areas to condition existing before building demolition operations began.
  - 1. Clean roadways and sidewalks of debris caused by debris transport whenever debris is present in these areas.

END OF SECTION 024116

## SECTION 026100 – CONTAMINATED SOIL REMOVAL & REPLACEMENT

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 1 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

##### A. BACKGROUND

1. The Public Safety Building is served by a 5,000-gallon steel double-wall aboveground storage tank (AST) that was installed 2007, which replaces underground storage tanks that were removed at earlier dates. The existing AST is located on the north side of the building adjacent to a paved parking area, just outside the boiler room. The AST is scheduled to be removed as part of the building demolition project, the building is being demolished, and the site is being re-graded for parking. An unknown amount of contaminated soil may be encountered as part of the tank removal and site grading.
2. This Section addresses the removal and replacement of contaminated soil in excess of 10 tons that is included in the Base Bid per Section 026500 and up to a project total of 150 tons, should it be encountered as part of the overall project.
3. Bid Quantity for the Item covered in this Section is 140 tons. Unit price for material shall be included in the Contractor's Bid (total Item price divided by 140 tons). Contractor shall be paid for actual tonnage on this Item based on this Unit Price for any quantity between 1 ton and 140 tons that exceeds the 10 tons of disposal included in Section 026500. See Measurement and Payment section for details.
4. Section 026500 addresses the removal and disposal of the AST and associated piping, along with up to 10 tons of contaminated soil.

#### 1.3 SCOPE OF WORK

- A. CONTAMINATED SOIL REMOVAL AND REPLACEMENT shall include all labor, all required submittals, equipment, and materials necessary to remove and dispose of up to 140 tons of contaminated soil encountered in excess of the initial 10 tons included in the Base Bid (see Section 026500); and to backfill the resulting excavations as necessary with suitable uncontaminated Backfill Material.
- B. Contractor shall provide equipment and labor to assist CBJ in collecting characterization samples of contaminated soil identified as part of this Work.
- C. All Work shall be in accordance with these contract documents and applicable state and local regulations.

- D. All soil removed shall be transported to a facility approved by ADEC for processing contaminated soil unless directed otherwise by the Engineer.

## PART 2 - PRODUCTS

### 2.1 BACKFILL MATERIAL

- A. Backfill shall be non-frost susceptible, granular material that is free of rocks larger than six inches, mulch, frozen material, lumps, organic material, trash, lumber, or other debris.

## PART 3 - EXECUTION

### 3.1 GENERAL

- A. Each person on the crew shall have completed a 40-hour Hazardous Waste Operations and Emergency Response (HAZWOPER) course and have proof of current refresher training.
- B. The Contractor shall provide assistance to the CBJ Representative who shall perform the following activities in accordance with ADEC's Field Sampling Guidance (updated March 2016) and UST Procedures Manual (March 2017): field screening of soil to determine if it should be disposed of as contaminated soil or used for backfill; collecting representative samples of contaminated and uncontaminated stockpiles, and submitting samples for analysis. CBJ shall be responsible for all costs associated with sampling and analysis of soils.
- C. The Contractor shall remove and exclude water uncontaminated by petroleum hydrocarbons as needed to perform the work required under this Contract (including storm water, ground water, and wastewater) from all excavations. Methods used may include dewatering wells, well points, sump pumps, or other means to remove water as needed. Water shall be removed and excluded until backfilling is complete and all field soil testing has been completed.
- D. The Contractor shall report any petroleum hydrocarbon-contaminated water encountered in the excavation to the Engineer. If the Contractor needs to dewater an excavation that has water contaminated with petroleum hydrocarbons, the Contractor shall remove and dispose of such contaminated water in accordance with all local, state and federal laws and regulations at sites and facilities provided by the Contractor.
- E. OSHA-approved safety fencing is required around all excavations that are left unattended to effectively isolate the construction area from access to passers-by.

### 3.2 EXCAVATION BACKFILL

- A. Backfill shall be compacted in lifts no greater than 18", to 95% of optimum density as determined by AASHTO T 180 D.

END OF SECTION 026100

## SECTION 026500 –FUEL STORAGE TANK REMOVAL

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 1 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

##### A. BACKGROUND

1. Public Safety Building is served by a 5,000-gallon steel double-wall aboveground storage tank (AST) that was installed 2007, which replaces underground storage tanks that were removed at earlier dates. The existing AST is located on the north side of the building adjacent to a paved parking area, just outside the boiler room. The AST is scheduled to be removed as part of the building demolition project; the building is being demolished; and the site is being re-graded for parking. An unknown amount of contaminated soil may be encountered as part of the tank removal and site grading.
2. The AST is located over the footprint of the original underground storage tank (UST) and the replacement tank that was installed in 1980. Our understanding is that both USTs were removed during past projects and that clean backfill materials were used to backfill the previous excavations.
3. The original UST and its 1980 replacement served both the boiler and a backup generator for the building. The generator was removed at an unknown date, and the existing AST provides heating fuel only.

#### 1.3 SCOPE OF WORK

- A. FUEL STORAGE TANK REMOVAL shall include all labor, all required submittals, equipment, and materials necessary to remove and dispose of the AST and associated piping, including everything necessary to pump out and dispose of sludges, remove, clean, and dispose of the tank and associated piping; provide equipment and labor to assist with collection of clearance samples; and backfill the resulting excavations as necessary with suitable uncontaminated Backfill Material. The AST is to be salvaged and delivered to the Owner's storage location. All usable fuel oil removed from the AST is the property of the Owner.
- B. Up to 10 tons of contaminated soil encountered anywhere on the Project is to be moved from the site and treated in compliance with all applicable federal, state, and local regulations as part of this Section of the Base Bid.
- C. Should additional contaminated soils be encountered, removal shall be carried out in accordance with Section 026100 CONTAMINATED SOIL REMOVAL AND REPLACEMENT.

**PUBLIC SAFETY BUILDING  
BUILDING DEMOLITION  
CBJ Contract No. BE19-117**

**FUEL TANK REMOVAL  
026500 - 1**

- D. All Work shall be in accordance with these contract documents and applicable state and local regulations.

#### 1.4 COORDINATION OF UST REMOVAL ACTIVITIES

- A. Removal and disposal of product and sludge from the existing AST, including any unanticipated interstitial spaces, is the responsibility of the Contractor. Usable product is the property of the Owner.
- B. Alaska Department of Environmental Conservation (ADEC) UST Regulations (18 AAC 78) dated July 1, 2017 and ADEC UST Field Sampling Guidance dated March 2016 shall be used for guidance for AST removal work (including assessment of any contaminated soil encountered during tank work).

#### 1.5 SUBMITTALS

- A. Pre-Job:
  - 1. Tank and Piping Removal and Disposal Plan: The Contractor shall submit a brief Tank and Piping Removal and Disposal Plan that describes methods and schedule for cleaning, inerting, inspecting, removing, and disposing of the AST and all associated piping. Refer to PART 3 "EXECUTION" below for specific requirements that must be addressed in the plan.
  - 2. Site Specific Health and Safety Plan (HASP): The Contractor shall submit a HASP that briefly describes safety and health plans and procedures specific to this project. The HASP shall be developed in accordance with the following outline.
    - a. Site Specific Information
    - b. Project Objectives
    - c. Chemical Hazards
    - d. Safety & Health Analysis
    - e. Project Organization
    - f. Emergency Assistance Information
    - g. Non-emergency Assistance Information
    - h. Tailgate Safety Meeting Form
    - i. Comprehensive Information
    - j. Anticipated Hazards & Risk Prevention
    - k. Responsibilities of Project Personnel
    - l. Personnel Training
    - m. Medical Surveillance Program
    - n. Personal Protective Equipment
    - o. Health Hazard Assessment

- p. Site Control Procedures
- q. Decontamination Procedures

B. During job:

1. Release Notification: The Contractor shall notify ADEC and the Engineer in writing within 24 hours after any discovery of contamination, whether identified by direct observation or by laboratory results.

## **PART 2 - PRODUCTS**

### **2.1 BACKFILL MATERIAL**

- A. Backfill shall be non-frost susceptible, granular material that is free of rocks larger than six inches, mulch, frozen material, lumps, organic material, trash, lumber, or other debris.

## **PART 3 - EXECUTION**

### **3.1 GENERAL**

- A. Each person on the crew shall have completed a 40-hour Hazardous Waste Operations and Emergency Response (HAZWOPER) course and have proof that their HAZWOPER Refresher Training is current.
- B. Prior to excavation the Contractor shall conduct an on-site investigation to determine location and size of existing utilities or hazards in the area occupied by the previous USTs.
- C. The Contractor shall not operate valves or similar components of existing systems without the advance written approval of the Engineer.
- D. The Contractor shall submit a written request to the Engineer for any scheduled utility outages affecting adjacent buildings or properties, (such as water, electrical, sanitary sewer, or storm water). The written request shall specify the type of utility, reason for outage, and the estimated length of the proposed outage. Utility outages shall be requested 7 days in advance. Permission and duration of outages will be granted by the Engineer based upon the need for the utility and upon consideration of suitable bypasses or alternate arrangements.
- E. Should contaminated soil be encountered during this project, the Contractor shall remove and exclude water uncontaminated by petroleum hydrocarbons as needed to perform the work required under this Contract (including storm water, ground water, and wastewater) from all excavations. Methods used may include dewatering wells, well points, sump pumps, or other means to remove water as needed. Water shall be removed and excluded until backfilling is complete and all field soil testing has been completed.
- F. The Contractor shall report any petroleum hydrocarbon contaminated water encountered in the excavation to the Engineer. If the Contractor needs to dewater an excavation that has water contaminated with petroleum hydrocarbons, the Contractor shall remove and dispose of such

contaminated water in accordance with all local, state and federal laws and regulations at sites and facilities provided by the Contractor.

- G. OSHA-approved safety fencing is required around all excavations to effectively isolate the construction area from access to passers-by. Such fencing shall surround any excavations left unattended.

Deleted: ¶

### 3.2 TANK CLEANING

- A. Prior to delivery to the Owner the Contractor shall clean each tank to remove all remaining liquids and sludges in accordance with the submitted and approved "Tank and Piping Removal and Disposal Plan".
- B. Cleaning and tank atmosphere testing shall be in accordance with API RP-1604, "Cleaning Petroleum Storage Tanks". All piping to be removed shall be cleaned to similar standards. The Contractor shall test the tank atmosphere and the excavation area for flammable or combustible vapor concentrations with a combustible gas indicator until the tank is removed from the excavation and site.

### 3.3 TANK DISPOSAL

- A. Tank shall be delivered to the Owner's storage site.

### 3.4 EXCAVATION BACKFILL

- A. Backfill shall be compacted in lifts no greater than 18", to 95% of optimum density as determined by AASHTO T 180 D.

### 3.5 CLEARANCE SAMPLING

- A. There is no requirement for clearance sampling following the removal of an AST.
- B. The Contractor shall inspect the area under the footprint of the AST and piping for surface fuel contamination. Any environmental sampling required to characterize the first 10 tons of contaminated soil encountered shall be provided by a CBJ Representative.
- C. If contaminated soil is encountered consult the Engineer for direction. Contaminated Soil beyond the first 10 tons encountered is addressed under Specification Section 026100 CONTAMINATED SOIL REMOVAL AND REPLACEMENT.
- D. Contractor shall provide equipment and labor to assist CBJ in collecting characterization samples of the first 10 tons of contaminated soil identified as part of this Work.

END OF SECTION 026500

## SECTION 028213 – ASBESTOS ABATEMENT

### PART 1- GENERAL

#### 1.1 RELATED DOCUMENTS

- A. General provisions of the Contract, including General and Supplementary Conditions;
- B. Technical specifications; and
- C. Contract drawings.

#### 1.2 SUMMARY

- A. The Public Safety Building, located on Willoughby Avenue in Juneau, Alaska, is scheduled for demolition.
- B. The following asbestos containing materials (ACM) are present in the building:
  - 1. Black mastic under non-ACM vinyl asbestos tile (VAT) in the first floor hallway, including any leveling compound encountered;
  - 2. Black mastic under non-ACM sheet vinyl in first floor toilet rooms; and
  - 3. Thermal system insulation on pipe runs and pipe fittings in the Boiler Room.
- C. The intent of the project is to remove and dispose of the above items, in accordance with all local, state, and federal regulations.
- D. The abatement project includes all material, labor, equipment and other related costs for:
  - 1. mobilization (including moving all plant and equipment onto the site; providing necessary project utilities or improving existing utilities as necessary, arranging for approved storage areas, issuing and posting all notices, and submitting all submittals),
  - 2. installing all necessary critical barriers to establish non-permanent control areas to isolate the various abatement areas,
  - 3. removing and disposing of all materials listed in 1.2A, above, and all materials indicated on the drawings,
  - 4. cleaning all surfaces and spaces within the confines of the asbestos control areas,
  - 5. providing air monitoring in accordance with PART 3 EXECUTION below,
  - 6. providing lab analysis for required air monitoring,
  - 7. disposing of ACM and related demolition debris in accordance with these contract documents,
  - 8. removing the non-permanent asbestos control areas, and
  - 9. general cleanup and demobilization.

#### 1.3 COORDINATION AND TIMING OF ABATEMENT ACTIVITIES

- A. The building will be unoccupied during abatement.
- B. The Owner will allow access to temporary power and water for direct project use. The Contractor is responsible for all costs and effort required to coordinate and develop those utilities for his use.

- C. The Abatement Subcontractor is responsible for all coordination of activities with the Contractor.
- D. Security to the site shall be maintained for the duration of the abatement project.

#### 1.4 REFERENCE SPECIFICATIONS, CODES, AND STANDARDS

- A. The publications listed below form a part of the specification to the extent referenced. The publications are referred to in the text by the basic designation only.

- 1. Code of Federal Regulations (CFR) Publications:

- 29 CFR 1910.1001 Asbestos (for general industry standards)
  - 29 CFR 1910.134 Respiratory Protection
  - 29 CFR 1910.145 Specifications for Accident Prevention Signs and Tags
  - 29 CFR 1910.1200 Hazard Communications
  - 29 CFR 1926.1101 Asbestos (for construction and demolition standards)
  - 40 CFR 61 Sub-part A General Provisions
  - 40 CFR 61 Sub-part M National Emission Standard for Asbestos
  - 40 CFR 241 Guidelines for Land Disposal of Solid Wastes

- 2. Alaska Department of Labor Construction Code:

- 8 AAC 61.600-790 Asbestos Abatement Statutes and Regulations
  - Subchapter 05.045 (as amended November 27, 1991)-Construction Code (Asbestos)
  - Subchapter 15.0101-Hazard Communication

- 3. Additional References:

- US EPA Publication 560/5-85-024: Guidance for Controlling Asbestos Containing Materials in Buildings

#### 1.5 DEFINITIONS

- A. ACM: See Asbestos Containing Material (ACM).
- B. Abandonment: Leaving in place existing asbestos materials. An example is leaving pipes inside walls when new piping is to be routed differently. Complete documentation must be made of the exact location and condition of the asbestos before abandonment, including the type and method of use of any encapsulant.
- C. Action Level: See Exposure Standards.
- D. Aggressive Conditions: Required technique to prepare an area that has passed visual inspection for clearance sampling. Before starting the sampling pumps, the exhaust from forced air equipment (such as a 1 horsepower leaf blower) shall be directed against all walls, ceilings, floors, ledges and other surfaces in the room. This effort shall take at least 5 minutes per 1,000 square feet of floor. Next, a 20-inch fan shall be placed in the center of the space (one such fan shall be employed for every 10,000 cubic feet of room volume), directed towards the ceiling, and set to run on slow speed. Once the fans are set up and operational, the sampling pumps shall be started and run for the required time. Once sampling is complete all 20-inch fans shall be secured.

- E. Amended Water: Water containing a wetting agent specifically designated by the manufacturer for the wetting of asbestos.
- F. Approved Laboratory: An independent laboratory properly staffed and equipped for the collection and analysis of asbestos bulk and/or air samples, and who maintains demonstrable satisfactory performance from all technicians involved in the performance of these analyses. For air samples, participation and a documented record of satisfactory performance in either the NIOSH Proficiency Analytical Testing (PAT) program, equivalent American Industrial Hygiene Association (AIHA) program, or an equivalent inter-laboratory testing protocol in accordance with 29 CFR 1926.1101, Appendix A is required. The lab must be capable of performing both phase contrast illumination microscopy, and transmission electron microscopy, and be capable of the required short turn around times. For bulk analysis, participation in and maintenance of a satisfactory record with the bulk asbestos analysis program with the Research Triangle Park, NC 27709-2194, (919) 541- 6000, is required. If any participation in any equivalent program is proposed to meet this requirement, the details of the program, documentation of satisfactory performance, and name, address and telephone number of the operator of the program must be submitted as part of the asbestos work plan for approval.
- G. Area Monitoring: See Asbestos Air Monitoring.
- H. Asbestos: A class of six naturally occurring fibrous hydrous mineral silicates. Minerals included in this group are chrysotile, crocidolite, amosite and the fibrous forms of anthophyllite, tremolite and actinolite.
- I. Asbestos Air Monitoring: An approved air monitoring plan is required if air monitoring is part of the abatement work. To be approved such a plan must include the following elements:
1. Area Monitoring: Sampling for airborne concentrations of asbestos fibers within the existing or planned asbestos control area that is representative of the fiber levels that may reach the worker's breathing zone. Area pumps drawing 10 liters per minute through the filter cassette are used for area monitoring and should pull at least 1,200 liters of air for each sample.
  2. Environmental Monitoring: Sampling for airborne concentrations of asbestos fibers outside the asbestos control area to assure that no asbestos fibers are escaping the enclosure, and that personnel outside the control area are not being exposed. Where a sealed area is not used, such as during exterior siding removal, this will refer to sampling conducted at the perimeter of the control area to assure that a sufficient buffer zone around the work in progress has been established, and that personnel outside this zone are not being exposed. Area pumps drawing 10 liters per minute through the filter cassette are used for environmental monitoring and should pull at least 1,200 liters of air for each sample.
  3. Baseline (Background) Monitoring: Sampling conducted to determine the initial level of airborne asbestos fibers present prior to the start of asbestos work. Area pumps drawing  $\geq 1$  but  $< 10$  liters per minute through the filter cassette are used for this monitoring and should pull at least 1,200 liters of air for each sample. This sampling can be subdivided into three parts:

- a. Natural Background Sampling: Sampling conducted outside the structure where the work will be accomplished to determine the naturally occurring fiber levels present in that locale. When results indicate that this level may reach or exceed 0.01 f/cc, a minimum of 5 consecutive days of sampling will be used to establish an arithmetic average. This average will be used as the background level.
  - b. Environmental Background Sampling: Sampling conducted to determine the background fiber levels within a structure, but outside the planned asbestos work area. This sampling is accomplished to ascertain the normal background fiber level within these areas of the structure. Special care must be taken during this sampling to minimize sample contamination by non-asbestos fibers, such as from cloth, paper and carpet.
  - c. Work Area Background Sampling: Sampling conducted in the area where asbestos work is planned, normally used to determine the level of personal and other protective measures required by personnel preparing the area for asbestos work and to establish the level of contamination present prior to the beginning of asbestos operations.
4. Initial Exposure Assessment Monitoring: Sampling conducted by a “competent person” immediately before or at the initiation of the operation to ascertain the expected exposures during that operation. Initial Exposure Assessment Monitoring must be completed in time to allow compliance with requirements which are triggered by exposure data or the lack of a “negative exposure assessment”, and to provide information necessary to assure that all control systems planned are appropriate for the operation and will work properly. Until Initial Exposure Assessment Monitoring confirms that employees on the job will not be exposed in excess of the PEL, or a “negative exposure assessment” for non-friable asbestos has been accepted, it shall be assumed that employees are exposed in excess of the TWA and excursion limit.
5. Negative Exposure Assessment: For any one specific asbestos job involving non-friable material which will be performed by trained employees, it may be demonstrated that employee exposures will be below the PEL by data which conform to the following criteria:
- a. Objective data demonstrating that the product or material containing asbestos minerals or the activity involving such product or material cannot release airborne fibers in concentrations exceeding the TWA and excursion limit under those work conditions having the greatest potential for releasing asbestos.
  - b. Where the employer has monitored prior asbestos jobs for the PEL and the excursion limit within 12 months of the current or projected job, the monitoring and analyses were performed in compliance with the asbestos standard in effect; and the data were obtained during work operations conducted workplace conditions “closely resembling” the processes, type of material, control methods, work practices, and environmental conditions in the current operations, the operations were conducted by employees whose training and experience are no more extensive than that of employees performing the current job, and these data show that under the conditions prevailing and which will prevail in the current workplace there is a high degree of certainty that employee exposures will not exceed the TWA and excursion limit.
  - c. The results of initial exposure monitoring of the current job made from breathing zone air samples that are representative of the 8-hour TWA and 30 minute short-

term exposures of each employee covering operations that are most likely during the performance of the entire asbestos job to result in exposures over the PEL.

6. Clearance Monitoring: Sampling occurring at the completion of the asbestos work or at the completion of a specific phase of asbestos work, prior to removing the enclosure. It is accomplished to prove that the clean-up activities have been effective, and that remaining fiber levels both inside and outside the enclosure comply with airborne fiber concentrations defined in "Clearance Levels" below. Clearance sampling is normally accomplished in the same locations and by the same methods as the baseline monitoring, and is done in an aggressive manner (see EPA 560/5-85-024 for description of methods). Transmission Electron Microscopy (TEM) analysis is required for clearance monitoring inside schools and sometimes for inside public buildings to assure that the area is truly safe for reoccupancy. For public buildings the requirement for TEM analysis can be waived in favor of Phase Contrast Illumination Microscopy (PCM) at the OWNER's option. See PART 3-EXECUTION, MONITORING for additional information.
7. Personal Monitoring: Sampling for asbestos fiber concentrations at the breathing zone of a worker, used to document individual exposures, and, in conjunction with the work area sampling, to determine the required degree of personal and respiratory protection. A minimum of two samples shall be collected per eight-hour shift at a flow rate of 0.5 to 2.5 liters per minute. At least 25% of the workers doing a particular job shall be sampled each eight-hour shift. See Exposure Standards for more information.
- J. Asbestos Containing Material (ACM): Material composed of asbestos of any type, and in any amount equal to or greater than 1 percent by weight, either alone or mixed with other fibrous or non-fibrous materials.
- K. Asbestos Control Area: An area where operations involving asbestos are performed which is isolated by physical barriers designed to prevent the spread of asbestos dust, fibers, and debris, and to prevent or deter the entry or unauthorized and unprotected personnel. For areas where isolation is not feasible, it will be an area that is physically demarcated, e.g., bounded by a physical barrier such as a rope, barricade, etc., separating the known "clean" zone from the asbestos work area and buffer zone.
- L. Asbestos Fibers: This expression refers to a particular form of asbestos, fibrous tremolite, anthophyllite, or actinolite having a length to diameter aspect ratio of 3:1 or greater, and an overall length of 5.0 micrometers or longer. Where specialized analytical techniques, such as electron microscopy, are utilized for analysis, this shall refer to the number of fibers considered to equate to a specific weight of asbestos.
- M. Asbestos Survey: A detailed survey accomplished by specially trained, experienced technicians of a specific area to determine the presence, absence, condition, and amount of asbestos and asbestos contamination present in that area.
- N. Asbestos Workers' Personal Hygiene Area: A dedicated area containing shower(s), change room and, if required, toilet facilities where personnel working with asbestos (where a control area is not established) can change into protective clothing, and can disrobe, shower, and change into clean clothing without danger of transferring contamination to themselves or others.
- O. Baseline Monitoring: See Asbestos Air Monitoring.

- P. Bulk Sampling and Analysis: Representative samples taken from materials suspected to contain asbestos, analyzed by an approved laboratory using polarized light microscopy (PLM). When specialized methodology, such as electron microscopy is required, collection and analysis shall be in accordance with the recommendations of the laboratory providing the analysis, and the result expressed as both mass per unit volume and percent by weight shall be given.
- Q. Clean Room: An uncontaminated room having facilities for storage of employees' street clothing, uncontaminated materials and equipment.
- R. Clearance Levels: The maximum fiber levels present after completion of the asbestos work, or a given phase of work, sampled during initial or final clearance monitoring. This level shall be the lower of the baseline work area monitoring value for the location, or less than **0.01 fibers/cc**, whichever is lower. In the special case where the naturally occurring outdoor background levels outside the structure are greater than or equal to 0.01 f/cc, averaged arithmetically over a minimum 5-day period, the clearance level shall be the interior work area background level prior to the start of CONTRACTOR work, or less than or equal to the average natural background level, wherever is lower.
- S. Clearance Monitoring: See Asbestos Air Monitoring.
- T. Competent Person: An individual experienced in the abatement and control of asbestos who has received specialized additional training in the supervision and management of asbestos abatement projects. This individual is the full-time on-site manager responsible for ensuring that all safety, health and environmental protection requirements are met, that approved operational methods are followed, and that all personnel on the site comply with these requirements. Specialized training must include an EPA recognized course in the management of asbestos abatement projects. The Competent Person shall report to the Industrial Hygienist.
- U. Containment: See Enclosure.
- V. Decontamination Area: An enclosed area adjacent and connected to a sealed asbestos control area and consisting of an equipment room, shower area, and clean room used for the decontamination of workers, materials and equipment. This also forms the only authorized entry and exit for the control area, except as required in Equipment Decontamination Area below.
- W. Encapsulant: A liquid material which can be applied to ACM which reduces the potential for release of asbestos fibers from a material, either by creating a membrane over the surface (bridging encapsulant) or by penetrating into the material and binding its components together (penetrating encapsulant).
- X. Encapsulate: The process whereby an encapsulant is applied to ACM to seal in or bind together the individual asbestos fibers, thereby reducing the potential for the release of these fibers.
- Y. Enclosure: Construction of a sealed, permanent structure around asbestos. Complete documentation must be made of the exact location and condition of the asbestos before the enclosure is finished, including the type and method of use of any encapsulant.
- Z. Equipment Decontamination Area: When used, a separate area designed similarly to the personnel decontamination area, but on a large scale. Used to decontaminate large items, or for

the purpose of a separate exit for asbestos waste removal where the normal means of egress is not effective (such as the removal of long pieces of pipe from the basement of a structure).

- AA. Equipment Room (Change Room): A room located within the decontamination area that is supplied with impermeable bags or receptacles for the disposal or storage of contaminated protective clothing and equipment, and lockers for the storage and contaminated tools and work shoes.
- BB. Exposure Standards
1. Workers:
    - a. Action Level: An action level concept shall be used by the abatement Subcontractor to ensure that no personnel are exposed to airborne concentrations of asbestos, actinolite, anthophyllite, or tremolite fibers, or a combination of these mineral fibers, equaling or exceeding **0.1 fibers per cubic centimeter** (0.1 f/cc) expressed as an 8-hour time weighted average (TWA) without placement on a medical monitoring program for asbestos. Personnel exposed at or above this level must be provided proper training in the removal of asbestos containing materials, and must be provided proper personal protective equipment.
    - b. Excursion Limit (EL): An airborne concentration of asbestos of **1.0 fiber per cubic centimeter** of air (1 f/cc) as averaged over a sampling period of 30 minutes.
    - c. Permissible Exposure Level (PEL): The abatement Subcontractor shall ensure that no employee is exposed to an airborne concentration of asbestos, actinolite, anthophyllite, or tremolite fibers, or a combination of these mineral fibers, exceeding **0.1 fibers per cubic centimeter** (0.1 f/cc) expressed as an 8-hour time weighted average (TWA) as defined by the NIOSH sampling and analytical method 7400. (Reference 29 CFR 1926.1101, Appendix A.)
  2. Non-Workers:
    - a. Personnel who are not asbestos workers as defined by OSHA and this specification shall not be exposed to levels of asbestos fibers exceeding the EPA clearance level criteria of **0.01 f/cc**.
- CC. Fibers: All fibers, regardless of composition, as determined by analysis in accordance with the method described in 29 CFR 1926.1101, Appendix A. When specialized methodology, such as electron microscopy is required, collection and analysis shall be in accordance with the recommendations of the laboratory providing the analysis, and the equivalent fiber level, expressed in both mass per unit volume and fibers per cubic centimeter shall be given.
- DD. Glovebag Technique: A method with limited applications for removing small amounts of friable asbestos-containing material from HVAC ducts, short piping runs, valves, joints, elbows, and other non planar surfaces not isolated inside an enclosure. The glovebag assembly is a manufactured or fabricated device consisting of a glovebag (typically constructed of 6-mil transparent polyethylene or polyvinyl chloride plastic), two inward projecting long sleeve gloves, an internal tool pouch, and an attached, labeled receptacle for asbestos waste. The glovebag is constructed and installed in such a manner that it surrounds the object or material to be removed and contains all asbestos fibers released during the process. All workers who are permitted to use the glovebag technique must be highly trained, experienced and skilled in this method.

- EE. HEPA Filter Equipment: High Efficiency Particulate Air (HEPA) filtered vacuuming, local exhaust, or respiratory protective equipment equipped with specialized filters capable of collecting and retaining asbestos fibers. Filters must be of 99.97 percent or greater efficiency at collection of 0.3-micron diameter particles. Filters must be factory tested and certified as meeting this filtration requirement.
- FF. Industrial Hygienist: An individual certified by the American Board of Industrial Hygiene, and having significant prior experience in managing and evaluating the health and safety aspects on asbestos projects of similar nature and scope to ensure capability of performing asbestos work in a satisfactory manner. Prior project similarities shall be in areas related to material composition, project size, number of employees, and in the engineering, work practice, environmental, and personal protection control required. An equivalent individual, such as a Licensed Professional Safety Engineer, Certified Safety Professional, and other qualified person with a minimum of 5 years of experience in industrial hygiene, including extensive experience in the management and evaluation of health and safety aspects of asbestos abatement, may substitute for the Certified Industrial Hygienist, subject to approval by the ENGINEER. The Industrial Hygienist shall be responsible for all monitoring, training and asbestos work, for ensuring that all safety and health requirements prescribed by State and Federal regulations, as well as these specifications, are complied with, and for ensuring that the competent person performs all assigned duties in accordance with this specification and applicable Federal and State regulations.
- GG. Initial Exposure Assessment Monitoring: See Asbestos Air Monitoring.
- HH. Lockdown Sealant: A spray-on liquid-type sealant applied to surfaces from which ACM has been removed. It is applied after final cleaning and visual inspection has occurred, but prior to initial clearance sampling. Its purpose is to control and minimize the amount of airborne asbestos fiber generation that might result from any residual ACM debris on the substrate. All lockdown sealant shall be acrylic copolymer blend that forms a durable non-combustible barrier that when cured becomes an excellent primer for spray back insulation and water based architectural coatings.
- II. Lower Limit of Detection (LLD): The smallest quantifiable amount of a substance, or number of fibers, present in a given sample that can be determined accurately by the sampling and analysis methods in use. A LLD is normally specified to represent a 95% confidence level. All samples taken for baseline, background, environmental or clearance sampling shall have an LLD of 0.01 f/cc or less. Samples taken for bulk analysis shall have an LLD of less than 0.1 percent by weight of the sample of homogeneous samples.
- JJ. Negative Exposure Assessment: See Asbestos Air Monitoring.
- KK. Negative Pressure: A minimum of **minus 0.02 inches of water pressure** (negative pressure) differential between the asbestos control area and all adjacent areas, at a minimum flow rate of **four air changes per hour** at all points within the asbestos control area. See PART 3-EXECUTION; SAFETY AND HEALTH COMPLIANCE; Vacuums and local exhaust systems for additional information.
- LL. Permissible Exposure Level (PEL): See Exposure Standards.
- MM. Personal Monitoring: See Asbestos Air Monitoring.

- NN. Phase Contrast Illumination Microscopy (PCM): An analytical method for counting fibers in air sampling filters.
- OO. Polarized Light Microscopy (PLM): An analytical method for determining asbestos content in bulk samples.
- PP. Time Weighted Average (TWA): The TWA is an average of the airborne concentration of asbestos fibers, expressed as the number of fibers per cubic centimeter (f/cc) of air, measured and calculated for a minimum of 8 hours, and taken into account the relative proportions of time exposed when averaging different exposure levels.
- QQ. Transmission Electron Microscopy (TEM): A procedure whereby an electron beam is scanned through a specially prepared air-sampling filter. The beam diffraction pattern is then analyzed by computer, which differentiates between the patterns of asbestos and the non-asbestos materials, and quantifies the mass of the asbestos present on the filter. This mass can then be referenced to an equivalent number of fibers per cubic centimeter. By far the most sensitive and specific test for airborne asbestos, it is expensive and results cannot normally be provided for several days. Used for detection of extremely low levels, or when suspected non-asbestos fibers are believed to be interfering with the accuracy or readability of normal sampling methods. All clearance samples for projects inside school buildings must use TEM in accordance with methods set forth in 40 CFR 760, Subpart E.

## 1.6 PRE-WORK SUBMITTALS

- A. The Pre-Work Submittal shall be submitted digitally as a complete package and modified as necessary to obtain approval by the Engineer five working days prior to any work on the project. The abatement Subcontractor shall perform his work in compliance with the approved Pre-Work Submittal which shall include:
1. Asbestos Work Plan: A plain language plan describing work procedures to be used during each and all operations involving asbestos. Annotated building plans or site plans no larger than 11 inches by 17 inches shall be included to detail locations for asbestos control areas, monitoring locations, access and disposal routes, and other activities where needed. The plan shall include as a minimum the following elements:
    - a. Location and construction of each asbestos control area.
    - b. Sequencing of asbestos work to include separate sequences if the work is to be accomplished in separate sections or phases.
    - c. A detailed air monitoring plan that complies with 05.045 Alaska Department of Labor Construction Code (Asbestos), 29 CFR 1926.1101, current US EPA guidance, and applicable requirements of “Asbestos Air Monitoring”, “Exposure Standards”, and “Personal Monitoring” in DEFINITIONS above.
    - d. Transport and disposal plans.
    - e. A contingency plan for potential emergencies/accidents/incidents covering, but not limited to:
      - Medical emergencies/accidents inside the control area.
      - Violation of the control area.
      - Spills inside the control area.

- Spills outside the control area.
  - Fire inside and outside the control area.
  - Loss of power.
  - Loss of negative pressure in the controlled area.
  - Discovery that fiber levels inside or outside the control area have exceeded prescribed limits.
  - Site instability encountered during the project.
  - Spills during transport or disposal.
- f. A notification listing of personnel and organizations to be contacted by the abatement Subcontractor in the event of an incident, emergency or contingency.
- g. The 24-hour contact point for the abatement Subcontractor and the designated "competent person" to contact in case of an on-site problem. Response time to the site shall not exceed 1 hour from the time of the notification.
2. Notifications: Copies of EPA and OSHA notifications submitted prior to work.
  3. Competent Person: Submit the name(s) proposed, address (es), telephone number(s) and complete documentation the individual's qualifications proving the person's qualifications meet the requirements described in DEFINITIONS above.
  4. Industrial Hygienist: Submit the name, address and telephone number of the Industrial Hygienist selected to prepare the asbestos work plan, and direct monitoring and training. Include documentation proving the person's qualification meet the requirements described in DEFINITIONS above.
  5. Training: Submit certificates signed by each employee and the Industrial Hygienist that each employee has received the training required by 29 CFR 1910.1001, 29 CFR 1926.1101, and appropriate State of Alaska Regulations and this specification. Include proof that each employee is certified as an asbestos worker in the State of Alaska in accordance with current state regulations.
  6. Testing Laboratory: If Asbestos Air Monitoring is included in the Contract, submit the name, address, telephone number and qualifications of the independent testing laboratory selected to perform the monitoring, testing and reporting of airborne asbestos fibers. Include documentation certifying that all technicians performing the analysis have been judged proficient by successful participation within the last year in the NIOSH PAT program or the equivalent AIHA program, or an equivalent inter-laboratory testing program.
  7. Protective Equipment and Protective Method Plans: Details of planned personnel protective equipment requirements and protective methods, including respirators as will be required for each specific type of operation or condition. Include supporting justification when alternate (e.g., less than the maximum specified) protection is proposed.
- B. Any changes to procedures, methods, conditions, etc., identified in the approved Pre-Work Submittal must be submitted in writing for review and approval by the Engineer prior to the inception of the change. The changes must be reviewed and approved by the Certified Industrial Hygienist prior to being submitted to the Engineer for review. Where changes must be implemented immediately for the protection of workers, personnel outside the work area, the

structure or the environment, and the change established an environment more stringent than that previously existing, the changes may be implemented by the competent person or other individuals with appropriate authority, and the Engineer notified immediately. These changes will then be submitted in writing within 24 hours for final review and approval.

#### 1.7 POST-WORK SUBMITTALS

- A. The Post-Work Submittal shall be submitted digitally and approved by the Engineer as complete before final payment is approved. The Post-Work Submittal shall include:
  - 1. Work Log: A detailed log of all operations involving the asbestos portion of the work, to include but not be limited to:
    - a. The names, entry and exit dates and times, duties performed, and protective equipment worn by each worker during their time within the asbestos control area, covering all personnel, (including inspectors, monitoring personnel and visitors) entering each asbestos control area. This information is normally provided in the form of fully legible copies of the entry/exit control log for the control area. Each day's listing should also include a summary of the work performed (quantity, type, location, etc.).
    - b. A listing of all personnel performing asbestos related work outside the control area, showing duties performed, date, time, duration, and location of the work and protective equipment worn while performing these duties. Each day's listing should also include a summary of the work performed (quantity, type, location, etc.).
    - c. Copies of the complete and reviewed sampling results as an attachment.
    - d. A summary of each problem, incident, contingency, and emergency that occurred, and the actions taken to resolve the situation.
    - e. A copy of all shipping manifests that document disposal of all ACM at an approved solid waste facility.

#### PART 2- PRODUCTS-NOT USED

#### PART 3- EXECUTION

##### 3.1 PROTECTION OF ADJACENT AREAS

- A. Perform all asbestos work in such a way as to not contaminate 1) adjacent areas, or 2) interior spaces of components within the abatement area where such areas or spaces are contaminated, they shall be cleaned and/or restored to their original condition as directed by the Engineer at the abatement Subcontractor's expense.

##### 3.2 NOTIFICATIONS AND PERMITS

- A. The abatement Subcontractor shall notify the regional office of the United States Environmental Protection Agency (US EPA) in accordance with 40 CFR 61 Subpart M.
- B. The abatement Subcontractor shall also notify the Alaska Department of Labor, Occupational Safety and Health Division (AK OSHD) in accordance with current State of Alaska asbestos regulations.
- C. The abatement Subcontractor shall notify the Engineer 48 hours prior to commencement of any abatement work, and immediately upon completion or termination of the work.

- D. The abatement Subcontractor shall carry out disposal in accordance with local, state, and federal requirements; shall secure necessary permits in conjunction with asbestos removal and transport; and provide timely notification of such actions as may be required by Federal, State, regional and local authorities.

### 3.3 COMPETENT PERSON

- A. All asbestos work, including setup and teardown of the asbestos enclosure(s) and control area(s), and all asbestos disposal operations shall be under the direct and continuous on-site supervision of the Competent Person (who is identified in the Pre-Work Submittal and whose qualifications and duties are defined in DEFINITIONS above). The Industrial Hygienist shall oversee all activities of the competent person.

### 3.4 INDUSTRIAL HYGIENIST

- A. The Abatement Subcontractor shall conduct all monitoring, training and asbestos work under the direction of the Industrial Hygienist (who is identified in the Pre-Work Submittal and whose qualifications and duties are defined in DEFINITIONS above).
- B. While performing asbestos work, the abatement Subcontractor may be subject to on-site inspection by the Owner, the Engineer (or his designated representative), fire, safety, and health personnel, and Federal and State inspectors. If the work is in violation of specification requirements, or applicable Federal or State regulations, the Engineer may issue a stop-work order to be in effect immediately, and which will remain in place until the violation(s) are resolved and, if required by the Engineer, a new or amended asbestos work plan is submitted. Restart will not be accomplished without approval of the Engineer. Standby time and expenses required to resolve the violation(s) and provide new or amended submittals shall be at the abatement Subcontractor's expense.

### 3.5 SAFETY AND HEALTH COMPLIANCE

- A. The abatement Subcontractor shall comply with all laws, ordinances, rules and regulations of Federal, State, regional and local authorities regarding demolition, handling, storing, transporting and disposing of asbestos and asbestos containing materials. He shall also comply with the applicable requirements of the current issues of 29 CFR 1910.1001, 29 CFR 1926.1101, and 40 CFR 61 Subparts A and M. Asbestos removal is also required to comply with the provisions of the State of Alaska, Solid Waste Management Codes, title 18 of the Alaska Administrative Code, and the State of Alaska OSHA Standards.

### 3.6 ASBESTOS WORK PROCEDURES

- A. The work specified in these contract documents shall be carried out in accordance with all applicable local, state, and federal regulations, and the following special requirements:
  - 1. Negative Air: The Contractor shall use negative air machines to ensure that air is drawn into the abatement Work area and exhausted through HEPA filters during Class I asbestos removal activities.
  - 2. OSHA Class I asbestos WORK: Class I WORK shall comply with the appropriate sections of OSHA 1926.1101(g)(4) "Class I Requirements" and OSHA 1926.1101(g)(5). Certified asbestos abatement workers are a requirement for Class I asbestos WORK.
  - 3. OSHA Class II asbestos WORK: Class II WORK shall comply with the appropriate sections of OSHA 1926.1101(g)(7) "Work Practices and Engineering Controls for Class II WORK" and OSHA 1926.1101(g)(8). Certified asbestos abatement workers are a requirement for Class II asbestos WORK.

4. Asbestos Handling Procedures: The Contractor shall sufficiently wet ACM with a fine spray of amended water during removal, cutting or other handling to reduce the emission of airborne fibers. All removed and waste materials shall be placed in plastic disposal bags or other approved containers. Under no circumstances shall asbestos waste or debris be allowed to accumulate in the Work area.
5. Disposal of Asbestos: Procedures for hauling and disposal shall comply with 40 CFR 61, Subpart M, 40 CFR 241 and 257, and state, regional, and local standards. Abated material and associated debris shall be packaged in accordance with applicable regulations and disposed of at an approved facility. All ACM shall be transported in an enclosed vehicle.

### 3.7 MONITORING

- A. The abatement Subcontractor shall provide third-party on-site air monitoring for the duration of the Project in accordance with the approved Pre-WORK Submittal.
- B. At a minimum, the Contractor shall provide "Initial Exposure Assessment Monitoring" and "Personal Monitoring" all as specified in Paragraph 1.5 "DEFINITIONS", above.
- C. The Owner reserves the right to perform confirmation air monitoring including all elements summarized in Asbestos Air Monitoring in DEFINITIONS, above.
- D. Clearance Procedures
  1. After abatement activities are complete the abatement Subcontractor and the Engineer or a designated representative shall perform a detailed visual inspection of the work area for any visible asbestos residual. If any is found, a complete re-cleaning of the area shall be performed, and the area re-inspected. Once the visual inspection is satisfactorily completed the lockdown shall be applied.
  2. The abatement Subcontractor shall be responsible for all costs relating to all visual inspections after the second failed visual inspection.

### 3.8 CLEARANCE PROCEDURES

- A. After abatement activities are complete but prior to the application of lockdown sealant and the performance of clearance monitoring, the Contractor and the Engineer shall perform a detailed visual inspection of the work area for any visible asbestos residual. If any is found, a complete re-cleaning of the area shall be performed, and the area re-inspected. Once the visual inspection is satisfactorily completed the lockdown shall be applied.
- B. After the work area has passed the visual inspection and has received spray application of lockdown sealant but prior to the removal of the enclosure, clearance monitoring of the work area, conducted under aggressive conditions, shall be accomplished to confirm the effectiveness of the clean-up operations. Such sampling shall not be performed until all areas and materials within the work area are fully dry.
- C. Clearance sampling for this project shall be done using PCM analysis. Once clearance criteria have been achieved, clearance shall be considered final and removal of any protective enclosure shall be accomplished.

END OF SECTION 028213

## SECTION 028333 – REMOVAL AND DISPOSAL OF MATERIALS CONTAINING LEAD

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. General provisions of the Contract, including General and Supplementary Conditions.
- B. Contract Drawings.

#### 1.2 SUMMARY

- A. The lead removal work is in support of demolition of the Public Safety Building on Willoughby Avenue in Juneau, Alaska.
- B. Testing has identified the following lead-containing building components in the building that will impact the overall Project:
  - 1. Paint on interior and exterior faces of exterior steel wall panels (140 ppm); and
  - 2. Paint on boiler stack (210 ppm).
- C. The building is not residential or child-occupied, so the EPA RRP Rule is not applicable to this Project. All OSHA Lead in Construction regulations do apply.
- D. The intent of the lead removal project is to:
  - 1. Properly control demolition of all lead-based materials on the project to assure that all paint debris is entrained into the general waste stream and not left on the property; and
  - 2. Properly dispose of the combined waste stream from the project.
- E. Overall sampling results indicate that the combined waste stream (lead-based paint plus other demolition debris) is suitable for disposal in a non-hazardous landfill.
- F. The lead removal portion of the Work includes all material, labor, equipment and other related costs for:
  - 1. mobilization (including moving all equipment and materials onto the site; providing necessary project utilities or improving existing utilities as necessary, arranging for approved storage areas, issuing and posting all notices, and submitting all submittals),
  - 2. installing all necessary critical barriers and engineering controls to establish non-permanent control areas to isolate the various lead-control areas as necessary and minimize the risk of employee exposure to lead in air during removal and disposal operations,
  - 3. providing a competent person to oversee abatement operations,
  - 4. completing all project elements as described in Paragraph C. above,
  - 5. cleaning all surfaces and spaces within the confines of the control areas, as needed
  - 6. disposing of hazardous materials and related demolition debris in accordance with these Contract Documents,
  - 7. removing the non-permanent control areas,

8. performing all required monitoring, and
9. performing general cleanup and demobilization.

### 1.3 COORDINATION AND TIMING OF ABATEMENT ACTIVITIES

- A. The building will be unoccupied during the demolition project.
- B. The General Contractor shall have full access to the site. Abatement Subcontractor shall coordinate with Contractor for access and shall comply with all necessary site security measures.
- C. It is the responsibility of the Abatement Subcontractor to coordinate with the General Contractor for scheduling abatement activities.
- D. The Owner will provide access to temporary power and to water for direct Project use. The Abatement Subcontractor is responsible for all costs and effort required to develop those utilities for his or her use.
- E. Security to the site shall be maintained for the duration of the work.

### 1.4 REFERENCE SPECIFICATIONS, CODES, AND STANDARDS

- C. The publications listed below form a part of this specification to the extent referenced. The list is for reference only and may not be comprehensive. Publications on the list are referred to in the text by the basic designation only.

#### 1. CODE OF FEDERAL REGULATIONS (CFR):

- a. 29 CFR 1910.134 Respiratory Protection
- b. 29 CFR 1910.145 Specs for Accident Prevention Signs and Tags
- c. 29 CFR 1926.62 Lead Exposures in Construction

Note: Alaska is a state plan state and the Division of Occupational Safety and Health (AKDOSH) is responsible for the enforcement of OSHA regulations. For projects falling under AKDOSH jurisdiction, 29 CFR 1926.62 takes precedence.

- d. 40 CFR 241 Guidelines for Land Disposal of Solid Wastes

#### D. State Of Alaska Regulations

#### 1. ALASKA ADMINISTRATIVE CODE (AAC):

- a. 8 AAC 61 Occupational Safety and Health Standards
- b. 18 AAC 60 Solid Waste Management
- c. 18 AAC 62 Hazardous Waste Management

E. Other references:

1. NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH (NIOSH)
  - a. NIOSH-7082 Manual of Analytical Methods, 3rd edition (1984)
  - b. NIOSH-7105 Manual of Analytical Methods, 3rd edition (1984)
2. UNDERWRITERS LABORATORIES (UL)
  - a. UL 586 High-Efficiency, Particulate, Air (HEPA) Filter Units

1.2 DEFINITIONS

- A. Abatement: A process of reducing potential exposure to lead and lead dust, which includes removal, testing, worker protection, contaminant containment, cleanup, waste disposal, and clearance testing.
- B. Abatement Contractor: Any business entity or person performing the work for a lead abatement project. Referred to in this specification as the "contractor."
- C. Abrasive Removal: The removal of lead-based paint using mechanical means such as chipping, grinding, sanding, sand blasting, etc.
- D. Action Level (AL): The concentration of lead in air of 30 micrograms per cubic meter of air ( $30 \mu\text{g}/\text{m}^3$ ) averaged over an 8-hour period.
- E. Biological Monitoring: The collection and analysis of a person's blood to determine the level of lead in the body. Biological monitoring is required when the employee is exposed above the action level for 30 days or more per year. The blood lead level that requires medical removal is  $50 \mu\text{g}/\text{dl}$ .
- F. Chemical Removal: The removal of lead-based paint using chemical paint strippers.
- G. Competent Person: The on-site supervisor, designated by the contractor, who has been certified as a lead abatement contractor/supervisor by successfully completing an EPA-accredited course.
- H. Contained Work Area: An enclosed lead abatement work area constructed and equipped with a negative pressure exhaust system so that lead dust and fumes will not migrate out and contaminate non-work areas.
- I. Disposal Facility: A permitted, licensed, or approved facility at which solid or hazardous waste is permanently placed.
- J. Encapsulation: Coating and sealing of surfaces with durable, paint-like coatings specifically formulated to prevent the chalking and flaking of lead-containing substances.
- K. Enclosure: Barricading lead-painted surfaces behind or within a durable barrier to make them permanently inaccessible.
- L. Engineering Controls: Temporary measures implemented at a work site to contain, control, and reduce worker exposure to lead.
- M. EPA Identification: The unique number assigned by the environmental protection agency (EPA) to each generator or transporter of hazardous waste and each treatment, storage, or disposal (TSD) facility.

- N. Hazardous Waste Generator: An entity that causes a hazardous waste to be created, or an entity that first makes the waste subject to regulation.
- O. Hazardous Waste: Lead abatement waste which, when tested using the TCLP procedure (see toxicity characteristic leaching procedure (TCLP) below), has more than five milligrams per liter (5 mg/l) of lead in the extract.
- P. High-Efficiency, Particulate, Air (HEPA) filter: A filter capable of removing particles of 0.3 microns or greater from air with 99.97 percent efficiency. HEPA filters do **not** remove lead fumes.
- Q. High Phosphate Detergent: Cleaning agent used in wet-washing that contains at least 5% trisodium phosphate.
- R. Certified Industrial Hygienist: A person certified in the comprehensive practice of industrial hygiene by the American board of industrial hygiene (ABIH).
- S. Industrial Hygienist: An individual certified by the ABIH and having significant prior experience in managing and evaluating the health and safety aspects on projects of similar nature and scope to ensure capability of performing the work in a satisfactory manner. Prior project similarities shall be in areas related to material composition, project size, number of employees, and in the engineering, work practice, environmental, and personal protection required. An equivalent individual, such as a licensed professional safety engineer, certified safety professional, or other qualified person with a minimum of five years' experience in industrial hygiene, including extensive experience in the management and evaluation of health and safety aspects of lead abatement, may substitute for the industrial hygienist, subject to the approval of the owner. The industrial hygienist shall be responsible for all monitoring, training, abatement work, and for ensuring that the contractor complies with all safety and health requirements prescribed by state and federal regulations as well as these specifications. The industrial hygienist is also responsible for ensuring that the competent person performs all assigned duties in accordance with this specification and applicable federal and state regulations.
- T. Lead: Metallic lead, all inorganic lead compounds, and organic lead soaps. Welding, cutting, and burning operations may generate lead fumes.
- U. Lead Abatement Work Area: An area in which lead abatement or disturbance activities take place and in which the concentration of lead in air exceeds or can be reasonably expected to exceed the action level.
- V. Manifest: The shipping document, as required by EPA and DOT, used for identifying the quantity, composition, origin, routing, and destination of hazardous waste during its transportation from the point of generation to the point of treatment, storage, or disposal.
- W. Medical Removal: The temporary reassignment of lead abatement workers to non-lead containing work areas due to blood lead levels at or above 50 µg/dl.
- X. Negative Pressure Exhaust Systems: A fan system that creates a negative air pressure within a contained work area by exhausting air from the area through a HEPA filter.
- Y. Permissible Exposure Limit (PEL): An 8-hour time weighted average (TWA) exposure to lead of 50 micrograms per cubic meter of air (50 µg/m<sup>3</sup>). If exposure to lead exceeds an 8-hour period, the PEL is reduced according to the following formula:  

$$\text{Maximum PEL (in } \mu\text{g/m}^3) = 400/\text{number of hours worked in a day.}$$
- Z. Personal air samples: Air samples collected in the breathing zone of a worker, but outside

the respirator.

- AA. Small Quantity Generator: A generator who produces less than 100 kg of hazardous waste per month.
- BB. Solid Waste: As defined in RCRA the term "solid waste" includes any refuse, and other discarded material resulting from construction operations.
- CC. Storage: The holding of hazardous waste for a temporary period, at the end of which the hazardous waste is treated, disposed of, or stored elsewhere.
- DD. Substrate: The material that is coated, usually composed of wood, plaster, or metal, including items such as door frames, window trim, walls, baseboards, etc.
- EE. Surface: The outer or topmost boundary of a substrate.
- FF. Toxicity Characteristic Leaching Procedure (TCLP): Test method 1311 as defined by 40 CFR 261.24, Appendix II.
- GG. Transporter: Any person engaged in off-site transportation of hazardous waste.

### 1.3 ABBREVIATIONS

|           |                                                            |
|-----------|------------------------------------------------------------|
| A. ABIH   | American Board of Industrial Hygiene                       |
| B. ADEC   | State of Alaska Department of Environmental Conservation   |
| C. AKDOSH | State of Alaska Division of Occupational Safety and Health |
| D. AIHA   | American Industrial Hygiene Association                    |
| E. AL     | Action Level                                               |
| F. BLL    | Blood Lead Level                                           |
| G. DOT    | U.S. Department of Transportation                          |
| H. EPA    | U.S. Environmental Protection Agency                       |
| I. HEPA   | High-Efficiency, Particulate, Air (filter)                 |
| J. MSDS   | Material Safety Data Sheet                                 |
| K. MSHA   | Mine Safety and Health Administration                      |
| L. NIOSH  | National Institute for Occupational Safety and Health      |
| M. OSHA   | U.S. Occupational Safety and Health Administration         |
| N. PEL    | Permissible Exposure Limit                                 |
| O. RCRA   | Resource Conservation and Recovery Act                     |
| P. TCLP   | Toxicity Characteristic Leaching Procedure                 |
| Q. TCP    | Tricresyl Phosphate                                        |
| R. TSD    | Transportation, Storage or Disposal (facility)             |
| S. TSP    | Trisodium Phosphate                                        |
| T. XRD    | X-Ray Diffraction                                          |
| U. XRF    | X-Ray Fluorescence                                         |

### 1.5 PRE-WORK SUBMITTALS

- A. The Pre-Work Submittal shall be submitted digitally as a complete package and modified as necessary to obtain approval by the Engineer five working days prior to any work on the

project. The abatement Subcontractor shall perform his work in compliance with the approved Pre-Work Submittal which shall include:

1. Hazardous Materials Work Plan: Prepare a detailed plain language plan covering the Work procedures to be used during each and all operations involving hazardous materials. Annotated building plans or site plans no larger than 11 inches by 17 inches shall be included to detail locations for control areas, monitoring locations, access and disposal routes, and other activities where needed. The plan shall include as a minimum the following elements:
  2. Detailed approach to controlling lead on the project;
  3. Schedule for lead activities;
  4. Testing Laboratory: Submit the name, address, telephone number and qualifications of the independent testing laboratory selected to perform the monitoring, testing and reporting of airborne lead
  5. Training: Submit certificates signed by each employee and the Industrial Hygienist that each employee has received the training required by 29 CFR 1926.62, and appropriate State of Alaska Regulations and this specification. Include proof that each employee has completed lead awareness training.
  6. Protective Equipment and Protective Method Plans: Details of planned personnel protective equipment requirements and protective methods, including respirators as will be required for each specific type of operation or condition. Include supporting justification when alternate (e.g., less than the maximum specified) protection is proposed.
  7. Manufacturer's Data: Provide complete manufacturer's information, including maintenance and usage instructions, on all specialized equipment to be used for lead Work, including, but not limited to:
  8. Vacuum equipment
  9. Respirators
  10. Material Safety Data Sheets (MSDS): Provide copies of the MSDS for each chemical, adhesive, sealant, foam, glue, additive for creation of the amended water, and paints to be utilized, as well as any other material requiring this reporting in accordance with Federal Standard 313B. This requirement is in addition to the requirement for submittal of material data sheets specified elsewhere in the specifications.
- B. Any changes to procedures, methods, conditions, etc., identified in the approved Pre-Work Submittal must be submitted in writing for review and approval by the Architect prior to the inception of the change. Where changes must be implemented immediately for the protection of workers, personnel outside the Work area, the structure or the environment, and the change established an environment more stringent than that previously existing, the changes may be implemented by the competent person or other individuals with appropriate authority, and the Architect notified immediately. These changes will then be submitted in writing within 24 hours for final review and approval.
- C. Any analytical data collected as part of the pursuit of the Work shall be considered the property of the Owner and shall be submitted to the Owner within 24 hours of receipt of such data.

## 1.6 POST-WORK SUBMITTALS

- A. A digital version of the post-Work submittal shall be submitted. The following items shall be included and approved by the Architect as complete before final payment is approved:
  - 1. A copy of all shipping manifests that document disposal of all hazardous materials at an approved solid waste facility.

## PART 2 - PRODUCTS – NOT USED

## PART 3 - EXECUTION

### 3.1 PROTECTION OF ADJACENT AREAS

- A. Perform all hazardous materials Work in such a way as to not contaminate adjacent areas. Such areas or spaces are assumed free of lead dust contamination, and if they are found to be contaminated after abatement activities, they shall be cleaned and/or restored to their original condition as directed by the Architect at the Abatement Subcontractor's expense.

### 3.2 NOTIFICATIONS AND PERMITS

- A. The Abatement Subcontractor shall notify the Architect 48 hours prior to commencement of any abatement Work, and immediately upon completion or termination of the Work. Where any emergency removal is required, notifications will be made immediately, but Work schedules will not be contingent on the notification timing specified in the paragraph.
- B. The Abatement Subcontractor shall carry out disposal in accordance with state and federal requirements; shall secure necessary permits in conjunction with lead removal and transport; and provide timely notification of such actions as may be required by Federal, State, regional and local authorities.

### 3.3 PROJECT INSPECTION

- A. While performing lead Work, the Abatement Subcontractor may be subject to on-site inspection by the Owner, the Architect (or designated representative), fire, safety, and health personnel, and Federal and State inspectors. If the Work is in violation of specification requirements, or applicable Federal, State, regional, or local regulations, the Architect may issue a stop-Work order to be in effect immediately, and which will remain in place until the violation(s) are resolved and, if required by the Architect, a new or amended lead Work plan is submitted. Restart will not be accomplished without approval of the Architect. Standby time and expenses required to resolve the violation(s) and provide new or amended submittals shall be at the Abatement Subcontractor's expense.

- B. The Project Work Log (see Paragraph 1.7A.1 above) shall be subject to review by the Owner and the Architect on a daily basis and at each Application for Payment by the Abatement Subcontractor.

### 3.4 SAFETY AND HEALTH COMPLIANCE

- A. The Abatement Subcontractor shall comply with all laws, ordinances, rules and regulations of Federal, State, regional and local authorities regarding demolition, handling, storing, transporting and disposing of lead and lead containing materials. He shall also comply with the applicable requirements of the current issues of 29 CFR 1910.1001, 29 CFR 1926.1101, 40 CFR 61 Subparts A and M, and 40 CFR 745. Lead removal is also required to comply with the provisions of the State of Alaska, Solid Waste Management Codes, title 18 of the Alaska Administrative Code, and the State of Alaska AK-OSH Standards.

### 3.5 LEAD DUST WORK PROCEDURES

- A. To ensure worker safety, the following procedures shall be used when removing lead hazards:
  - 1. Ensure that abatement employees have completed OSHA lead awareness training, and appropriate training under the EPA Renovation, Repair, and Painting (RRP) Rule,
  - 2. Install appropriate engineering controls to minimize the risk of employee exposure to lead in air during demolition, cleaning, and disposal operations,
  - 3. Ensure that respirators are worn by all workers at all times, and
  - 4. Provide laboratory results showing that the waste stream or a mass balance of the waste stream and the TCLP results show that all demolition debris from this project may be disposed of as regular demolition debris. For bidding purposes, the Abatement Subcontractor should assume that the final waste stream will meet TCLP standards for disposal at the local municipal landfill.

### 3.6 MONITORING

- A. At a minimum, the Abatement Subcontractor shall provide “Initial Exposure Assessment Monitoring” and “Personal Monitoring”, all as specified in Paragraph 1.5 “DEFINITIONS”, above.

### 3.7 CLEARANCE PROCEDURES FOR EACH ABATEMENT AREA:

- A. After all lead work activities are complete, the Abatement Subcontractor and the Owner representative shall perform a detailed visual inspection of the Work area for any visible lead dust residual. If any is found, a complete cleaning of the area shall be performed, and the area shall be re-inspected. Once the visual inspection is satisfactorily completed, the area shall be considered cleared of lead-based wastes.
- B. The Abatement Subcontractor shall be responsible for all costs relating to all clearance inspections after the first failed clearance inspection, and for any additional clearance

inspections added to the project to improve the Contractor's schedule. The Abatement Subcontractor is responsible for coordinating inspection trips with the owner's representative.

END OF SECTION 028333

## SECTION 028416 – HAZARDOUS BALLASTS AND LAMPS

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. General provisions of the Contract, including General and Supplementary Conditions.
- B. Contract Drawings

#### 1.2 SUMMARY

- A. The work described herein is in support of the demolition of the Public Safety Building in Juneau, Alaska.
- B. Fluorescent lighting fixtures are located throughout the building (both floors).
- C. Fluorescent lamps contain mercury, and ballasts from before 1978 contain PCBs.
- D. Some ballasts were observed to be marked as “non-PCB”; however, some may exist that are not marked as non-hazardous.
- E. The intent of the project is to:
  - 1. Collect and sort all fluorescent ballasts and to dispose of them according to their indicated level of hazard, and
  - 2. Separate all fluorescent lamps from the waste stream and dispose of them as hazardous materials.

#### 1.3 COORDINATION AND TIMING OF ABATEMENT ACTIVITIES

- A. The building will be unoccupied.
- B. Security to the site shall be maintained for the duration of the Project. It will be the responsibility of the Contractor to coordinate with other trades to sequence the mold abatement portion of the Work.

#### 1.4 PRE-WORK SUBMITTALS

- A. The contractor shall submit a plan for disposal of unmarked ballasts presumed to contain PCBs.

### PART 2 - PRODUCTS-NOT USED

### PART 3 - EXECUTION

#### 3.1 ENGINEERING CONTROLS

- A. Minimum personal protection equipment shall be respiratory protection (e.g., N-95 disposable respirator), gloves, and eye protection.

#### 3.2 PROTECTION OF ADJACENT AREAS

- A. Perform all hazardous materials Work in such a way as to not contaminate adjacent areas. All such efforts shall be at the Abatement Subcontractor’s expense.

- B. Should any adjacent areas become contaminated with materials potentially containing PCBs or mercury, Abatement Subcontractor shall collect and dispose of all contaminated materials appropriately at his or her own expense.


### 3.3 DISPOSAL

- A. Unmarked ballasts are presumed to contain PCBs and shall be disposed of as such. A fully completed waste disposal manifest shall be filled out to track all PCB waste.
- B. Fluorescent lamps and mercury thermostat bulbs shall be disposed of as a mercury hazard.

END OF SECTION 028416

CITY AND BOROUGH OF JUNEAU  
PUBLIC SAFETY BUILDING  
450 WHITTIER ST, JUNEAU, AK  
**BUILDING DEMOLITION**  
CBJ PROJECT No. BE19-117  
JUNEAU, ALASKA

VICINITY MAP



ARCHITECT  
JENSEN YORBA LOTT, INC

522 WEST 10TH STREET  
JUNEAU, ALASKA 99801  
(907) 586-1070  
FAX (907) 586-3959

ENVIRONMENTAL ENGINEER  
DAHLBERG DESIGN LLC

222 SEWARD STREET, #200  
JUNEAU, ALASKA 99801  
(907) 723-8896

CIVIL ENGINEERING  
CITY AND BOROUGH OF JUNEAU

115 SOUTH SEWARD STREET  
JUNEAU, ALASKA 99801  
(907) 586-0490  
FAX (907) 586-4530

SHEET INDEX

|        |                                                 |
|--------|-------------------------------------------------|
| A001   | COVER SHEET, SYMBOLS & ABBREVIATIONS            |
| A101   | DEMOLITION SITE PLAN                            |
| A102   | SWING TIE PLAN                                  |
| A201   | DEMOLITION FOUNDATION PLAN                      |
| A202   | DEMOLITION/SALVAGE FIRST FLOOR PLAN             |
| A203   | DEMOLITION/SALVAGE SECOND FLOOR PLAN            |
| A204   | DEMOLITION SECOND FLOOR FRAMING PLAN            |
| A301   | DEMOLITION EXTERIOR ELEVATIONS                  |
| A302   | DEMOLITION EXTERIOR ELEVATIONS/BUILDING SECTION |
| HAZ202 | HAZARDOUS MATERIALS FIRST FLOOR                 |



|      |                           |
|------|---------------------------|
| C101 | SITE GRADING AND DRAINAGE |
| C102 | STRIPPING PLAN            |

ABBREVIATIONS

|        |                                     |       |                                  |         |                                      |        |                                  |       |                              |
|--------|-------------------------------------|-------|----------------------------------|---------|--------------------------------------|--------|----------------------------------|-------|------------------------------|
| Z      | ANGLE                               | EL    | ELEVATION                        | INSUL   | INSULATION                           | PWD    | PLYWOOD                          | TPD   | TOILET PAPER DISPENSER       |
| AC     | ASPHALT CONCRETE                    | ELEC  | ELECTRICAL                       | INT     | INTERIOR                             | R      | RISER                            | TRD   | TREAD                        |
| ACM    | ASBESTOS CONTAINING MATERIAL        | ELEV  | ELEVATOR                         |         |                                      | RD     | RADIUS                           | TRTD  | PRESSURE TREATED TOP OF WALL |
| ACP    | ACOUSTICAL CEILING PANEL            | EMER  | EMERGENCY ENCLOSURE              | JAN     | JANITOR                              | REF    | REFERENCE                        | TOW   | TYPICAL                      |
| ADJ    | ADJUSTABLE                          | ENCL  | ETHYLENE PROPYLENE DIANE MONOMER | JT      | JOINT                                | REFR   | REFRIGERATOR                     | UL    | UNDERWRITERS LABORATORIES    |
| AFF    | AIR INFILTRATION BARRIER            | EPDM  | EXPANDED POLYSTYRENE             | LAB     | LABORATORY                           | REINF  | REINFORCED                       | UNF   | UNFINISHED                   |
| AL     | ALUMINUM                            | EQ    | EQUAL                            | LAM     | LAMINATE                             | REQ    | REQUIRED                         | UON   | UNLESS OTHERWISE NOTED       |
| APPROX | APPROXIMATE                         | EQP   | EQUIPMENT                        | LAV     | LAVATORY                             | RESIL  | RESILIENT                        | UR    | URINAL                       |
| ARCH   | ARCHITECTURAL                       | EX    | EXISTING                         | LB      | POUND                                | RH     | ROBE HOOK                        | VERT  | VERTICAL                     |
| ASB    | ASBESTOS                            | EXT   | EXTERIOR                         | LT      | LIGHT                                | RL     | RAIN LEADER                      | VEST  | VESTIBULE                    |
|        |                                     |       |                                  | MIR     | MIRROR                               | RM     | ROOM                             | VR    | VAPOR RETARDER               |
| BD     | BOARD                               | FA    | FIRE ALARM                       | MAX     | MAXIMUM                              | RO     | ROUGH OPENING                    | VTR   | VENT THROUGH ROOF            |
| BLDG   | BUILDING                            | FDN   | FLOOR DRAIN                      | MDO     | MEDIUM DENSITY OVERLAID              | RUB    | RUBBER                           | WB    | WEATHER BARRIER              |
| BLKG   | BLOCKING                            | FEC   | FIRE EXTINGUISHER CABINET        | MECH    | MECHANICAL                           |        |                                  | WC    | WATER CLOSET                 |
| BM     | BEAM                                | FF    | FINISH FLOOR                     | MEMB    | MEMBRANE                             | SASU   | SELF ADHERING SHEET UNDERLAYMENT | WD    | WOOD                         |
| BOT    | BOTTOM                              | FHC   | FIRE HOSE CABINET                | MFR     | MANUFACTURER                         | SCD    | SEAT COVER DISPENSER             | WP    | WATERPROOF                   |
| CAB    | CABINET                             | FIN   | FINISH                           | MH      | MANHOLE                              | SCHED  | SCHEDULE                         | WR    | WASTE RECEPTACLE             |
| CB     | CATCH BASIN                         | FLSH  | FLASHING                         | MIN     | MINIMUM                              | SF     | SQUARE FOOT                      | WSCOT | WAINSCOT                     |
| CEM    | CEMENT                              | FLR   | FLOOR                            | MISC    | MISCELLANEOUS                        | SFRM   | SPRAYED FIRE-RESISTIVE MATERIAL  | WT    | WEIGHT                       |
| CG     | CORNER GUARD                        | FOC   | FACE OF CONCRETE/CURB            | MTL     | METAL                                |        |                                  | WWF   | WELDED WIRE FABRIC           |
| CI     | CAST IRON                           | FOF   | FACE OF FINISH                   | MUL     | MULLION                              | SHR    | SHOWER                           |       |                              |
| CLG    | CEILING                             | FOS   | FACE OF STUD                     |         |                                      | SHTH   | SHEATHING                        |       |                              |
| COL    | CONCRETE                            | FRP   | (GLASS) FIBER REINFORCED PLASTIC | NIC     | NOT IN CONTRACT                      | SIM    | SIMILAR                          |       |                              |
| CONC   | CONCRETE                            | FR    | FIRE RETARDANT                   | NO OR # | NUMBER                               | SND    | SANITARY NAPKIN DISPENSER        |       |                              |
| CONT   | CONTINUOUS                          | FT    | FOOT OR FEET                     | NOM     | NOMINAL                              | SNR    | SANITARY NAPKIN RECEPTACLE       |       |                              |
| CTR    | CENTER                              | FTG   | FOOTING                          | NTS     | NOT TO SCALE                         | SPEC   | SPECIFICATIONS                   |       |                              |
| CTSK   | COUNTERSUNK                         | FURR  | FURRING                          |         |                                      | SQ     | SQUARE                           |       |                              |
|        |                                     |       |                                  | OA      | OVERALL                              | SQFT   | SQUARE FOOT                      |       |                              |
| DBL    | DOUBLE                              |       |                                  | OC      | ON CENTER                            | SQYD   | SQUARE YARD                      |       |                              |
| DEPT   | DEPARTMENT                          | GA    | GAUGE                            | OD      | OUTSIDE DIAMETER                     | SS     | STAINLESS STEEL                  |       |                              |
| DF     | DRINKING FOUNTAIN                   | GALV  | GALVANIZED                       | OFCI    | OWNER FURNISHED CONTRACTOR INSTALLED | STA    | STATION                          |       |                              |
| DET    | DETAIL                              | GB    | GRAB BAR                         | OFOI    | OWNER FURNISHED CONTRACTOR INSTALLED | STC    | SOUND TRANSMISSION CLASS         |       |                              |
| DIA    | DIAMETER                            | GL    | GLASS                            | OFD     | OVERFLOW DRAIN                       | STD    | STANDARD                         |       |                              |
| DIM    | DIMENSION                           | GWB   | GYPSPUM WALL BOARD               | OFF     | OFFICE                               | STL    | STEEL                            |       |                              |
| DISP   | DISPENSER                           | GYP   | GYPSPUM                          | OPNG    | OPENING                              | STOR   | STORAGE                          |       |                              |
| DN     | DOWN                                |       |                                  | OPP     | OPPOSITE                             | STRUCT | STRUCTURAL                       |       |                              |
| DR     | DOOR                                | HB    | HOSE BIBB                        | OSB     | ORIENTED STRAND BOARD                | SUSP   | SUSPENDED                        |       |                              |
| DS     | DOWNSPOUT                           | HOWD  | HARDWOOD                         |         |                                      | SY     | SQUARE YARD                      |       |                              |
| DWG    | DRAWING                             | HM    | HOLLOW METAL                     | PL      | PLATE                                | TB     | TOWEL BAR                        |       |                              |
| DWR    | DRAWER                              | HORIZ | HORIZONTAL                       | PLAM    | PLASTIC LAMINATE                     | TC     | TOP OF CURB                      |       |                              |
|        |                                     | HR    | HOUR                             | PLAS    | PLASTER                              | TEL    | TELEPHONE                        |       |                              |
| EA     | EACH                                | HT    | HEIGHT                           | PC      | PRE-CAST                             | TEMP   | TEMPORARY                        |       |                              |
| EF     | EXHAUST FAN                         | HW    | HOT WATER                        | PF      | PRE-FINISHED                         | T&G    | TONGUE & GROOVE                  |       |                              |
| EFIS   | EXTERIOR INSULATION & FINISH SYSTEM | ID    | INSIDE DIAMETER                  | PR      | PAIR                                 | TOC    | TOP OF CONCRETE                  |       |                              |
| EJ     | EXPANSION JOINT                     |       |                                  |         |                                      | TOD    | TOP OF DECK                      |       |                              |

SYMBOLS


|                        |      |                        |                    |                                           |                               |
|------------------------|------|------------------------|--------------------|-------------------------------------------|-------------------------------|
| BUILDING SECTION       | XX   | SECTION NUMBER         | KEY NOTE           | XXX                                       | KEY NOTE NUMBER               |
| EXTERIOR ELEVATION     | XX   | ELEVATION NUMBER       | DEMO KEY SYM       | XX                                        | DEMO NOTE NUMBER              |
| WALL SECTION           | XX   | SECTION NUMBER         | EQUIPMENT SYM      | XX                                        | EQUIPMENT NOTE NUMBER         |
| DETAIL REFERENCE       | XX   | DETAIL NUMBER          | REV SYM            | XX                                        | REVISION NOTE NUMBER          |
| COLUMN GRID LINE       | A    | GRID NUMBER            | ROOM TITLE         | ROOM NAME 1<br>ROOM NAME 2<br>ROOM NUMBER | ROOM NAME<br>ROOM NUMBER      |
| INTERIOR ELEVATION     | XXXX | ELEVATION NUMBER       | EXISTING TO REMAIN | 180A                                      | DOOR NUMBER (WHERE INDICATED) |
| PARTITION OR WALL TYPE | XX   | PARTITION OR WALL TYPE | NEW CONSTRUCTION   | 180B                                      | EXISTING RELITE/WINDOW        |
| WINDOW TYPE            | XX   | WINDOW TYPE LETTER     |                    | 180C                                      | DOOR NUMBER                   |
| DOOR TYPE              | XX   | DOOR TYPE NUMBER       |                    |                                           | RELITE/WINDOW NUMBER          |
|                        |      |                        | EXISTING TO REMOVE |                                           | DOOR TO REMOVE                |
|                        |      |                        |                    |                                           | RELITE/WINDOW TO REMOVE       |
|                        |      |                        |                    |                                           | WALL TO REMOVE                |



**Jensen  
Yorba  
Lott  
Inc.**

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com  
FILE: 0000

**A001**




**DEMOLITION KEY NOTES:**

THE KEY NOTES LISTED BELOW ARE PROJECT SPECIFIC AND MAY NOT BE SPECIFIC TO THIS SHEET.

NOTES:


1. REMOVE ALL EXISTING SLAB ON GRADE SIDEWALKS, APRONS & FOOTING – SEE A201 FOR FOOTING LOCATIONS
2. PROVIDE MATTS OR OTHER MEASURES AS REQUIRED TO PROTECT EXISTING PAVING & CONCRETE WALKS AND DRIVES

- 1 EXISTING ELECTRICAL TRANSFORMER TO REMAIN, COORDINATE W/ LOCAL UTILITY TO PULL EXISTING ELECTRICAL SERVICE BACK TO TRANSFORMER, ABANDON EXISTING ELECTRICAL CONDUIT
- 2 APPROXIMATE LOCATION OF UNDER GROUND ELECTRICAL SERVICE TO BUILDING – VERIFY
- 3 APPROXIMATE LOCATION OF EXISTING ELECTRICAL ENTRANCE – DISCONNECT CONDUCTORS BACK TO EXISTING TRANSFORMERS
- 4 FUEL TANK – SEE FLOOR PLAN
- 5 STAND BY GENERATOR – SEE FLOOR PLAN
- 6 CONCRETE JERSEY BARRIER – REMOVE & RELOCATE WHERE DIRECTED BY OWNER
- 7 EXISTING 2-STORY PRE-ENGINEERED METAL BUILDING ON CONCRETE SLAB & CONCRETE FOOTING. REMOVE BUILDING, SLAB, FOOTINGS & UNDER GROUND UTILITIES
- 8 DEMOLISH EXISTING CANOPY AND CONCRETE APRON
- 9 DEMOLISH EXISTING GLASS WIND SCREEN
- 10 DEMOLISH EXISTING SIDEWALK
- 11 DEMOLISH EXISTING CONCRETE RETAINING WALL, CONCRETE RAMP AND METAL HANDRAIL
- 12 EXISTING ASPHALT PAVING – TO BE REMOVED
- 13 EXISTING CONCRETE JUNCTION BOX & LIGHT POLE TO REMAIN, PROTECT FROM DAMAGE, IDENTIFY LOCATION OF UNDER GROUND POWER AND CONTROL WIRING & PROTECT FROM DAMAGE DURING WORK
- 14 REMOVE CONCRETE STAIRS AND METAL HANDRAIL
- 15 EXISTING UNDER GROUND TELEPHONE VAULT TO REMAIN. PROTECT VAULT & EXISTING UNDER GROUND CABLES
- 16 PROTECT EXISTING BUILDING, FENCING & OTHER NEIGHBORING IMPROVEMENTS
- 17 PROTECT EXISTING VEHICLE PARKING – DO NOT ALLOW EQUIPMENT OR DEBRIS TO LEAVE PROJECT AREA
- 18 PROJECT LIMIT
- 19 EXISTING SIDEWALK – DO NOT DISTURB
- 20 NOT USED
- 21 NOT USED
- 22 EXISTING VALVE BOX TO REMAIN – ACCESS VALVE TO SHUT OFF WATER TO BUILDING
- 23 CUT OFF EXISTING 6" PVC UNDER GROUND STORM PIPE & CAP AND RE-BURY
- 24 EXISTING DOWN SPOUT TO BE REMOVED
- 25 CAP 6" HDPE WATERLINE AND RE-BURY
- 26 CAP 6" PVC SANITARY SEWER – RE-BURY
- 27 EXISTING DRIVEWAY – KEEP CLEAR
- 28 CURB SIDE PARKING FOR PROJECT – APPLY TO CBJ FOR STEET USE PERMIT
- 29 REMOVE EXISTING FIBER OPTIC BOX & CONDUIT TO GRADE AND CAP – FIBER OPTIC CABLE IS OWNED BY ALASKA COMMUNICATIONS (ACS) CONTACT BRYAN JACKSON ☎ (907)714-8791 OR (907) 394-8791 TO COORDINATE REMOVAL OF FIBER OPTIC CABLE PRIOR TO BUILDING DEMOLITION. CONTRACTOR IS NOT TO REMOVE FIBER OPTIC CABLE.
- 30 EXISTING PHONE AND CABLE CONDUIT & ABOVE GROUND BOXES, DEMO BOXES & CAP CONDUIT & CONDUCTORS WHERE DIRECTED BY PHONE CO. & CABLE CO.
- 31 TYPICAL CONC FOOTING & STAIRS TO BE DEMOLISHED.




**Jensen  
Yorba  
Lott  
Inc.**

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com



City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska

| REVISIONS        |  |
|------------------|--|
| 1                |  |
| 2                |  |
| 3                |  |
| 4                |  |
| 5                |  |
| SHEET TITLE      |  |
| DEMOLITION       |  |
| SITE PLAN        |  |
| DATE: June, 2018 |  |
| FILE: 18030      |  |



NOTE:  
THESE DRAWINGS ARE BASED ON A LIMITED AMOUNT  
OF INFORMATION ABOUT AN EXISTING BUILDING.  
THE CONTRACTOR MUST FIELD VERIFY ALL INFORMATION  
SHOWN AND NOTIFY THE ARCHITECT OF ANY  
DISCREPANCY PRIOR TO MODIFICATION

1 SWING TIE PLAN

SCALE: 0' 5' 10' 20'




SWING TIE REFERENCE POINTS:

- 1 EXISTING STREET LIGHT W/ ADJACENT JUNCTION BOX
- 2 EXISTING CATCH BASIN
- 3 EXISTING VALVE BOX
- 4 VALVE

NOTE:  
SWING TIE INFORMATION DERIVED FROM WHITTIER  
STREET RECONSTRUCTION PROJECT. CBJ CONTRACT  
NO. E16-151 FEBRUARY, 2016

**Jensen Yorba Lott Inc.**

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com



City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska


REVISIONS

- △
- △
- △

SHEET TITLE  
SWING TIE  
PLAN

DATE: June, 2018  
FILE: 18030

NOTE:  
THESE DRAWINGS ARE BASED ON A LIMITED AMOUNT  
OF INFORMATION ABOUT AN EXISTING BUILDING.  
THE CONTRACTOR MUST FIELD VERIFY ALL INFORMATION  
SHOWN AND NOTIFY THE ARCHITECT OF ANY  
DISCREPANCY PRIOR TO MODIFICATION




1 DEMOLITION FOUNDATION PLAN

SCALE: 0 4' 8' 16'



FOUNDATION NOTES:

- NOTE:
- DEMOLISH ALL ELEMENTS NOTED HERE
  - SEE SITE PLANS FOR ADDITIONAL DEMOLITION ELEMENTS AND FEATURES TO BE PROTECTED
  - REMOVE ALL UNDERGROUND PIPING & CONDUITS, SOME UNDERGROUND PIPING IS SHOWN IN DIAGRAM ON A101. ADDITIONAL UNDERGROUND PIPING AND CONDUITS EXIST. PROBE AS REQUIRED TO COMPLETELY REMOVE THEM
- 1 TYPICAL – CONCRETE PAD FOOTING UNDER STEEL MOMENT FRAME
- 2 TYPICAL – CONCRETE PAD FOOTING UNDER SECOND FLOOR COLUMNS
- 3 CONCRETE STEM WALL & CONTINUOUS FOOTING
- 4 CONCRETE SLAB OVER COMPACTED FILL
- 5 CONCRETE STAIR



**Jensen  
Yorba  
Lott  
Inc.**

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com



City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska

REVISIONS




SHEET TITLE

DEMOLITION  
FOUNDATION  
PLAN


DATE: June, 2018  
FILE: 18030

**A201**

NOTE:  
THESE DRAWINGS ARE BASED ON A LIMITED AMOUNT  
OF INFORMATION ABOUT AN EXISTING BUILDING.  
THE CONTRACTOR MUST FIELD VERIFY ALL INFORMATION  
SHOWN AND NOTIFY THE ARCHITECT OF ANY  
DISCREPANCY PRIOR TO MODIFICATION




1 DEMOLITION/SALVAGE FIRST FLOOR PLAN



**SALVAGE KEYNOTES:**


1. REMOVE & TRANSPORT THE FOLLOWING ITEMS NOTED BELOW TO A LOCATION DIRECTED BY OWNER.
2. DISCONNECT UTILITIES AS REQUIRED.
3. DEMOLISH BUILDING IN ITS ENTIRETY

- 1 REFRIDGERATOR
- 2 STOVE
- 3 RECYCLE STATION
- 4 DRINKING FOUNTAIN
- 5 FILE CABINETS
- 6 "GUERRILLA RACKS" STORAGE SHELIVING
- 7 TRANSFORMER SWITCH FOR STAND-BY GENERATOR
- 8 HYDRAULIC ELEVATOR MACHINE EQUIPMENT
- 9 FIRE EXTINGUISHER
- 10 BULLETIN BOARD
- 11 FUEL TANK, 500 GALLON TRANSFER FUEL TO OWNERS SEPARATE OFFSITE TANK PRIOR TO MOVING TANK
- 12 STAND-BY GENERATOR
- 13 CONCRETE JERSEY BARRIER
- 14 PNEUMATIC COMPRESSOR
- 15 MODULAR CASEWORK
- 16 COMPUTER CABINET
- 17 AIR CONDITIONER



**Jensen  
Yorba  
Lott  
Inc.**

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com



City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska

REVISIONS




SHEET TITLE

DEMOLITION/  
SALVAGE FIRST  
FLOOR PLAN

DATE: June, 2018  
FILE: 18030

**A202**

NOTE:  
THESE DRAWINGS ARE BASED ON A LIMITED AMOUNT  
OF INFORMATION ABOUT AN EXISTING BUILDING.  
THE CONTRACTOR MUST FIELD VERIFY ALL INFORMATION  
SHOWN AND NOTIFY THE ARCHITECT OF ANY  
DISCREPANCY PRIOR TO MODIFICATION



1 DEMOLITION/SALVAGE SECOND FLOOR PLAN


SCALE: 0 4' 8' 16'



**SALVAGE KEYNOTES:**


1. REMOVE & TRANSPORT THE FOLLOWING ITEMS NOTED BELOW TO A LOCATION DIRECTED BY OWNER.
2. DISCONNECT UTILITIES AS REQUIRED.
3. DEMOLISH BUILDING IN ITS ENTIRETY

- 1 REFRIDGERATOR
- 2 STOVE
- 3 RECYCLE STATION
- 4 DRINKING FOUNTAIN
- 5 FILE CABINETS
- 6 "GUERRILLA RACKS" STORAGE SHELIVING
- 7 TRANSFORMER SWITCH FOR STAND-BY GENERATOR
- 8 HYDRAULIC ELEVATOR MACHINE EQUIPMENT
- 9 FIRE EXTINGUISHER
- 10 BULLETIN BOARD
- 11 FUEL TANK, 500 GALLON TRANSFER FUEL TO OWNERS SEPARATE OFFSITE TANK PRIOR TO MOVING TANK
- 12 STAND-BY GENERATOR
- 13 CONCRETE JERSEY BARRIER
- 14 PNEUMATIC COMPRESSOR
- 15 MODULAR CASEWORK
- 16 COMPUTER CABINET
- 17 AIR CONDITIONER



**Jensen  
Yorba  
Lott  
Inc.**

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com



City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska

REVISIONS




SHEET TITLE

DEMOLITION/  
SALVAGE  
SECOND FLOOR  
PLAN



DATE: June, 2018  
FILE: 18030

**A203**

NOTE:  
REMOVE ALL ELEMENTS SHOWN



**1 DEMOLITION SECOND FLOOR FRAMING PLAN**



**Jensen  
Yorba  
Lott  
Inc.**

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com



City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska

REVISIONS




SHEET TITLE  
**DEMOLITION  
SECOND FLOOR  
FRAMING PLAN**

DATE: June, 2018  
FILE: 18030


A204

NOTE:  
THESE DRAWINGS ARE BASED ON A LIMITED AMOUNT  
OF INFORMATION ABOUT AN EXISTING BUILDING.  
THE CONTRACTOR MUST FIELD VERIFY ALL INFORMATION  
SHOWN AND NOTIFY THE ARCHITECT OF ANY  
DISCREPANCY PRIOR TO MODIFICATION



1 EXISTING WEST ELEVATION


SCALE: 0 4' 8' 16'



2 EXISTING EAST ELEVATION

SCALE: 0 4' 8' 16'

NOTE:  
REMOVE & DEMOLISH  
WINDOW AIR CONDITIONER  
UNITS NOT SHOWN  
(APPROXIMATELY 12 UNITS)



522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com




City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska

| REVISIONS |
|-----------|
| △         |
| △         |
| △         |


SHEET TITLE  
DEMOLITION  
EXTERIOR  
ELEVATIONS

DATE: June, 2018  
FILE: 18030



**Jensen  
Yorba  
Lott**  
Inc.

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com



City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska


| REVISIONS |
|-----------|
|           |




SHEET TITLE  
**DEMOLITON  
EXTERIOR  
ELEVATIONS/  
BUILDING SECTION**

DATE: June, 2018  
FILE: 18030

**A302**




1 EXISTING NORTH ELEVATION  
SCALE: 0 4' 8' 16'



2 EXISTING NORTH ELEVATION  
SCALE: 0 4' 8' 16'

NOTE:  
DEMOLISH BUILDING IN ITS ENTIRETY




3 EXISTING BUILDING SECTION  
SCALE: 0 2' 4' 8'

EXISTING ASPHALT PAVING - CUT & REMOVE  
ONLY AS REQUIRED TO ACCOMPLISH OTHER  
WORK - PATCH TO MATCH EXISTING

NOTE:  
THESE DRAWINGS ARE BASED ON A LIMITED AMOUNT  
OF INFORMATION ABOUT AN EXISTING BUILDING.  
THE CONTRACTOR MUST FIELD VERIFY ALL INFORMATION  
SHOWN AND NOTIFY THE ARCHITECT OF ANY  
DISCREPANCY PRIOR TO MODIFICATION

NOTE:  
THESE DRAWINGS ARE BASED ON A LIMITED AMOUNT  
OF INFORMATION ABOUT AN EXISTING BUILDING.  
THE CONTRACTOR MUST FIELD VERIFY ALL INFORMATION  
SHOWN AND NOTIFY THE ARCHITECT OF ANY  
DISCREPANCY PRIOR TO MODIFICATION



1 HAZARDOUS MATERIALS FIRST FLOOR PLAN


SCALE: 0 4' 8' 16'




NOTES:

1. REMOVE AND DISPOSE OF NON-ACM VAT AND ASSOCIATED ACM BLACK MASTIC DOWN TO CLEAN CONCRETE IN FIRST FLOOR HALLWAY
2. REMOVE AS DISPOSE OF NON-ACM SHEET VINYL AND ASSOCIATED ACM BLACK MASTIC IN FIRST FLOOR TOILET ROOMS.
3. REMOVE AND DISPOSE OF ACM PIPE FITTINGS IN BOILER ROOM. SEE ORIGINAL MECHANICAL SHEETS FOR DETAILS. BOILER EXHAUST IS NON-ACM
4. REMOVE AND DISPOSE OF ACM FITTINGS THROUGHOUT BUILDING PIPING SYSTEM. ASSUME (80) FITTINGS FOR BIDDING PURPOSES
5. REMOVE AND DISPOSE OF ACM ORIGINAL DUCT TAPE ON MECHANICAL SYSTEMS THROUGHOUT THE BUILDING SEE ORIGINAL MECHANICAL DRAWINGS FOR DETAILS.
6. REMOVE AND SALVAGE ABOVE-GROUND FUEL TANK IN ACCORDANCE WITH SPECIFICATION SECTIONS 026500 AND 026100 OF THIS CONTRACT

LEGEND:




NON-ACM VAT  
W/ ACM BLACK MASTIC



NON-ACM SV  
W/ ACM BLACK MASTIC




MECHANICAL ROOM WITH ACM  
TSI ON PIPING & FITTINGS



**Jensen  
Yorba  
Lott  
Inc.**

522 West 10th Street  
Juneau, Alaska 99801  
phone 907-586-1070  
fax 907-586-3959  
jensenyorbalott.com



City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska

REVISIONS



SHEET TITLE

HAZARDOUS  
MATERIALS FIRST  
FLOOR PLAN

DATE: June, 2018  
FILE: 18030

**HAZ202**

| CB-1 TYPE III  |                      |
|----------------|----------------------|
| FG INV SD-1 IN | EL=25.54<br>EL=22.00 |


| CB-4 TYPE IV EXISTING          |          |
|--------------------------------|----------|
| STA "W" 13+91.4 LT. MATCH CURB |          |
| INV SD-3 IN (EX)               | EL=21.06 |
| INV AD-4 OUT (EX)              | EL=20.96 |
| INV SD-1 OUT                   | EL=21.1  |

| PIPE SUMMARY - STORM DRAINAGE |        |     |          |
|-------------------------------|--------|-----|----------|
| NAME                          | LENGTH | DIA | MATERIAL |
| SD-1                          | 45.0'  | 12" | CPP      |

- CIVIL NOTES:**
- ALL CIVIL WORK TO BE PER CURRENT CBJ STANDARDS & SPECIFICATIONS.
  - CROSS SECTION AT ASPHALT PAVING AS FOLLOWS:
    - 2 1/2" ASPHALT PAVING
    - 1" DI LEVELING COURSE
    - 7", 2" MINUS CRUSHED ROCK.
  - REMOVE ASPHALT, PREPARE SUBGRADE & INSTALL ASPHALT PAVING OUTSIDE FENCED AREA IN CONJUNCTION WITH FINAL GRADING & PAVING INSIDE FENCED AREA.

NOTE:  
THESE DRAWINGS ARE BASED ON A LIMITED AMOUNT OF INFORMATION ABOUT AN EXISTING BUILDING. THE CONTRACTOR MUST FIELD VERIFY ALL INFORMATION SHOWN AND NOTIFY THE ARCHITECT OF ANY DISCREPANCY PRIOR TO MODIFICATION

SURVEY NOTE:  
CONTRACTOR TO SURVEY ELEVATION OF EXISTING ELEMENTS @ PERIMETER OF WORK & MATCH EXISTING GRADES WHERE NEW PAVING MEETS EXISTING PAVING OR OTHER ELEMENTS.



1 SITE GRADING AND DRAINAGE PLAN

SCALE: 0' 5' 10' 20'




City and Borough of Juneau  
Public Safety Building  
**Building Demolition**  
CBJ Contract No. BE19-117  
Juneau, Alaska

| REVISIONS |  |
|-----------|--|
| △         |  |
| △         |  |
| △         |  |

| SHEET TITLE               |  |
|---------------------------|--|
| SITE GRADING AND DRAINAGE |  |
| DATE: June, 2018          |  |
| FILE: 2003                |  |

C101



1 SITE STRIPING PLAN

SCALE: 0' 5' 10' 20'

